

**STAT** Analysis Corporation

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditations: IEPA ELAP 100445; ORELAP IL300001; AIHA-LAP, LLC 101160; NVLAP LabCode 101202-0

April 14, 2020

Luse Companies  
3990 Enterprise Court  
Aurora, IL 60504  
Telephone: (630) 862-2600  
Fax: (630) 862-2673

Analytical Report for STAT Work Order: 20040300 Revision 0

RE: Metals Analysis

Dear Luse Companies:

STAT Analysis received 15 samples for the referenced project on 4/12/2020 10:15:00 AM. The analytical results are presented in the following report.

All analyses were performed in accordance with the requirements of 35 IAC Part 186 / NELAP standards. Analyses were performed in accordance with methods as referenced on the analytical report. Those analytical results expressed on a dry weight basis are also noted on the analytical report.

All analyses were performed within established holding time criteria, and all Quality Control criteria met EPA or laboratory specifications except when noted in the Case Narrative or Analytical Report. If required, an estimate of uncertainty for the analyses can be provided. A listing of accredited methods/parameters can also be provided.

Thank you for the opportunity to serve you and I look forward to working with you in the future. If you have any questions regarding the enclosed materials, please contact me at (312) 733-0551.

Sincerely,



Justice Kwateng  
Project Manager

*The information contained in this report and any attachments is confidential information intended only for the use of the individual or entities named above. The results of this report relate only to the samples as received and tested. If you have received this report in error, please notify us immediately by phone. This report shall not be reproduced, except in its entirety, unless written approval has been obtained from the laboratory. This analytical report shall become property of the Customer upon payment in full. Otherwise, STAT will be under no obligation to support, defend or discuss the analytical report.*

---

---

**Client:** Luse Companies  
**Project:** Metals Analysis  
**Work Order:** 20040300 Revision 0

---

**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
20040300-001A	WS-1		4/11/2020 8:56:00 AM	4/12/2020
20040300-002A	WS-2		4/11/2020 9:02:00 AM	4/12/2020
20040300-003A	WS-3		4/11/2020 9:06:00 AM	4/12/2020
20040300-004A	WS-4		4/11/2020 9:11:00 AM	4/12/2020
20040300-005A	WS-5		4/11/2020 9:15:00 AM	4/12/2020
20040300-006A	WS-6		4/11/2020 9:21:00 AM	4/12/2020
20040300-007A	WS-7		4/11/2020 9:25:00 AM	4/12/2020
20040300-008A	WS-8		4/11/2020 9:32:00 AM	4/12/2020
20040300-009A	WS-9		4/11/2020 9:39:00 AM	4/12/2020
20040300-010A	WS-10		4/11/2020 9:43:00 AM	4/12/2020
20040300-011A	WS-11		4/11/2020 10:06:00 AM	4/12/2020
20040300-012A	WS-12		4/11/2020 10:08:00 AM	4/12/2020
20040300-013A	WS-13		4/11/2020 10:23:00 AM	4/12/2020
20040300-014A	WS-14		4/11/2020 10:29:00 AM	4/12/2020
20040300-015A	BC		4/11/2020 10:29:00 AM	4/12/2020

**STAT Analysis Corporation**

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditations: IEPA ELAP 100445; ORELAP IL300001; AIHA-LAP, LLC 101160; NVLAP LabCode 101202-0

Date Reported: April 14, 2020

**ANALYTICAL RESULTS**

Date Printed: April 14, 2020

Client: Luse Companies

Project: Metals Analysis

Work Order: 20040300 Revision 0

Lab ID: 20040300-001

Collection Date: 4/11/2020 8:56:00 AM

Client Sample ID WS-1

Matrix: Paper Towel

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
<b>Metals by ICP/MS</b>	<b>SW6020A (SW3050B)</b>		Prep Date: 4/13/2020		Analyst: MDT	
Arsenic	ND	2.5		µg/wipe	10	4/13/2020
Barium	17	2.5		µg/wipe	10	4/13/2020
Cadmium	ND	2.5		µg/wipe	10	4/13/2020
Chromium	ND	12		µg/wipe	10	4/13/2020
Lead	4.0	2.5		µg/wipe	10	4/13/2020
Selenium	ND	2.5		µg/wipe	10	4/13/2020
Silver	ND	2.5		µg/wipe	10	4/13/2020

Lab ID: 20040300-002

Collection Date: 4/11/2020 9:02:00 AM

Client Sample ID WS-2

Matrix: Paper Towel

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
<b>Metals by ICP/MS</b>	<b>SW6020A (SW3050B)</b>		Prep Date: 4/13/2020		Analyst: MDT	
Arsenic	ND	2.5		µg/wipe	10	4/13/2020
Barium	18	2.5		µg/wipe	10	4/13/2020
Cadmium	ND	2.5		µg/wipe	10	4/13/2020
Chromium	ND	12		µg/wipe	10	4/13/2020
Lead	3.1	2.5		µg/wipe	10	4/13/2020
Selenium	ND	2.5		µg/wipe	10	4/13/2020
Silver	ND	2.5		µg/wipe	10	4/13/2020

Lab ID: 20040300-003

Collection Date: 4/11/2020 9:06:00 AM

Client Sample ID WS-3

Matrix: Paper Towel

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
<b>Metals by ICP/MS</b>	<b>SW6020A (SW3050B)</b>		Prep Date: 4/13/2020		Analyst: MDT	
Arsenic	ND	2.5		µg/wipe	10	4/13/2020
Barium	6.5	2.5		µg/wipe	10	4/13/2020
Cadmium	ND	2.5		µg/wipe	10	4/13/2020
Chromium	ND	12		µg/wipe	10	4/13/2020
Lead	ND	2.5		µg/wipe	10	4/13/2020
Selenium	ND	2.5		µg/wipe	10	4/13/2020
Silver	ND	2.5		µg/wipe	10	4/13/2020

<b>Qualifiers:</b>	ND - Not Detected at the Reporting Limit	RL - Reporting / Quantitation Limit for the analysis
	J - Analyte detected below quantitation limits	S - Spike Recovery outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	R - RPD outside accepted recovery limits
	HT - Sample received past holding time	E - Value above quantitation range
	* - Non-accredited parameter	H - Holding time exceeded

**STAT Analysis Corporation**

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditations: IEPA ELAP 100445; ORELAP IL300001; AIHA-LAP, LLC 101160; NVLAP LabCode 101202-0

Date Reported: April 14, 2020

**ANALYTICAL RESULTS**

Date Printed: April 14, 2020

Client: Luse Companies

Project: Metals Analysis

Work Order: 20040300 Revision 0

Lab ID: 20040300-004

Collection Date: 4/11/2020 9:11:00 AM

Client Sample ID WS-4

Matrix: Paper Towel

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
<b>Metals by ICP/MS</b>		<b>SW6020A (SW3050B)</b>		Prep Date: 4/13/2020		Analyst: MDT
Arsenic	ND	2.5		µg/wipe	10	4/13/2020
Barium	5.4	2.5		µg/wipe	10	4/13/2020
Cadmium	ND	2.5		µg/wipe	10	4/13/2020
Chromium	ND	12		µg/wipe	10	4/13/2020
Lead	ND	2.5		µg/wipe	10	4/13/2020
Selenium	ND	2.5		µg/wipe	10	4/13/2020
Silver	ND	2.5		µg/wipe	10	4/13/2020

Lab ID: 20040300-005

Collection Date: 4/11/2020 9:15:00 AM

Client Sample ID WS-5

Matrix: Paper Towel

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
<b>Metals by ICP/MS</b>		<b>SW6020A (SW3050B)</b>		Prep Date: 4/13/2020		Analyst: MDT
Arsenic	ND	2.5		µg/wipe	10	4/13/2020
Barium	3.4	2.5		µg/wipe	10	4/13/2020
Cadmium	ND	2.5		µg/wipe	10	4/13/2020
Chromium	ND	12		µg/wipe	10	4/13/2020
Lead	ND	2.5		µg/wipe	10	4/13/2020
Selenium	ND	2.5		µg/wipe	10	4/13/2020
Silver	ND	2.5		µg/wipe	10	4/13/2020

Lab ID: 20040300-006

Collection Date: 4/11/2020 9:21:00 AM

Client Sample ID WS-6

Matrix: Paper Towel

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
<b>Metals by ICP/MS</b>		<b>SW6020A (SW3050B)</b>		Prep Date: 4/13/2020		Analyst: MDT
Arsenic	ND	2.5		µg/wipe	10	4/13/2020
Barium	13	2.5		µg/wipe	10	4/13/2020
Cadmium	ND	2.5		µg/wipe	10	4/13/2020
Chromium	ND	12		µg/wipe	10	4/13/2020
Lead	6.7	2.5		µg/wipe	10	4/13/2020
Selenium	ND	2.5		µg/wipe	10	4/13/2020
Silver	ND	2.5		µg/wipe	10	4/13/2020

**Qualifiers:** ND - Not Detected at the Reporting Limit RL - Reporting / Quantitation Limit for the analysis  
 J - Analyte detected below quantitation limits S - Spike Recovery outside accepted recovery limits  
 B - Analyte detected in the associated Method Blank R - RPD outside accepted recovery limits  
 HT - Sample received past holding time E - Value above quantitation range  
 \* - Non-accredited parameter H - Holding time exceeded

**STAT Analysis Corporation**

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditations: IEPA ELAP 100445; ORELAP IL300001; AIHA-LAP, LLC 101160; NVLAP LabCode 101202-0

Date Reported: April 14, 2020

**ANALYTICAL RESULTS**

Date Printed: April 14, 2020

Client: Luse Companies

Project: Metals Analysis

Work Order: 20040300 Revision 0

Lab ID: 20040300-007

Collection Date: 4/11/2020 9:25:00 AM

Client Sample ID WS-7

Matrix: Paper Towel

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
<b>Metals by ICP/MS</b>		<b>SW6020A (SW3050B)</b>		Prep Date: <b>4/13/2020</b>		Analyst: <b>MDT</b>
Arsenic	ND	2.5		µg/wipe	10	4/14/2020
Barium	12	2.5		µg/wipe	10	4/14/2020
Cadmium	ND	2.5		µg/wipe	10	4/14/2020
Chromium	ND	12		µg/wipe	10	4/14/2020
Lead	7.6	2.5		µg/wipe	10	4/14/2020
Selenium	ND	2.5		µg/wipe	10	4/14/2020
Silver	ND	2.5		µg/wipe	10	4/14/2020

Lab ID: 20040300-008

Collection Date: 4/11/2020 9:32:00 AM

Client Sample ID WS-8

Matrix: Paper Towel

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
<b>Metals by ICP/MS</b>		<b>SW6020A (SW3050B)</b>		Prep Date: <b>4/13/2020</b>		Analyst: <b>MDT</b>
Arsenic	ND	2.5		µg/wipe	10	4/14/2020
Barium	8.6	2.5		µg/wipe	10	4/14/2020
Cadmium	ND	2.5		µg/wipe	10	4/14/2020
Chromium	ND	12		µg/wipe	10	4/14/2020
Lead	10	2.5		µg/wipe	10	4/14/2020
Selenium	ND	2.5		µg/wipe	10	4/14/2020
Silver	ND	2.5		µg/wipe	10	4/14/2020

Lab ID: 20040300-009

Collection Date: 4/11/2020 9:39:00 AM

Client Sample ID WS-9

Matrix: Paper Towel

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
<b>Metals by ICP/MS</b>		<b>SW6020A (SW3050B)</b>		Prep Date: <b>4/13/2020</b>		Analyst: <b>MDT</b>
Arsenic	ND	2.5		µg/wipe	10	4/14/2020
Barium	8.6	2.5		µg/wipe	10	4/14/2020
Cadmium	ND	2.5		µg/wipe	10	4/14/2020
Chromium	ND	12		µg/wipe	10	4/14/2020
Lead	ND	2.5		µg/wipe	10	4/14/2020
Selenium	ND	2.5		µg/wipe	10	4/14/2020
Silver	ND	2.5		µg/wipe	10	4/14/2020

**Qualifiers:** ND - Not Detected at the Reporting Limit RL - Reporting / Quantitation Limit for the analysis  
 J - Analyte detected below quantitation limits S - Spike Recovery outside accepted recovery limits  
 B - Analyte detected in the associated Method Blank R - RPD outside accepted recovery limits  
 HT - Sample received past holding time E - Value above quantitation range  
 \* - Non-accredited parameter H - Holding time exceeded

**STAT Analysis Corporation**

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditations: IEPA ELAP 100445; ORELAP IL300001; AIHA-LAP, LLC 101160; NVLAP LabCode 101202-0

Date Reported: April 14, 2020

**ANALYTICAL RESULTS**

Date Printed: April 14, 2020

Client: Luse Companies

Project: Metals Analysis

Work Order: 20040300 Revision 0

Lab ID: 20040300-010

Collection Date: 4/11/2020 9:43:00 AM

Client Sample ID WS-10

Matrix: Paper Towel

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
<b>Metals by ICP/MS</b>						
			<b>SW6020A (SW3050B)</b>			Prep Date: 4/13/2020 Analyst: MDT
Arsenic	ND	2.5		µg/wipe	10	4/14/2020
Barium	11	2.5		µg/wipe	10	4/14/2020
Cadmium	ND	2.5		µg/wipe	10	4/14/2020
Chromium	ND	12		µg/wipe	10	4/14/2020
Lead	2.7	2.5		µg/wipe	10	4/14/2020
Selenium	ND	2.5		µg/wipe	10	4/14/2020
Silver	ND	2.5		µg/wipe	10	4/14/2020

Lab ID: 20040300-011

Collection Date: 4/11/2020 10:06:00 AM

Client Sample ID WS-11

Matrix: Paper Towel

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
<b>Metals by ICP/MS</b>						
			<b>SW6020A (SW3050B)</b>			Prep Date: 4/13/2020 Analyst: MDT
Arsenic	ND	2.5		µg/wipe	10	4/14/2020
Barium	5.9	2.5		µg/wipe	10	4/14/2020
Cadmium	ND	2.5		µg/wipe	10	4/14/2020
Chromium	ND	12		µg/wipe	10	4/14/2020
Lead	ND	2.5		µg/wipe	10	4/14/2020
Selenium	ND	2.5		µg/wipe	10	4/14/2020
Silver	ND	2.5		µg/wipe	10	4/14/2020

Lab ID: 20040300-012

Collection Date: 4/11/2020 10:08:00 AM

Client Sample ID WS-12

Matrix: Paper Towel

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
<b>Metals by ICP/MS</b>						
			<b>SW6020A (SW3050B)</b>			Prep Date: 4/13/2020 Analyst: MDT
Arsenic	ND	2.5		µg/wipe	10	4/14/2020
Barium	8.7	2.5		µg/wipe	10	4/14/2020
Cadmium	ND	2.5		µg/wipe	10	4/14/2020
Chromium	ND	12		µg/wipe	10	4/14/2020
Lead	5.1	2.5		µg/wipe	10	4/14/2020
Selenium	ND	2.5		µg/wipe	10	4/14/2020
Silver	ND	2.5		µg/wipe	10	4/14/2020

**Qualifiers:**  
 ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 HT - Sample received past holding time  
 \* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis  
 S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range  
 H - Holding time exceeded

**STAT Analysis Corporation**

2242 West Harrison St., Suite 200, Chicago, IL 60612-3766

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditations: IEPA ELAP 100445; ORELAP IL300001; AIHA-LAP, LLC 101160; NVLAP LabCode 101202-0

Date Reported: April 14, 2020

**ANALYTICAL RESULTS**

Date Printed: April 14, 2020

Client: Luse Companies

Project: Metals Analysis

Work Order: 20040300 Revision 0

Lab ID: 20040300-013

Collection Date: 4/11/2020 10:23:00 AM

Client Sample ID WS-13

Matrix: Paper Towel

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
<b>Metals by ICP/MS</b>		<b>SW6020A (SW3050B)</b>			Prep Date: <b>4/13/2020</b>	Analyst: <b>MDT</b>
Arsenic	ND	2.5		µg/wipe	10	4/14/2020
Barium	3.5	2.5		µg/wipe	10	4/14/2020
Cadmium	ND	2.5		µg/wipe	10	4/14/2020
Chromium	ND	12		µg/wipe	10	4/14/2020
Lead	ND	2.5		µg/wipe	10	4/14/2020
Selenium	ND	2.5		µg/wipe	10	4/14/2020
Silver	ND	2.5		µg/wipe	10	4/14/2020

Lab ID: 20040300-014

Collection Date: 4/11/2020 10:29:00 AM

Client Sample ID WS-14

Matrix: Paper Towel

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
<b>Metals by ICP/MS</b>		<b>SW6020A (SW3050B)</b>			Prep Date: <b>4/13/2020</b>	Analyst: <b>MDT</b>
Arsenic	ND	2.5		µg/wipe	10	4/14/2020
Barium	9.8	2.5		µg/wipe	10	4/14/2020
Cadmium	ND	2.5		µg/wipe	10	4/14/2020
Chromium	ND	12		µg/wipe	10	4/14/2020
Lead	ND	2.5		µg/wipe	10	4/14/2020
Selenium	ND	2.5		µg/wipe	10	4/14/2020
Silver	ND	2.5		µg/wipe	10	4/14/2020

Lab ID: 20040300-015

Collection Date: 4/11/2020 10:29:00 AM

Client Sample ID BC

Matrix: Paper Towel

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
<b>Metals by ICP/MS</b>		<b>SW6020A (SW3050B)</b>			Prep Date: <b>4/13/2020</b>	Analyst: <b>MDT</b>
Arsenic	ND	2.5		µg/wipe	10	4/14/2020
Barium	4.2	2.5		µg/wipe	10	4/14/2020
Cadmium	ND	2.5		µg/wipe	10	4/14/2020
Chromium	ND	12		µg/wipe	10	4/14/2020
Lead	ND	2.5		µg/wipe	10	4/14/2020
Selenium	ND	2.5		µg/wipe	10	4/14/2020
Silver	ND	2.5		µg/wipe	10	4/14/2020

**Qualifiers:** ND - Not Detected at the Reporting Limit RL - Reporting / Quantitation Limit for the analysis  
 J - Analyte detected below quantitation limits S - Spike Recovery outside accepted recovery limits  
 B - Analyte detected in the associated Method Blank R - RPD outside accepted recovery limits  
 HT - Sample received past holding time E - Value above quantitation range  
 \* - Non-accredited parameter H - Holding time exceeded

740 target  
 analyte list  
 per discussion

**CHAIN OF CUSTODY RECORD**

Page: 1 of 2

Client: USE Environ. Services  
 Street Address: 3990 Enterprise Court  
 City, State, Zip: Aurora, IL 60504  
 Phone: 630-862-2646  
 Fax: \_\_\_\_\_  
 e-mail/Alt. Fax: Sim Choike  
 Project Number: \_\_\_\_\_  
 Project Name: \_\_\_\_\_  
 Project Location: \_\_\_\_\_  
 Project Manager: \_\_\_\_\_  
 P.O. Number: \_\_\_\_\_

Turn Around: Immediate:  4 Hrs:  8 Hrs:  24 Hrs:  1 Day:  2 Days:  3 Days:  5 Days:   
 Date Due: \_\_\_\_\_ Time Due: \_\_\_\_\_  
 Note: Not all turn around times are available for all analysis.

**OFFICE USE ONLY BELOW:**  
 Batch No.: 20040300  
 Samples Acceptable: Yes:  No:   
 Checked by (Initial/Date): JAC 4/14/20  
 QC by (Initial/Date): \_\_\_\_\_  
 Reported By (Initial/Date/Time/Method): \_\_\_\_\_  
 Comments: \_\_\_\_\_

Relinquished by: FRANCISCO Flores Silva Date/Time: 4/12 10:15  
 Received by: Gregory Colvina Date/Time: OFFICE 4/12/18  
 Relinquished by: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Received by: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Relinquished by: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Received by: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Client Sample Number/Description	Date Taken	Time		Rate (lpm)	Volume (Liters)	Area Wiped (ft <sup>2</sup> )	Laboratory Sample No.	Analysis Results								
		On	Off					PCM Asbestos (Bulk)	PLM Asbestos (Bulk)	PLM Point Count	PLM Gravimetric	TEM Air Asbestos	TEM Bulk Asbestos	TEM Gravimetric Asb.	TEM Microvac Asb.	TEM Water
WS-1	4/11/20	8:56 p.m.	8:56 p.m.				001	X	X	X	X	X	X	X	X	740 target
WS-2	4/11/20	9:02 p.m.	9:02 p.m.				002	X	X	X	X	X	X	X	X	analyte list
WS-3	4/11/20	9:06 p.m.	9:06 p.m.				003	X	X	X	X	X	X	X	X	
WS-4	4/11/20	9:11 p.m.	9:11 p.m.				004	X	X	X	X	X	X	X	X	
WS-5	4/11/20	9:15 p.m.	9:15 p.m.				005	X	X	X	X	X	X	X	X	
WS-6	4/11/20	9:21 p.m.	9:21 p.m.				006	X	X	X	X	X	X	X	X	
WS-7	4/11/20	9:25 p.m.	9:25 p.m.				007	X	X	X	X	X	X	X	X	
WS-8	4/11/20	9:32 p.m.	9:32 p.m.				008	X	X	X	X	X	X	X	X	
WS-9	4/11/20	9:34 p.m.	9:34 p.m.				009	X	X	X	X	X	X	X	X	
WS-10	4/11/20	9:43 p.m.	9:43 p.m.				010	X	X	X	X	X	X	X	X	
WS-11	4/11/20	10:06 p.m.	10:06 p.m.				011	X	X	X	X	X	X	X	X	
WS-12	4/11/20	10:08 p.m.	10:08 p.m.				012	X	X	X	X	X	X	X	X	
WS-13	4/11/20	10:23 p.m.	10:23 p.m.				013	X	X	X	X	X	X	X	X	

Comments: Please send results to: Francisco.FloresSilva@CityofChicago.org



**STAT**

Analysis Corporation  
 2242 W. Harrison, Suite 200, Chicago, Illinois 60612  
 e-mail address: STATinfo@STATAnalysis.com

Phone: (312) 733-0551 Fax: (312) 733-2386

**CHAIN OF CUSTODY RECORD**

Page: 2 of 2

740 target  
 analyte list  
 per discussion

Client: <u>LUSE Environ. Services</u>	Street Address: <u>3990 Enterprise Court</u>	City, State, Zip: <u>Aurora, IL 60504</u>	Phone: <u>630-862-2646</u>	Fax:	e-mail/Alt. Fax: <u>Sim Choike</u>	Project Number:	Project Name:	Project Location:	Project Manager:	P.O. Number:	Turn Around:	24 Hrs:	8 Hrs:	4 Hrs:	1 Day:	2 Days:	3 Days:	5 Days:
											Immediate:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Date Due: _____ Time Due: _____																		
Note: Not all turn around times are available for all analysis.																		
Relinquished by: _____ Date/Time: _____																		
Received by: <u>Francisco Flores Silva</u> Date/Time: <u>7/12 10:15</u>																		
Relinquished by: _____ Date/Time: _____																		
Received by: _____ Date/Time: _____																		
Relinquished by: _____ Date/Time: _____																		
Received by: _____ Date/Time: _____																		
Relinquished by: _____ Date/Time: _____																		
Received by: _____ Date/Time: _____																		
Relinquished by: _____ Date/Time: _____																		
Received by: _____ Date/Time: _____																		

**OFFICE USE ONLY BELOW:**

Batch No.: 20040300  
 Samples Acceptable: Yes:  No:   
 Checked by (Initial/Date): [Signature]  
 QC by (Initial/Date):  
 Reported By (Initial/Date/Time/Method):  
 Comments:

Rate (ppm)	Volume (Liters)	Area Wiped (ft²)	Laboratory Sample No.
			<u>014</u>
			<u>015</u>

PLM Asbestos (Bulk)	PLM Asbestos (Air)	PLM Asbestos (Bulk)	PLM Gravitric	PLM Point Count	PLM Gravitric	TEM Bulk Asbestos	TEM Gravitric Asb.	TEM Microvac Asb.	TEM Water	Other:
X		X				X				X
X		X				X				X

Comments: Please send results to: Francisco.FloresSilva@cityofchicago.org

**Sample Receipt Checklist**

Client Name **LUSE**

Date and Time Received: **4/12/2020 10:15:00 AM**

Work Order Number **20040300**

Received by: **GVC**

Checklist completed by: EL 4/12/20  
Signature Date

Reviewed by: Loa 4/10/20  
Initials Date

Matrix: Carrier name Client Delivered

- Shipping container/cooler in good condition? Yes  No  Not Present
- Custody seals intact on shipping container/cooler? Yes  No  Not Present
- Custody seals intact on sample bottles? Yes  No  Not Present
- Chain of custody present? Yes  No
- Chain of custody signed when relinquished and received? Yes  No
- Chain of custody agrees with sample labels/containers? Yes  No
- Samples in proper container/bottle? Yes  No
- Sample containers intact? Yes  No
- Sufficient sample volume for indicated test? Yes  No
- All samples received within holding time? Yes  No
- Container or Temp Blank temperature in compliance? Yes  No  Temperature Ambient °C
- Water - VOA vials have zero headspace? No VOA vials submitted  Yes  No
- Water - Samples pH checked? Yes  No  Checked by: \_\_\_\_\_
- Water - Samples properly preserved? Yes  No  pH Adjusted? \_\_\_\_\_

Any No response must be detailed in the comments section below.

Comments: \* PER DISCUSSION WITH DALE GRAHM, CANCEL MERCURY ANALYSES  
(1 WIPE RECEIVED PER SAMPLE LOCATION) @ 04/13/2020

Client / Person contacted: \_\_\_\_\_ Date contacted: \_\_\_\_\_ Contacted by: \_\_\_\_\_

Response: \_\_\_\_\_