

Health Status Index Series Volume XVI Number V

COMMUNITY AREA HEALTH INVENTORY

PART ONE: DEMOGRAPHIC AND HEALTH PROFILES

DATA FROM 1994 AND 2004



**City of Chicago
Department of Public Health
Office of Epidemiology**

Community Area Health Inventory Part One: Demographic and Health Profiles

Kirsti A. Bocskay, Ph.D., M.P.H.

Dana M. Harper-Jemison, B.S.

Kevin P. Gibbs, M.U.P.P.

Kingsley Weaver, M.P.H.

Sandra D. Thomas, M.D., M.S.

Copyright Information

All material appearing in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

Suggested Citation

Bocskay KA, Harper-Jemison DM, Gibbs KP, Weaver K, Thomas SD. *Community Area Health Inventory Part One: Demographic and Health Profiles*. Health Status Index Series Vol. XVI No. V. Chicago, Illinois: Chicago Department of Public Health Office of Epidemiology, 2007.



"Making Chicago the healthiest city in the U.S."

Chicago Department of Public Health

Terry Mason, M.D. • Commissioner

CONTENTS

Preface.....	i
Data Highlights.....	ii
Methods.....	1
Definitions of Measures.....	4
Demographic and Health Profiles.....	7

PREFACE

Chicago was divided into 75 community areas based upon social, cultural and geographic factors more than 70 years ago by a research committee at the University of Chicago. Two additional community areas have been added since 1960. Although the community areas no longer necessarily represent the boundaries of modern Chicago neighborhoods, demographic and health information at the community area level is useful to many community-based organizations, planners, hospitals, universities, and other groups.

The first edition of the Community Area Health Inventory was published in 1993 by the Chicago Department of Public Health (CDPH) Office of Planning, Policy and Resource Development. The report was then expanded into two volumes by the Office of Epidemiology in 1994. In 2005, the Community Area Health Inventory significantly changed in organization and content, incorporated revised racial/ethnic categories, added more meaningful socioeconomic (SES) indicators and arranged the expanded number of health measures in a more relevant way.

Part One includes:

- Population compositions by age, sex and race/ethnicity, SES and health measures, and 10-year trend analyses of these indicators.
- Graphic representations of demographic measures to provide a quick visual reference of gender, age and racial distributions in each community area.

Part Two, as in previous reports, uses the same health measures in Part One to rank community areas both in tabular and map form. Part Two also includes graphic representations for each health measure providing the user a quick understanding of each community area compared to other areas and Chicago overall. A summary rank index is given for each community area based on rank in all health indices.

Some changes from the 2005 edition include the AIDS case definition, incidence not prevalence is now reported, and 10-year trend analyses for Chlamydia, Gonorrhea and Syphilis for the first time, as 1994 data became available just this year.

The Community Area Health Inventory summarizes data from many sources and represents the cumulative effort of the Offices of Epidemiology and HIV/AIDS Surveillance, and the Sexually Transmitted Diseases Surveillance, Communicable Disease, Immunization and Lead Programs. We hope that this report will prove helpful in developing effective interventions for improving the health and well-being of Chicagoans. We welcome any questions, comments, or suggestions for improvements. Please contact:

Office of Epidemiology
Chicago Department of Public Health
DePaul Center, Room 2137
333 South State Street
Chicago, Illinois 60604-3972
(312) 747-9810

DATA HIGHLIGHTS

POPULATION

- Chicago's population increased by 4% from 1990-2000, though not uniformly - 52% of community areas decreased in population. Gage Park increased by almost 50%, the most of any community area. Washington Park decreased by almost 30%, the least of any community area.
- The largest change in population for an age group in Chicago occurred in the 65 years and older category, a decrease of 13%. Almost 75% of community areas' 65 and older population decreased. The average decrease was 20%. Gage Park had the largest decrease in persons 65 and older, 58.2%.
- There were significant changes in the racial/ethnic composition of many community areas from 1990-2000. The Hispanic population in Chicago grew by almost 33% over the 10-year study period, the greatest change of all racial/ethnic groups. West Elsdon had the largest increase in Hispanics, 434.5%. Population decreases were seen in the Non-Hispanic White and Black populations, 17.4% and 5.7%, respectively in Chicago. Gage Park saw the greatest loss of Non-Hispanic Whites, a 77.7% decrease. Near South Side had the largest decrease in Non-Hispanic Blacks, 31.1%.

- The socioeconomic status of many Chicagoans improved from 1990 to 2000. More than 60% of community areas had a decrease in unemployment. Near South Side had the largest decrease of any community area, 63%. Almost 85% of Chicago's community areas increased their proportion of residents who had graduated from high school. West Town had the largest increase in high school graduates, improving more than 50% from 1990. Almost 65% of community areas had a decrease in childhood poverty. The Loop saw the greatest decrease in childhood poverty, 70%.

HEALTH

- Health for many Chicagoans improved during 1994-2004. Alzheimer's Disease was the only cause of mortality to significantly increase, 107.1%. All-cause and all other causes of mortality significantly decreased. Age-adjusted mortality rates and time trends for each community area varied. No single community area had the highest rates or the lowest rates.
- The majority of community areas (91%) had a significant decrease in all-cause mortality over the 10-year study period of 1994-2004. The average decrease was 26%. The community area with the largest decrease in all-cause mortality was Fuller Park, 55.2%.

- More than 30% of community areas had a significant decrease in cancer mortality from 1994 to 2004. The average decrease was 29%. The community area with the greatest decrease in cancer mortality was Morgan Park, 40.6%.
- The majority of community areas (75.3%) had a significant decrease in heart disease mortality from 1994 to 2004. The average decrease was more than 35%. Near South Side had the largest decrease in heart disease mortality, 67.1%.
- Almost 75% of community areas experienced a significant decrease in fertility during the 10-year period (1994-2004). The average decrease was 27%. Grand Boulevard had the greatest decrease in fertility, 63.7%.
- More than 50% of community areas had a significant increase in mothers who sought prenatal care in the first trimester. The average increase was 15%. The community area with the greatest increase in prenatal care in the first trimester was Washington Park, 37.3%.
- Maternal smoking during pregnancy decreased during the study period. Almost 70% of all community areas had a significant decrease with an average decrease of 55%. Lincoln Square had the greatest decrease in maternal smoking during pregnancy, 85.4%.

- The number of babies born by Caesarean section increased significantly in more than 80% of community areas with an average increase of 46%. Fuller Park had the largest increase in percentage of babies born via Caesarean section, 121.7%.
- Birth outcomes improved for Chicago newborns during the 10-year study period. The percent of very low birthweight babies born decreased by almost 8% in Chicago. More than 90% of community areas did not experience a significant increase in the percentage of very low birthweight newborns. Similarly, almost 80% of community areas did not experience a significant increase in the percentage of premature births.
- Infant mortality fell by almost 50% from 1994 to 2004 in Chicago. More than one quarter of community areas had less than the expected number of infants die in 2004. Fetal mortality also decreased in Chicago, 27.6%. Almost one third of community areas had less than the expected number of fetal deaths in 2004.
- Mortality due to HIV/AIDS dropped by 75% in the 10-year study period as well as the incidence of AIDS cases by almost 60% (57.5). All community areas experienced a decrease in AIDS incidence between 1994 and 2004, the average decrease being more than 50%. West Town had the largest significant decrease in AIDS incident cases, 84.8%.

METHODS

GENERAL LIMITATIONS

This report is intended as a resource for advocates, providers, planners, and others. It is descriptive and is not intended to serve as a causal analysis. For example, if a community has a high cancer mortality rate, this may not be caused by characteristics of the community. Answering these questions would require further investigation.

For some measures, such as breast cancer mortality, which are based on relatively few events at the community area level, other limitations must be considered. These rates are subject to substantial random variability.

OVERVIEW

This volume contains two pages for Chicago and each of its 77 community areas. The first page presents demographic information for 2000 and change in these variables since 1990, where possible, is indicated. The second page presents data on mortality, infectious disease, disabilities, maternal health, and infant and child health for the geographic area. Health information is presented for 2004 with 1994 serving as a historical reference point.

DATA REPORTING CRITERIA

The guidelines for data release and cell suppression used by CDPH try to balance data accessibility with privacy concerns and confidence in the stability of the estimates that we publish.

Rates, percentages, and ratios based on twenty or fewer events can vary widely just by random chance even when there is no meaningful statistical difference between measurements. Rare events occurring in large populations do not usually allow for the identification of individuals, but reporting small cell sizes for population subgroups increases the risk of breaching confidentiality.

The guidelines for cell suppression used in this report (adapted from the Massachusetts Department of Public Health) are based on both the numerator (event) and denominator (population or group size) values, except for Chlamydia, Gonorrhea, Syphilis and AIDS cases and rates. To prevent back calculation of suppressed numbers, secondary suppression of at least three other cells may be performed in conjunction with the primary suppression. See Table 1 for specific reporting conditions.

The Office of HIV/AIDS Surveillance and the STD Surveillance Program have a separate confidentiality standard whereby counts and rates for less than 5 cases are suppressed. As such, for fewer than 5 Chlamydia, Gonorrhea, Syphilis and AIDS cases, counts will be reported as < 5 and rates suppressed.

An age-adjusted mortality rate will be suppressed when the total number of events is 20 or less. (Other methods of analysis are available to evaluate age-adjusted rates based on 20 or fewer events. Please contact the Office of Epidemiology for more information.) Percentages and rates (not age-adjusted) based on 20 events or less will be reported along with a warning to use caution when making interpretations based on these rates. Percentages and rates (not age-adjusted) based on fewer than 5 events will be suppressed. If 1994 and/or 2004 rates/percents are suppressed, 10-YR CHANGE will not be calculated and indicated by “--”.

Table 1. Conditions for Reporting Data

REPORTED*	NOT REPORTED
Population > 29 AND Number of events < Population	10 ≤ Population ≤ 29 AND Population - Number of events ≤ 5
10 ≤ Population ≤ 29 AND Number of events = 0	Population < 10 AND 1 ≤ Number of events ≤ 9
10 ≤ Population ≤ 29 AND Population - Number of events > 5	
Population < 10 AND Number of events = 0	

*If calculations produce statistically unreliable rates, ratios or percentages, then (1) counts will be reported without secondary calculations OR (2) secondary calculations will be identified with a warning to use caution when interpreting or comparing those values.

POPULATION DENOMINATORS

The population denominators for calculating 2004 rates are from the 2000 census. The population denominators for calculating 1994 rates are from the 1990 census. Although the Census Bureau undertakes a substantial effort to enumerate every person, there is still an undercount and it is not random. Many of the demographic groups that are at a higher risk of being under counted are also at higher risk of having poor health outcomes. To the extent that this is true, the differences between the highest and lowest risk communities are probably slightly (up to 10%) overstated.

CAUSE OF DEATH DETERMINATION

All deaths are registered using death certificates. Death certificates are processed and analyzed by a standardized system that is used in most countries throughout the world, the International Classification of Diseases (ICD). On the death certificate, the certifier (a physician, coroner or medical examiner) enters information about the causes and circumstances of death in a specific sequence. When received by the vital statistics office, the listed causes are placed in standard categories, and the underlying cause of death is then determined.

Underlying cause of death is *not* necessarily the first medical condition listed on the death certificate. All of the information on the certificate is examined systematically, using classification rules, to determine the most appropriate underlying cause of death.

The system is periodically revised to reflect advances in medical knowledge and public health priorities. The ninth revision, ICD-9, was used for deaths in the United States for twenty years, 1979-1998. The ICD-10 is the most recent update, and is being used for US deaths effective with data from 1999. There are important differences between ICD-10 and its predecessor, ICD-9, including the following:

- The number of detailed categories has nearly doubled.
- Important changes in some of the rules for classifying underlying cause of death.

Therefore, even with the same information being recorded on the death certificate, a death can be attributed to a different underlying cause of death. Due to these differences, mortality rates based on data classified under ICD-10 cannot be directly compared to ICD-9. In order to compare mortality statistics based on deaths classified by ICD-9 to ICD-10, a comparability ratio can be applied to counts and rates. Ratios were determined by a comparability study conducted by the National Center for Health Statistics. The causes of death and corresponding comparability ratios used in this publications are listed in Table 2. Contact the Office of Epidemiology for more information.

Table 2. Comparability Ratios for Causes of Death

CAUSE OF DEATH	COMPARABILITY RATIO
HIV/AIDS	1.0821
Influenza and Pneumonia	0.7144
All-cancers	1.0093
Breast Cancer	1.0073
Colon Cancer*	0.9988
Lung Cancer†	0.9901
Prostate Cancer	1.0144
Accidents	1.0251
Homicide	1.002
Suicide	0.9834
Heart Disease	0.9976
Stroke	1.0502
Lower Respiratory Disease	1.0332
Diabetes Mellitus	1.0193
Liver Disease and Cirrhosis	1.0321
Alzheimer's Disease	1.4472

*Includes cancers of the rectum and anus

†Includes cancers of the trachea and bronchus

INFECTIOUS DISEASES

The numbers and rates for infectious diseases that are required to be reported are always subject to variations in reporting and detection, since health care providers are not always compliant with reporting requirements and persons affected by these illnesses do not always seek medical care.

RATE CALCULATIONS

Percent change in rates, percents or total counts from 1990 to 2000 (demographic data) and 1994 to 2004 (health data) are calculated (10-YR CHANGE) using the following formula:

$$\frac{\text{rate}_{2000/04} - \text{rate}_{1990/94}}{\text{rate}_{1990/94}} \times 100$$

A “+” sign indicates an increase over time, “-” a decrease. The difference between two population proportions (z-test statistic) is used to determine if such changes are significant at the 0.1 level, which is indicated in the tables. Any difference between the 1990 and 2000 total population count is considered significant according to the U.S. Census Bureau. Therefore, no z-test was performed for total population counts (“All”). For more details, contact the Office of Epidemiology.

In the Community Area Health Inventory, rates for causes of death and all cause mortality are age-adjusted, which is explained in the next section.

How Age Adjusted Rates are Calculated

Age adjustment is a technique that is used to make it easier to interpret differences in disease rates between different populations. Most important health conditions vary with age. The populations in different community areas vary in their age composition. Similarly, the population in the same geographic area varies in its age composition over time. When comparing rates of death, we would like to be able to separate what differences are due to potentially modifiable risk factors and what differences are due to age. With direct age adjustment, a reference or standard population is identified, and weights are assigned to age-specific groups based on their representation in the standard population. All of the weights add up to 1. The age-adjusted rate for a population is a weighted average of the age group specific rates for the population, using the weights derived from the standard population.

Age-adjusted rates that are derived using the same standard population can be compared to each other, but they CANNOT be compared to age-adjusted rates using different standard populations. Age-adjusted rates are summary statistics for comparisons, and NOT actual rates - they cannot be applied to a specific population to get the actual number of events that occurred in that population.

The projected U.S. population for the year 2000 is currently used as the reference (standard) population for age adjustment by the Chicago Department of Public Health. This makes our data consistent with reports issued by all agencies within the U.S. Department of Health and Human Services, who uniformly adopted the projected U.S. population for year 2000 as their standard for age adjustment for health events or deaths occurring in 1999 or later. The age-adjustment weights used in this publications are listed in Table 3.

Table 3. Age-Adjustment Weights for Year 2000 Standard Population

AGE (YEARS)	WEIGHT
Under 1	0.013818
1-4	0.055317
5-14	0.145565
15-24	0.138646
25-34	0.135573
35-44	0.162613
45-54	0.134834
55-64	0.087247
65-74	0.066037
75-84	0.044842
85+	0.015508

DEFINITIONS OF MEASURES

DEMOGRAPHIC MEASURES

Below Poverty Level

Persons whose household income falls below the federally defined poverty level in 1989 (1990 data) and 1999 (2000 data).

Source: United States Census

Childhood Poverty

Persons under age 18 whose total family income falls below the federally defined poverty level in 1989 (1990 data) and 1999 (2000 data).

Source: United States Census

High School Graduates

Persons age 25 years and older who have received a high school diploma or its equivalent.

Source: United States Census

Housing Vacancies

Number of unoccupied housing units either for rent, sale, or seasonal use only.

Source: United States Census

Median Household Income

The annual income at which half of the households fell above and half below.

Source: United States Census

Population Distributions

The proportions of age, sex, and racial/ethnic distributions sum to 100% (to within rounding error). Females 15-44 reports the population of women of child-bearing age.

Source: United States Census

Same Place of Residence for 5 Years

Persons who lived in the same place (house, apartment, etc.) in 1995 (1985 for the 1990 Census).

Source: United States Census

Unemployed

Civilian persons over age 16 who are without work and actively seeking work.

Source: United States Census

HEALTH MEASURES

Infectious Diseases (Reportable)

Reportable diseases are those that are mandated by state law to be tabulated and reported to the appropriate health authority, in this case CDPH. The infectious, reportable conditions selected for this report are:

AIDS*

Chlamydia

Gonorrhea

Hepatitis C

Syphilis (primary and secondary)

Tuberculosis

The annual number of cases and incidence rates per 100,000 population are given for all conditions except Hepatitis C, which reflect positive antibody, PCR or RIBA tests. The data included in this report are the number of positive reports received by CDPH in 2004, not the cases of Hepatitis C in 2004. None of the rates are age-adjusted. Community area level Hepatitis C data are not available for 1994.

Sources: CDPH Programs of Communicable Disease and Sexually Transmitted Disease, and Office of HIV/AIDS Surveillance

*AIDS cases and rates are significantly different from previous versions of the CAHI due to a change in methodology. Prior to 2007, prevalent cases and rates were reported, which estimated the number of persons diagnosed with AIDS living in Chicago and a specific community area since surveillance began and assumed that persons living with AIDS remained in the community where they were diagnosed. Currently, incident cases only are reported, which estimate the number of persons *newly diagnosed in 2004* with AIDS.

Disabilities

Non-institutionalized, civilian persons aged 5 and older with a long-lasting condition such as: blindness, deafness, or a severe vision or hearing impairment (Blind/Deaf); a condition that substantially limits one or more basic physical activities like walking, climbing stairs, reaching, lifting or carrying (Physical); a condition that makes it difficult to learn, remember, or concentrate (Mental); a condition that makes it difficult to dress, bathe, get around inside the home (Requires Care); a condition that makes it difficult to go outside the home alone to shop or visit a doctor's office (Home-Bound); or a condition that makes it difficult to work at a job or business, refers only to persons between the ages of 16 and 64 (Unable to Work). These categories are NOT mutually exclusive.

Source: United States Census

Fertility Rate

The annual number of births and fertility rate, defined as the number of births per 1000 women of child-bearing age (15-44) in the geographic area.

Source: IDPH Vital Records Tapes

First Trimester Prenatal Care

The annual number and percent of births to resident mothers receiving prenatal care in the first trimester.

Source: IDPH Vital Records Tapes

Smoking

The annual number and percent of births to resident mothers who reported smoking during pregnancy.

Source: IDPH Vital Records Tapes

Caesarean Section

The annual number and percent of births to resident mothers who were delivered by Caesarean section.

Source: IDPH Vital Records Tapes

Very Low Birthweight

The annual number and percent of resident births weighing less than 1500 grams (3.25 pounds).

Source: IDPH Vital Records Tapes

Premature Birth

The annual number and percent of resident births with less than 37 completed weeks in the womb.

Source: IDPH Vital Records Tapes

Fetal Mortality

The annual number and rate of deaths of fetuses who have reached at least 20 weeks of gestation and whose mothers reside in Chicago. A fetal death is when the expelled fetus does not breathe or show any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. The rate is the number of fetal deaths per 1,000 live births and fetal deaths to mothers residing in the geographic area.

Source: IDPH Vital Records Tapes

Infant Mortality

The annual number and rate of deaths of resident infants (younger than one year of age). The rate is the number of infant deaths per 1,000 live births to mothers residing in the geographic area.

Source: IDPH Vital Records Tapes

Lead Screening

Screened is the number and percent of resident children age six and younger with at least one lead screening.

Elevated is the number and percent of resident children screened with a blood lead level higher than nine micrograms per deciliter. If a child was screened more than once, only one elevated screening is reported here. Community area data are not available prior to 1997.

Not all lead screening and blood level records were able to be geocoded by publication date. Slightly more than 10 percent of data were not assigned a specific community area, i.e. data may not be 100 percent complete for individual community areas, but is for Chicago overall.

Source: CDPH Lead Program

Causes of Death

The annual number of resident deaths and the age adjusted annual death rate per 100,000 population are given for each of the indicated causes of death (see ICD-9 and ICD-10 codes below). The specific causes of death listed here are not exhaustive. Breast cancer rates are for female and males. For each community area, the causes are grouped into 4 categories: infectious disease, cancer, unnatural and chronic disease. The causes of death and corresponding ICD-9 and ICD-10 codes are listed in Table 4.

Source: IDPH Vital Records Tapes

Table 4. ICD-9 and ICD-10 Codes for Causes of Death

CAUSE	ICD-9 CODES	ICD-10 CODES
HIV/AIDS	042-044	B20-B24
Influenza and Pneumonia	480-487	J10-J18
All-cancers	140-208	C00-C97
Breast Cancer	174-175	C50
Colon Cancer*	153-154	C18-C21
Lung Cancer†	162	C33-C34
Prostate Cancer	185	C61
Accidents	E800-E869, E880-E929	V01-X59, Y85-Y86
Homicide	E960-E969	X85-Y09, Y87.1
Suicide	E950-E959	X60-X84, Y87.0
Heart Disease	390-398, 402, 404, 410-429	I00-I09, I11, I13, I20-I51
Stroke	430-434, 436-438	I60-I69
Lower Respiratory Disease	490-494, 496	J40-J47
Diabetes Mellitus	250	E10-E14
Liver Disease and Cirrhosis	571	K70, K73-K74
Alzheimer's Disease	331.0	G30

*Includes cancers of the rectum and anus

†Includes cancers of the trachea and bronchus

DEMOGRAPHIC AND HEALTH PROFILES


2000 DEMOGRAPHIC MEASURES

POPULATION COMPOSITION

CHICAGO

AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	218,522	7.5	-3.8 [†]
5-17	541,318	18.7	+3.3 [†]
18-24	323,710	11.2	-3.4 [†]
25-64	1,513,663	52.3	+3.6 [†]
65+	298,803	10.3	-12.7 [†]
All	2,896,016	--	+4 [†]




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	1,405,107	48.5	+1.2 [†]
Female	1,490,909	51.5	-1.1 [†]
Females 15-44	701,509	24.2	-1.6 [†]


RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	753,644	26	+32.7 [†]
Non-Hispanic			
Asian	124,437	4.3	+21.1 [†]
Black	1,053,739	36.4	-5.7 [†]
White	907,166	31.3	-17.4 [†]
Other	9,556	0.3	NA
Multiple	47,474	1.6	ND



SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	38,625	--	NA
Below Poverty Level	556,791	19.6	-9.3 [†]
Childhood Poverty	207,465	28.1	-16.9 [†]
Housing Vacancies	90,867	7.9	-17.2 [†]
Same Place of Residence for 5 Years	1,457,654	54.4	-1.3 [†]
High School Graduates	1,304,122	71.8	+8.7 [†]
Unemployed	137,421	10.1	-10.6 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

CHICAGO

**2004 ALL-CAUSE MORTALITY: 20,981 DEATHS,
864.6 PER 100,000, 23.5%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 46,567 BIRTHS, FERTILITY RATE IS
66.4 PER 1000, 20.7%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	256	9.7	-75 [†]
AIDS Cases [‡]	806	27.8	-57.5 [†]
Chlamydia	21,603	746	+49.5 [†]
Gonorrhea	10,935	377.6	-40.6 [†]
Syphilis	297	10.3	-71 [†]
Influenza and Pneumonia Deaths	529	22.4	-23.4 [†]
Tuberculosis	308	10.6	-58.5 [†]
Hepatitis C	3,198	110.4	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	84,465	3.2
Physical	217,697	8.1
Mental	132,951	5
Requires Care	86,623	3.2
Home-Bound	274,961	12.4
Unable to Work	287,094	15

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	34,824	74.8	+8.1 [†]
Smoking	2,619	5.6	-44.9 [†]
Caesarean Section	11,616	24.9	+39.9 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	887	1.9	-7.9 [†]
Premature Birth (P)	5,417	11.6	+0.3
Fetal Mortality (R)	349	7.4	-27.6 [†]
Infant Mortality (R)	393	8.4	-46 [†]
Lead Screening			
Screened (P)	109,110	35.4	ND
Elevated (P)	5,611	5.1	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	4,916	204.6	-15.5 [†]
Breast	423	17.4	-21.3 [†]
Colon	558	23.4	-9.9 [†]
Lung	1,297	54.1	-15.6 [†]
Prostate	278	11.9	-27.2 [†]

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	824	30.5	-26.9 [†]
Homicide	452	14.5	-53.6 [†]
Suicide	175	6.2	-28.1 [†]

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	6,117	257.6	-30.9 [†]
Stroke	1,154	48.9	-32.9 [†]
Lower Respiratory Disease	642	26.6	-25.7 [†]
Diabetes Mellitus	680	28.5	-10.3 [†]
Liver Disease and Cirrhosis	261	10.5	-97.7 [†]
Alzheimer's Disease	344	15	+107.1 [†]

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 1

ROGERS PARK


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	5,073	8	+3.9 [†]
5-17	10,026	15.8	+14.5 [†]
18-24	9,765	15.4	-2.5 [†]
25-64	34,162	53.8	+0.9 [†]
65+	4,458	7	-24.7 [†]
All	63,484	--	+5.1 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	17,639	27.8	+39.7 [†]
Non-Hispanic			
Asian	4,063	6.4	-24.2 [†]
Black	18,767	29.6	+12.4 [†]
White	20,170	31.8	-29 [†]
Other	554	0.9	NA
Multiple	2,291	3.6	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	32,377	51	+2.5 [†]
Female	31,107	49	-2.4 [†]
Females 15-44	16,950	26.7	-7.7 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	31,602	--	NA
Below Poverty Level	12,993	21.3	+9 [†]
Childhood Poverty	4,255	29.5	-0.1
Housing Vacancies	1,821	6.7	-26.2 [†]
Same Place of Residence for 5 Years	21,314	36.5	+17.2 [†]
High School Graduates	28,820	74.6	-3.4 [†]
Unemployed	2,807	8.3	+8.5 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 1 ROGERS PARK

**2004 ALL-CAUSE MORTALITY: 368 DEATHS,
878.9 PER 100,000, 28.1%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 926 BIRTHS, FERTILITY RATE IS
54.6 PER 1000, 24.8%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	12	*	--
AIDS Cases [‡]	27	42.5	-58.6 [†]
Chlamydia	295	464.7	+81 [†]
Gonorrhea	117	184.3	-24.3 [†]
Syphilis	10	15.8 [§]	+35.9
Influenza and Pneumonia Deaths	20	*	—
Tuberculosis	11	17.3 [§]	+30.8
Hepatitis C	28	44.1	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	1,565	2.7
Physical	3,775	6.5
Mental	3,431	5.9
Requires Care	1,990	3.4
Home-Bound	6,441	12.9
Unable to Work	7,595	16.7

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	517	55.8	-8.6 [†]
Smoking	41	4.4	-41.5 [†]
Caesarean Section	233	25.2	+52.8 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	9	1 [§]	-48.6 [†]
Premature Birth (P)	97	10.5	-9.6
Fetal Mortality (R)	3	*	--
Infant Mortality (R)	11	11.9 [§]	-5.8
Lead Screening			
Screened (P)	1,617	23.6	ND
Elevated (P)	76	4.7	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	56	140	-31.9 [†]
Breast	2	*	--
Colon	5	*	--
Lung	16	*	--
Prostate	1	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	10	*	--
Homicide	3	*	--
Suicide	5	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	122	314.8	-27 [†]
Stroke	10	*	--
Lower Respiratory Disease	12	*	--
Diabetes Mellitus	6	*	--
Liver Disease and Cirrhosis	4	*	--
Alzheimer's Disease	7	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 2

WEST RIDGE


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	5,448	7.4	+4.2 [†]
5-17	12,862	17.6	+23.1 [†]
18-24	6,346	8.7	+4.8 [†]
25-64	38,613	52.8	+3.3 [†]
65+	9,930	13.6	-29.2 [†]
All	73,199	--	+12 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	11,353	15.5	+87.8 [†]
Non-Hispanic			
Asian	16,347	22.3	+38.7 [†]
Black	4,962	6.8	+116.7 [†]
White	36,403	49.7	-31 [†]
Other	579	0.8	NA
Multiple	3,555	4.9	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	35,970	49.1	+4.5 [†]
Female	37,229	50.9	-4 [†]
Females 15-44	15,686	21.4	-3.1 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	41,144	--	NA
Below Poverty Level	10,314	14.3	+13 [†]
Childhood Poverty	3,277	18.2	+3.1
Housing Vacancies	1,042	3.9	+2.2
Same Place of Residence for 5 Years	33,206	49	+1.7 [†]
High School Graduates	39,136	80.4	+2.9 [†]
Unemployed	1,941	5.7	-17 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 2 WEST RIDGE

**2004 ALL-CAUSE MORTALITY: 569 DEATHS,
674.6 PER 100,000, 24.1%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 1,254 BIRTHS, FERTILITY RATE IS
79.9 PER 1000, 10.8%[†] INCREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	1	*	--
AIDS Cases [‡]	13	17.8 [§]	-17.1
Chlamydia	141	192.6	+562.8 [†]
Gonorrhea	48	65.6	+47.8 [†]
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	30	31.2	+2.5
Tuberculosis	13	17.8 [§]	+29
Hepatitis C	24	32.8	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	2,173	3.2
Physical	5,148	7.6
Mental	3,404	5
Requires Care	2,315	3.4
Home-Bound	7,867	13.9
Unable to Work	7,351	15.7

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	722	57.6	-21.1 [†]
Smoking	32	2.6	-62.5 [†]
Caesarean Section	325	25.9	+49.3 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	20	1.6 [§]	+10.9
Premature Birth (P)	112	8.9	-10.4
Fetal Mortality (R)	10	7.9 [§]	-16.7
Infant Mortality (R)	3	*	--
Lead Screening			
Screened (P)	1,772	23.7	ND
Elevated (P)	54	3	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	135	170.9	-13.4
Breast	5	*	--
Colon	11	*	--
Lung	39	51	+39.9 [†]
Prostate	3	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	15	*	--
Homicide	3	*	--
Suicide	4	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	183	214	-32.4 [†]
Stroke	33	35.5	-43 [†]
Lower Respiratory Disease	21	25.3	-35.5 [†]
Diabetes Mellitus	14	*	--
Liver Disease and Cirrhosis	7	*	--
Alzheimer's Disease	23	24.5	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.


ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES

POPULATION COMPOSITION


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	3,253	5.1	-27.1 [†]
5-17	7,447	11.7	-19.9 [†]
18-24	6,532	10.3	-8 [†]
25-64	39,171	61.6	+12.2 [†]
65+	7,148	11.2	-8.9 [†]
All	63,551	--	-0.5 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	12,674	19.9	-11.6 [†]
Non-Hispanic			
Asian	8,206	12.9	-7 [†]
Black	13,415	21.1	-11 [†]
White	26,784	42.1	+8.7 [†]
Other	500	0.8	NA
Multiple	1,972	3.1	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	33,217	52.3	1.7 [†]
Female	30,334	47.7	-1.8 [†]
Females 15-44	15,653	24.6	+1.5 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	32,328	--	NA
Below Poverty Level	15,330	24.9	-20.3 [†]
Childhood Poverty	3,527	34.6	-22.6 [†]
Housing Vacancies	1,807	5.6	-54.7 [†]
Same Place of Residence for 5 Years	24,107	40	+8.8 [†]
High School Graduates	35,755	76.4	+9 [†]
Unemployed	2,864	8.2	-13.2 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 3 UPTOWN

**2004 ALL-CAUSE MORTALITY: 567 DEATHS,
941.1 PER 100,000, 29.4%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 748 BIRTHS, FERTILITY RATE IS
47.8 PER 1000, 36.5%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	14	*	--
AIDS Cases [‡]	56	88.1	-67.1 [†]
Chlamydia	230	361.9	+72.4 [†]
Gonorrhea	164	258.1	+5.6
Syphilis	36	56.6	+352 [†]
Influenza and Pneumonia Deaths	26	42.8	+0.2
Tuberculosis	17	26.8 [§]	-52.6 [†]
Hepatitis C	60	94.4	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	1,996	3.3
Physical	5,306	8.8
Mental	4,650	7.7
Requires Care	2,446	4.1
Home-Bound	6,555	12.2
Unable to Work	7,509	16.1

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	516	69	+11.8 [†]
Smoking	21	2.8	-66.3 [†]
Caesarean Section	189	25.3	+50.2 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	12	1.6 [§]	+9.9
Premature Birth (P)	71	9.5	-2.1
Fetal Mortality (R)	5	6.6 [§]	-75.9 [†]
Infant Mortality (R)	2	*	--
Lead Screening			
Screened (P)	1,330	29.4	ND
Elevated (P)	53	4	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	113	199.7	-5.7
Breast	8	*	--
Colon	15	*	--
Lung	31	55.7	+6.9
Prostate	6	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	9	*	--
Homicide	4	*	--
Suicide	3	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	193	318.1	-22.1 [†]
Stroke	19	*	--
Lower Respiratory Disease	14	*	--
Diabetes Mellitus	18	*	--
Liver Disease and Cirrhosis	10	*	--
Alzheimer's Disease	7	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 4

LINCOLN SQUARE


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	2,720	6.1	-15.3 [†]
5-17	6,008	13.5	-4.9 [†]
18-24	4,313	9.7	-9.3 [†]
25-64	26,978	60.5	+11.4 [†]
65+	4,555	10.2	-25 [†]
All	44,574	--	-0.7 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	11,831	26.5	+15.1 [†]
Non-Hispanic			
Asian	5,921	13.3	-0.3
Black	1,342	3	+24.3 [†]
White	23,716	53.2	-11.8 [†]
Other	283	0.6	NA
Multiple	1,481	3.3	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	21,848	49	+1.3 [†]
Female	22,726	51	-1.2 [†]
Females 15-44	11,826	26.5	+7.5 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	40,898	--	NA
Below Poverty Level	4,991	11.4	-13.6 [†]
Childhood Poverty	1,326	15.4	-22.1 [†]
Housing Vacancies	897	4.6	-23.9 [†]
Same Place of Residence for 5 Years	17,968	42.9	-8.8 [†]
High School Graduates	24,806	78.5	+9.8 [†]
Unemployed	1,405	5.6	-27.7 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 4 LINCOLN SQUARE

**2004 ALL-CAUSE MORTALITY: 265 DEATHS,
688 PER 100,000, 20.4%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 615 BIRTHS, FERTILITY RATE IS
52 PER 1000, 25.6%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	3	*	--
AIDS Cases [‡]	12	26.9 [§]	-67.3 [†]
Chlamydia	76	170.5	+146.9 [†]
Gonorrhea	20	44.9 [§]	+0.7
Syphilis	6	13.5 [§]	--
Influenza and Pneumonia Deaths	5	*	--
Tuberculosis	2	*	--
Hepatitis C	14	31.4 [§]	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	1,015	2.4
Physical	2,337	5.6
Mental	1,540	3.7
Requires Care	728	1.9
Home-Bound	3,391	9.2
Unable to Work	4,833	15

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	430	69.9	+6.3 [†]
Smoking	8	1.3 [§]	-85.4 [†]
Caesarean Section	171	27.8	+41.6 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	11	1.8 [§]	+73
Premature Birth (P)	70	11.4	+29.6 [†]
Fetal Mortality (R)	5	8.1 [§]	--
Infant Mortality (R)	2	*	--
Lead Screening			
Screened (P)	833	22.5	ND
Elevated (P)	26	3.1	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	64	165.6	-16.6
Breast	6	*	--
Colon	1	*	--
Lung	17	*	--
Prostate	2	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	14	*	--
Homicide	0	*	--
Suicide	2	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	79	206	-23.1 [†]
Stroke	14	*	--
Lower Respiratory Disease	17	*	--
Diabetes Mellitus	6	*	--
Liver Disease and Cirrhosis	5	*	--
Alzheimer's Disease	3	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 5

NORTH CENTER


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	1,877	5.9	-16.9 [†]
5-17	3,341	10.5	-30.9 [†]
18-24	2,879	9	-12.6 [†]
25-64	21,076	66.1	+18 [†]
65+	2,722	8.5	-25.4 [†]
All	31,895	--	-3.4 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	6,496	20.4	-25.7 [†]
Non-Hispanic			
Asian	1,324	4.2	-19 [†]
Black	1,333	4.2	+39.1 [†]
White	21,938	68.8	+7.8 [†]
Other	194	0.6	NA
Multiple	610	1.9	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	15,793	49.5	+2.6 [†]
Female	16,102	50.5	-2.4 [†]
Females 15-44	9,383	29.4	+13.7 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	51,758	--	NA
Below Poverty Level	2,731	8.6	-29.7 [†]
Childhood Poverty	566	11	-42 [†]
Housing Vacancies	999	6.3	-12.7 [†]
Same Place of Residence for 5 Years	14,303	47.6	-7.6 [†]
High School Graduates	20,150	85	+20.9 [†]
Unemployed	961	4.7	-25.4 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 5 NORTH CENTER

**2004 ALL-CAUSE MORTALITY: 153 DEATHS,
695.9 PER 100,000, 23.8%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 598 BIRTHS, FERTILITY RATE IS
63.7 PER 1000, 1.9% DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	0	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	55	172.4	+118.9 [†]
Gonorrhea	18	56.4 [§]	+43.3
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	1	*	--
Tuberculosis	4	*	--
Hepatitis C	12	37.6 [§]	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	817	2.7
Physical	1,923	6.4
Mental	1,079	3.6
Requires Care	706	2.4
Home-Bound	2,216	8.1
Unable to Work	2,437	10

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	512	85.6	+12.6 [†]
Smoking	1	*	--
Caesarean Section	157	26.3	+32.5 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	15	2.5 [§]	+98.9 [†]
Premature Birth (P)	63	10.5	+10.3
Fetal Mortality (R)	3	*	--
Infant Mortality (R)	3	*	--
Lead Screening			
Screened (P)	502	20.7	ND
Elevated (P)	4	*	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	42	186.3	-14.2
Breast	2	*	--
Colon	9	*	--
Lung	13	*	--
Prostate	0	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	4	*	--
Homicide	0	*	--
Suicide	4	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	48	227.5	-33.4 [†]
Stroke	7	*	--
Lower Respiratory Disease	5	*	--
Diabetes Mellitus	2	*	--
Liver Disease and Cirrhosis	1	*	--
Alzheimer's Disease	1	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 6

LAKE VIEW

AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	3,131	3.3	-13.2 [†]
5-17	3,807	4	-37.5 [†]
18-24	12,891	13.6	+0.7
25-64	67,301	71	+8.2 [†]
65+	7,687	8.1	-24.3 [†]
All	94,817	--	+4.2 [†]




SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	53,881	--	NA
Below Poverty Level	8,203	8.7	-18.4 [†]
Childhood Poverty	793	11.8	-28.3 [†]
Housing Vacancies	2,434	4.1	-50.7 [†]
Same Place of Residence for 5 Years	27,628	30.1	-17.6 [†]
High School Graduates	70,690	94.1	+8.2 [†]
Unemployed	2,135	3	-33.3 [†]


RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	8,268	8.7	-22.4 [†]
Non-Hispanic			
Asian	5,143	5.4	+26.1 [†]
Black	4,193	4.4	-27.8 [†]
White	75,363	79.5	+6.1 [†]
Other	358	0.4	NA
Multiple	1,492	1.6	ND



SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	47,301	49.9	+1.5 [†]
Female	47,516	50.1	-1.5 [†]
Females 15-44	32,868	34.7	+6.1 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 6 LAKE VIEW

**2004 ALL-CAUSE MORTALITY: 424 DEATHS,
582 PER 100,000, 32.8%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 1,127 BIRTHS, FERTILITY RATE IS
34.3 PER 1000, 9.2%[†] INCREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	7	*	--
AIDS Cases [‡]	45	47.5	-74.1 [†]
Chlamydia	224	236.2	+258.4 [†]
Gonorrhea	153	161.4	+106.9 [†]
Syphilis	34	35.9	--
Influenza and Pneumonia Deaths	8	*	--
Tuberculosis	4	*	--
Hepatitis C	38	40.1	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	2,020	2.2
Physical	4,148	4.5
Mental	2,426	2.6
Requires Care	1,649	1.8
Home-Bound	3,798	4.3
Unable to Work	5,743	7.1

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	956	84.8	+4.2 [†]
Smoking	14	1.2 [§]	-76.8 [†]
Caesarean Section	157	26.3	+32.5 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	16	1.4 [§]	-5.3
Premature Birth (P)	116	10.3	+10.5
Fetal Mortality (R)	2	*	--
Infant Mortality (R)	4	*	--
Lead Screening			
Screened (P)	808	21	ND
Elevated (P)	9	1.1 [§]	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	108	167.6	-10.3
Breast	11	*	--
Colon	11	*	--
Lung	24	39	-14.9
Prostate	8	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	15	*	--
Homicide	3	*	--
Suicide	14	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	121	164.5	-38.4 [†]
Stroke	18	*	--
Lower Respiratory Disease	12	*	--
Diabetes Mellitus	11	*	--
Liver Disease and Cirrhosis	6	*	--
Alzheimer's Disease	12	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 7

LINCOLN PARK


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	2,741	4.3	+2.4
5-17	3,694	5.7	0
18-24	9,720	15.1	+5.6 [†]
25-64	43,895	68.2	+0.3
65+	4,270	6.6	-15.4 [†]
All	64,320	--	+5.3 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	3,254	5.1	-22.4 [†]
Non-Hispanic			
Asian	2,325	3.6	+56.3 [†]
Black	3,323	5.2	-12.1 [†]
White	54,341	84.5	-0.7 [†]
Other	242	0.4	NA
Multiple	835	1.3	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	31,429	48.9	+2 [†]
Female	32,891	51.1	-1.8 [†]
Females 15-44	22,382	34.8	-5.4 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	68,613	--	NA
Below Poverty Level	5,305	8.6	-13.5 [†]
Childhood Poverty	419	6.6	-60.4 [†]
Housing Vacancies	1,678	4.5	-43.6 [†]
Same Place of Residence for 5 Years	19,958	32.4	-2.6 [†]
High School Graduates	45,419	94.2	+4.5 [†]
Unemployed	2,141	4.5	+8.1 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 7 LINCOLN PARK

**2004 ALL-CAUSE MORTALITY: 287 DEATHS,
727.7 PER 100,000, 22.6%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 875 BIRTHS, FERTILITY RATE IS
39.1 PER 1000, 18%[†] INCREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	1	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	118	183.5	+160.6 [†]
Gonorrhea	51	79.3	+15.3
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	11	*	--
Tuberculosis	1	*	--
Hepatitis C	20	31.1 [§]	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	889	1.4
Physical	2,087	3.4
Mental	1,535	2.5
Requires Care	816	1.3
Home-Bound	2,001	3.4
Unable to Work	2,834	5.2

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	765	87.4	-2.5 [†]
Smoking	11	1.3 [§]	-65.3 [†]
Caesarean Section	209	23.9	+48.3 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	15	1.7 [§]	+155.4 [†]
Premature Birth (P)	91	10.4	+19.2
Fetal Mortality (R)	2	*	--
Infant Mortality (R)	3	*	--
Lead Screening			
Screened (P)	697	20.5	ND
Elevated (P)	6	0.9 [§]	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	70	183.3	-25.5 [†]
Breast	5	*	--
Colon	8	*	--
Lung	17	*	--
Prostate	3	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	6	*	--
Homicide	1	*	--
Suicide	4	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	90	226.6	-28.5 [†]
Stroke	16	*	--
Lower Respiratory Disease	14	*	--
Diabetes Mellitus	6	*	--
Liver Disease and Cirrhosis	2	*	--
Alzheimer's Disease	8	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.


ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES

POPULATION COMPOSITION


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	2,745	3.8	-9.5 [†]
5-17	5,256	7.2	-1.4
18-24	6,936	9.5	-22.1 [†]
25-64	49,197	67.6	+7 [†]
65+	8,677	11.9	-8.5 [†]
All	72,811	--	+15.9 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	2,805	3.9	+30.4 [†]
Non-Hispanic			
Asian	4,434	6.1	+433 [†]
Black	13,884	19.1	-17.6 [†]
White	50,397	69.2	-2.5 [†]
Other	208	0.3	NA
Multiple	1,083	1.5	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	33,955	46.6	+0.5
Female	38,856	53.4	-0.4
Females 15-44	20,852	28.6	-5.6 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	57,811	--	NA
Below Poverty Level	10,792	15.2	-24.2 [†]
Childhood Poverty	3,263	41.7	-32 [†]
Housing Vacancies	5,678	11.1	-37.2 [†]
Same Place of Residence for 5 Years	26,119	37.3	-2.2 [†]
High School Graduates	54,316	93.6	+4.7 [†]
Unemployed	2,899	6	+7.3 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 8 NEAR NORTH SIDE

**2004 ALL-CAUSE MORTALITY: 427 DEATHS,
621.7 PER 100,000, 26.2%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 822 BIRTHS, FERTILITY RATE IS
39.4 PER 1000, 4.7% DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	1	*	--
AIDS Cases [‡]	20	27.5 [§]	-62.5 [†]
Chlamydia	306	420.3	+87.3 [†]
Gonorrhea	171	234.9	-16.1 [†]
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	13	*	--
Tuberculosis	5	6.9 [§]	-66.8 [†]
Hepatitis C	29	39.8	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	1,589	2.3
Physical	3,964	5.7
Mental	2,316	3.3
Requires Care	1,250	1.8
Home-Bound	3,465	5.3
Unable to Work	4,043	7.1

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	607	73.8	-3.7 [†]
Smoking	21	2.6	-77.6 [†]
Caesarean Section	177	21.5	+55.9 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	8	1 [§]	-59.6 [†]
Premature Birth (P)	95	11.6	-25.3 [†]
Fetal Mortality (R)	4	*	--
Infant Mortality (R)	2	*	--
Lead Screening			
Screened (P)	1,258	33.7	ND
Elevated (P)	14	1.1 [§]	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	137	196.1	+3.3
Breast	16	*	--
Colon	15	*	--
Lung	38	54.6	-12.3
Prostate	6	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	13	*	--
Homicide	7	*	--
Suicide	11	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	104	153.4	-44.1 [†]
Stroke	24	35.6	-6.5
Lower Respiratory Disease	12	*	--
Diabetes Mellitus	7	*	--
Liver Disease and Cirrhosis	7	*	--
Alzheimer's Disease	8	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.


ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES

POPULATION COMPOSITION


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	689	6.1	+15.1 [†]
5-17	1,622	14.4	+18 [†]
18-24	615	5.5	-34.5 [†]
25-64	6,066	53.9	+4.3 [†]
65+	2,267	20.1	-10.7 [†]
All	11,259	--	-1.5 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	463	4.1	+116.5 [†]
Non-Hispanic			
Asian	200	1.8	+37.1 [†]
Black	19	0.2	+542.7 [†]
White	10,503	93.3	-3.6 [†]
Other	11	0.1	NA
Multiple	63	0.6	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	5,269	46.8	+1.9 [†]
Female	5,990	53.2	-1.6 [†]
Females 15-44	2,244	19.9	-0.9

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	57,083	--	NA
Below Poverty Level	270	2.4	+14.5 [†]
Childhood Poverty	33	1.5	+20.3
Housing Vacancies	95	1.9	-20.9 [†]
Same Place of Residence for 5 Years	7,127	67.4	-7.4 [†]
High School Graduates	7,158	86.4	+7.4 [†]
Unemployed	199	3.4	+1.8



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 9 EDISON PARK

**2004 ALL-CAUSE MORTALITY: 115 DEATHS,
718.7 PER 100,000, 18.6%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 147 BIRTHS, FERTILITY RATE IS
65.5 PER 1000, 19.5%[†] INCREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	0	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	<5	*	--
Gonorrhea	<5	*	--
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	2	*	--
Tuberculosis	0	*	--
Hepatitis C	3	*	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	230	2.2
Physical	684	6.5
Mental	209	2
Requires Care	187	1.8
Home-Bound	607	6.6
Unable to Work	663	9.6

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	125	85	-6 [†]
Smoking	2	*	--
Caesarean Section	50	34	+22.4

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	2	*	--
Premature Birth (P)	10	6.8 [§]	-28.6
Fetal Mortality (R)	0	*	--
Infant Mortality (R)	0	*	--
Lead Screening			
Screened (P)	83	8.7	ND
Elevated (P)	0	*	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	27	172.1	-28 [†]
Breast	2	*	--
Colon	2	*	--
Lung	5	*	--
Prostate	0	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	2	*	--
Homicide	0	*	--
Suicide	3	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	35	220.4	-34.2 [†]
Stroke	6	*	--
Lower Respiratory Disease	3	*	--
Diabetes Mellitus	4	*	--
Liver Disease and Cirrhosis	0	*	--
Alzheimer's Disease	4	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

[†]Significant difference (0.1 level)

[‡]Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 10

NORWOOD PARK


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	2,152	5.7	+11.8 [†]
5-17	4,834	12.8	+13.3 [†]
18-24	2,178	5.8	-25.6 [†]
25-64	19,835	52.7	+3.1 [†]
65+	8,670	23	-6.9 [†]
All	37,669	--	-0.1 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	2,409	6.4	+140 [†]
Non-Hispanic			
Asian	1,212	3.2	+73 [†]
Black	332	0.9	+1659.8 [†]
White	33,288	88.4	-7.3 [†]
Other	62	0.2	NA
Multiple	362	1	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	17,601	46.7	+0.8
Female	20,068	53.3	-0.7
Females 15-44	6,944	18.4	-3.9 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	53,402	--	NA
Below Poverty Level	1,611	4.3	+88.4 [†]
Childhood Poverty	206	3	+164.6 [†]
Housing Vacancies	326	2.1	-9.9 [†]
Same Place of Residence for 5 Years	24,543	69.1	+0.9 [†]
High School Graduates	23,550	82.7	+12.7 [†]
Unemployed	561	3	-24 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 10 NORWOOD PARK

**2004 ALL-CAUSE MORTALITY: 542 DEATHS,
807.1 PER 100,000, 7.5% DECREASE FROM 1994.**

**2004 BIRTHS: 436 BIRTHS, FERTILITY RATE IS
62.8 PER 1000, 5.6% INCREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	1	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	20	53.1 [§]	+233.8 [†]
Gonorrhea	11	29.2 [§]	--
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	11	*	--
Tuberculosis	2	*	--
Hepatitis C	9	23.9 [§]	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	1,549	4.4
Physical	2,911	8.2
Mental	1,344	3.8
Requires Care	883	2.5
Home-Bound	2,994	9.5
Unable to Work	2,401	10.6

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	360	82.6	-5.6 [†]
Smoking	10	2.3 [§]	-69.2 [†]
Caesarean Section	140	32.1	+39.5 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	12	2.8 [§]	--
Premature Birth (P)	56	12.8	+90.4 [†]
Fetal Mortality (R)	1	*	--
Infant Mortality (R)	4	*	--
Lead Screening			
Screened (P)	341	11.6	ND
Elevated (P)	1	*	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	124	210.9	-1.3
Breast	8	*	--
Colon	17	*	--
Lung	29	48.8	-8.5
Prostate	5	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	10	*	--
Homicide	0	*	--
Suicide	5	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	180	242.3	-19.8 [†]
Stroke	41	55	-29.4 [†]
Lower Respiratory Disease	21	29.5	-18.9
Diabetes Mellitus	18	*	--
Liver Disease and Cirrhosis	3	*	--
Alzheimer's Disease	6	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 11

JEFFERSON PARK


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	1,521	5.9	+9.3 [†]
5-17	3,664	14.2	+22.4 [†]
18-24	1,923	7.4	-6.3 [†]
25-64	14,167	54.8	+4 [†]
65+	4,584	17.7	-21.3 [†]
All	25,859	--	+9.3 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	2,881	11.1	+153.1 [†]
Non-Hispanic			
Asian	1,237	4.8	-0.2
Black	81	0.3	+363 [†]
White	21,101	81.6	-11.3 [†]
Other	79	0.3	NA
Multiple	480	1.9	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	12,273	47.5	+1.9 [†]
Female	13,586	52.5	-1.6 [†]
Females 15-44	5,421	21	+0.9

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	49,640	--	NA
Below Poverty Level	1,270	4.9	+31 [†]
Childhood Poverty	216	4.3	+2
Housing Vacancies	354	3.3	-1.7
Same Place of Residence for 5 Years	15,680	64.4	+0.7
High School Graduates	15,082	80	+9.8 [†]
Unemployed	427	3.2	-21.8 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 11 JEFFERSON PARK

**2004 ALL-CAUSE MORTALITY: 233 DEATHS,
677.5 PER 100,000, 24.8%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 324 BIRTHS, FERTILITY RATE IS
59.8 PER 1000, 2.4% DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	0	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	18	69.6 [§]	+64.6
Gonorrhea	8	30.9 [§]	--
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	4	*	--
Tuberculosis	2	*	--
Hepatitis C	7	27.1 [§]	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	836	3.4
Physical	1,807	7.4
Mental	799	3.3
Requires Care	589	2.4
Home-Bound	2,110	10
Unable to Work	2,344	14.1

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	267	82.4	0
Smoking	8	2.5 [§]	-76.8 [†]
Caesarean Section	105	32.4	+50.1 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	2	*	--
Premature Birth (P)	41	12.7	+31.3
Fetal Mortality (R)	3	*	--
Infant Mortality (R)	0	*	--
Lead Screening			
Screened (P)	332	15.5	ND
Elevated (P)	1	*	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	62	185	-11.5
Breast	7	*	--
Colon	10	*	--
Lung	17	*	--
Prostate	3	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	4	*	--
Homicide	3	*	--
Suicide	2	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	62	173.5	-50 [†]
Stroke	18	*	--
Lower Respiratory Disease	9	*	--
Diabetes Mellitus	9	*	--
Liver Disease and Cirrhosis	3	*	--
Alzheimer's Disease	4	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.


ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES

POPULATION COMPOSITION


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	1,251	6.9	+15 [†]
5-17	2,841	15.6	+21.9 [†]
18-24	949	5.2	-32.5 [†]
25-64	9,893	54.5	+3 [†]
65+	3,231	17.8	-13.2 [†]
All	18,165	--	+2.9 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	1,389	7.6	+131.6 [†]
Non-Hispanic			
Asian	1,586	8.7	+46.2 [†]
Black	71	0.4	+666.7 [†]
White	14,793	81.4	-10.1 [†]
Other	36	0.2	NA
Multiple	290	1.6	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	8,766	48.3	+1.5 [†]
Female	9,399	51.7	-1.4 [†]
Females 15-44	3,247	17.9	-8.6 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	68,269	--	NA
Below Poverty Level	463	2.6	+95 [†]
Childhood Poverty	77	1.9	+169.7 [†]
Housing Vacancies	141	2	-38.4 [†]
Same Place of Residence for 5 Years	12,093	71.5	+2 [†]
High School Graduates	11,803	89.6	+5.7 [†]
Unemployed	255	2.8	+7.7



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 12 FOREST GLEN

**2004 ALL-CAUSE MORTALITY: 168 DEATHS,
650.9 PER 100,000, 16.3%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 260 BIRTHS, FERTILITY RATE IS
80.1 PER 1000, 14.2%[†] INCREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	1	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	13	71.6 [§]	--
Gonorrhea	<5	*	--
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	6	*	--
Tuberculosis	2	*	--
Hepatitis C	3	*	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	438	2.6
Physical	1,080	6.4
Mental	474	2.8
Requires Care	327	1.9
Home-Bound	1,032	7.1
Unable to Work	1,174	10.5

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	208	80	-10 [†]
Smoking	2	*	--
Caesarean Section	65	25	+31.5 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	1	*	--
Premature Birth (P)	28	10.8	+44.8 [†]
Fetal Mortality (R)	0	*	--
Infant Mortality (R)	1	*	--
Lead Screening			
Screened (P)	262	15.2	ND
Elevated (P)	1	*	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	49	192.8	+4.2
Breast	2	*	--
Colon	9	*	--
Lung	6	*	--
Prostate	3	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	3	*	--
Homicide	0	*	--
Suicide	0	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	60	224.6	-20.7 [†]
Stroke	7	*	--
Lower Respiratory Disease	3	*	--
Diabetes Mellitus	6	*	--
Liver Disease and Cirrhosis	2	*	--
Alzheimer's Disease	4	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.


ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES

POPULATION COMPOSITION


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	1,263	6.8	+7.9 [†]
5-17	2,925	15.8	+1.3
18-24	2,245	12.1	+2.5
25-64	9,313	50.3	+3.1 [†]
65+	2,768	15	-14.8 [†]
All	18,514	--	+14 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	2,652	14.3	+57 [†]
Non-Hispanic			
Asian	4,415	23.8	+17 [†]
Black	452	2.4	+207.3 [†]
White	10,336	55.8	-19.6 [†]
Other	80	0.4	NA
Multiple	579	3.1	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	8,814	47.6	+1.1
Female	9,700	52.4	-1
Females 15-44	4,144	22.4	-3.2 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	49,208	--	NA
Below Poverty Level	1,841	10.5	+42.5 [†]
Childhood Poverty	563	13.7	+56.2 [†]
Housing Vacancies	266	3.9	+20.4 [†]
Same Place of Residence for 5 Years	9,404	54.5	+1.1
High School Graduates	9,904	82	+7.4 [†]
Unemployed	725	7.8	+76.9 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 13 NORTH PARK

**2004 ALL-CAUSE MORTALITY: 134 DEATHS,
598.4 PER 100,000, 33%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 244 BIRTHS, FERTILITY RATE IS
58.9 PER 1000, 21.1%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	0	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	22	118.8	--
Gonorrhea	<5	*	--
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	8	*	--
Tuberculosis	4	*	--
Hepatitis C	5	27 [§]	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	477	2.8
Physical	1,141	6.6
Mental	604	3.5
Requires Care	481	2.8
Home-Bound	1,859	12.6
Unable to Work	1,720	14.3

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	161	66	-19 [†]
Smoking	5	2 [§]	-59 [†]
Caesarean Section	57	23.4	+42.2 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	2	*	--
Premature Birth (P)	25	10.2	+79.3 [†]
Fetal Mortality (R)	2	*	--
Infant Mortality (R)	0	*	--
Lead Screening			
Screened (P)	352	20.4	ND
Elevated (P)	7	2 [§]	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	31	145.8	-26.5
Breast	4	*	--
Colon	2	*	--
Lung	7	*	--
Prostate	0	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	6	*	--
Homicide	0	*	--
Suicide	1	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	48	208.2	-40.6 [†]
Stroke	8	*	--
Lower Respiratory Disease	7	*	--
Diabetes Mellitus	4	*	--
Liver Disease and Cirrhosis	1	*	--
Alzheimer's Disease	0	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 14

ALBANY PARK


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	4,999	8.7	+1.2
5-17	11,073	19.2	-1.5
18-24	7,516	13	+5.7 [†]
25-64	29,829	51.7	+2 [†]
65+	4,238	7.4	-15.9 [†]
All	57,655	--	+16.5 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	26,741	46.4	+45.9 [†]
Non-Hispanic			
Asian	10,178	17.7	-23.8 [†]
Black	1,907	3.3	+9.8 [†]
White	15,866	27.5	-33.4 [†]
Other	410	0.7	NA
Multiple	2,553	4.4	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	30,059	52.1	+2.2 [†]
Female	27,596	47.9	-2.3 [†]
Females 15-44	13,500	23.4	-2.3 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	40,711	--	NA
Below Poverty Level	10,059	17.7	+1
Childhood Poverty	3,682	23.4	-1.8
Housing Vacancies	760	4.3	-41.5 [†]
Same Place of Residence for 5 Years	24,688	46.9	+18 [†]
High School Graduates	21,018	61.4	-4.1 [†]
Unemployed	2,006	7.3	-14 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 14 ALBANY PARK

**2004 ALL-CAUSE MORTALITY: 273 DEATHS,
724.3 PER 100,000, 25%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 1,072 BIRTHS, FERTILITY RATE IS
79.4 PER 1000, 9.7%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	4	*	--
AIDS Cases [‡]	8	13.9 [§]	-65.7 [†]
Chlamydia	103	178.6	+110.6 [†]
Gonorrhea	27	46.8	-33.8 [†]
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	15	*	--
Tuberculosis	9	15.6 [§]	-14.1
Hepatitis C	16	27.8 [§]	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	1,356	2.6
Physical	2,962	5.6
Mental	2,110	4
Requires Care	1,368	2.6
Home-Bound	6,155	14.2
Unable to Work	7,743	19.8

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	649	60.5	-4.5 [†]
Smoking	21	2	-65.9 [†]
Caesarean Section	238	22.2	+29.4 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	9	0.8 [§]	-32.6
Premature Birth (P)	70	6.5	-24.3 [†]
Fetal Mortality (R)	6	5.6 [§]	-41.4
Infant Mortality (R)	3	*	--
Lead Screening			
Screened (P)	2,104	30.6	ND
Elevated (P)	72	3.4	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	64	167.3	-2.7
Breast	9	*	--
Colon	5	*	--
Lung	15	*	--
Prostate	2	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	11	*	--
Homicide	5	*	--
Suicide	3	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	81	226	-29 [†]
Stroke	13	*	--
Lower Respiratory Disease	8	*	--
Diabetes Mellitus	13	*	--
Liver Disease and Cirrhosis	2	*	--
Alzheimer's Disease	1	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 15

PORTAGE PARK


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	4,158	6.4	+8.5 [†]
5-17	10,466	16	+23.1 [†]
18-24	6,055	9.3	+4.5 [†]
25-64	36,211	55.4	+3 [†]
65+	8,450	12.9	-30.3 [†]
All	65,340	--	+15.6 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	15,022	23	+194 [†]
Non-Hispanic			
Asian	2,467	3.8	+33.9 [†]
Black	336	0.5	+99 [†]
White	45,418	69.5	-21.8 [†]
Other	218	0.3	NA
Multiple	1,879	2.9	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	31,874	48.8	+3.4 [†]
Female	33,466	51.2	-3 [†]
Females 15-44	14,438	22.1	-0.8

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	45,117	--	NA
Below Poverty Level	5,194	8	+42.8 [†]
Childhood Poverty	1,271	9	+31.1 [†]
Housing Vacancies	878	3.6	-10.6 [†]
Same Place of Residence for 5 Years	33,733	55.1	-9.6 [†]
High School Graduates	33,861	75.7	+6.2 [†]
Unemployed	1,634	4.8	-10.2 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 15 PORTAGE PARK

**2004 ALL-CAUSE MORTALITY: 449 DEATHS,
672.3 PER 100,000, 25.3%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 874 BIRTHS, FERTILITY RATE IS
60.5 PER 1000, 12.5%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	0	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	77	117.8	+375.7 [†]
Gonorrhea	22	33.7	+46.4
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	13	*	--
Tuberculosis	6	9.2 [§]	-25.9
Hepatitis C	30	45.9	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	1,714	2.8
Physical	4,711	7.7
Mental	2,571	4.2
Requires Care	1,938	3.2
Home-Bound	6,239	11.9
Unable to Work	6,848	15.6

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	638	73	-7.9 [†]
Smoking	36	4.1	-63 [†]
Caesarean Section	204	23.3	+20.3 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	17	1.9 [§]	--
Premature Birth (P)	75	8.6	+6.8
Fetal Mortality (R)	2	*	--
Infant Mortality (R)	6	6.9 [§]	+19.6
Lead Screening			
Screened (P)	1,316	22.6	ND
Elevated (P)	37	2.8	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	97	144.7	-31.6 [†]
Breast	12	*	--
Colon	7	*	--
Lung	34	51.2	-12
Prostate	5	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	19	*	--
Homicide	2	*	--
Suicide	6	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	144	216.4	-35.7 [†]
Stroke	32	47.5	-19.6
Lower Respiratory Disease	8	*	--
Diabetes Mellitus	16	*	--
Liver Disease and Cirrhosis	10	*	--
Alzheimer's Disease	5	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 16

IRVING PARK


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	4,634	7.9	+3.9 [†]
5-17	10,305	17.6	+16.6 [†]
18-24	6,011	10.3	0
25-64	32,402	55.3	+2.2 [†]
65+	5,291	9	-30.8 [†]
All	58,643	--	+16.9 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	25,401	43.3	+77.8 [†]
Non-Hispanic			
Asian	4,362	7.4	-8.8 [†]
Black	1,121	1.9	+134.4 [†]
White	25,912	44.2	-33.2 [†]
Other	293	0.5	NA
Multiple	1,554	2.6	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	29,301	50	+2.8 [†]
Female	29,342	50	-2.6 [†]
Females 15-44	13,830	23.6	-2.2 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	42,037	--	NA
Below Poverty Level	6,541	11.3	+10.4 [†]
Childhood Poverty	2,208	15.1	+8.0 [†]
Housing Vacancies	1,002	4.6	-26.6 [†]
Same Place of Residence for 5 Years	29,628	54.9	+9.9 [†]
High School Graduates	27,252	72.4	+4.3 [†]
Unemployed	1,743	5.8	-26.8 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 16 IRVING PARK

**2004 ALL-CAUSE MORTALITY: 316 DEATHS,
695.1 PER 100,000, 25.8%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 946 BIRTHS, FERTILITY RATE IS
68.4 PER 1000, 12.4%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	3	*	--
AIDS Cases [‡]	8	13.6 [§]	-71.5 [†]
Chlamydia	127	216.6	+141.4 [†]
Gonorrhea	30	51.2	+16.6
Syphilis	5	8.5 [§]	--
Influenza and Pneumonia Deaths	7	*	--
Tuberculosis	2	*	--
Hepatitis C	24	40.9	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	1,436	2.7
Physical	3,413	6.3
Mental	1,641	3
Requires Care	1,049	1.9
Home-Bound	5,694	12.6
Unable to Work	6,862	17.2

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	674	71.2	-2.1
Smoking	30	3.2	-60.6 [†]
Caesarean Section	234	24.7	+44.1 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	13	1.4 [§]	+44.1
Premature Birth (P)	78	8.2	+12.8
Fetal Mortality (R)	2	*	--
Infant Mortality (R)	5	5.3 [§]	-44.6
Lead Screening			
Screened (P)	1,517	24	ND
Elevated (P)	59	3.9	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	76	163.8	-9.8
Breast	7	*	--
Colon	4	*	--
Lung	26	58.6	+15.3
Prostate	2	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	14	*	--
Homicide	2	*	--
Suicide	3	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	85	196	-45.1 [†]
Stroke	16	*	--
Lower Respiratory Disease	18	*	--
Diabetes Mellitus	14	*	--
Liver Disease and Cirrhosis	3	*	--
Alzheimer's Disease	5	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 17

DUNNING


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	2,437	5.8	+7.4 [†]
5-17	6,124	14.5	+10.7 [†]
18-24	3,400	8.1	-4.7 [†]
25-64	22,905	54.3	+4.6 [†]
65+	7,298	17.3	-18 [†]
All	42,164	--	+14.1 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	5,441	12.9	+153.4 [†]
Non-Hispanic			
Asian	1,315	3.1	+37.4 [†]
Black	234	0.6	+29.8 [†]
White	34,394	81.6	-11.4 [†]
Other	74	0.2	NA
Multiple	706	1.7	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	20,368	48.3	+1.2 [†]
Female	21,796	51.7	-1.1 [†]
Females 15-44	8,439	20	-1.2

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	49,367	--	NA
Below Poverty Level	2,166	5.2	+14.5 [†]
Childhood Poverty	387	4.7	-14.7 [†]
Housing Vacancies	460	2.9	+18.2 [†]
Same Place of Residence for 5 Years	24,729	62.2	-5.3 [†]
High School Graduates	23,085	76.2	+10.2 [†]
Unemployed	1,038	5	-8.6 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 17 DUNNING

**2004 ALL-CAUSE MORTALITY: 338 DEATHS,
619.9 PER 100,000, 27.4%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 469 BIRTHS, FERTILITY RATE IS
55.6 PER 1000, 12.3%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	1	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	31	73.5	--
Gonorrhea	7	16.6 [§]	--
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	6	*	--
Tuberculosis	2	*	--
Hepatitis C	19	45.1 [§]	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	1,446	3.6
Physical	3,037	7.6
Mental	1,399	3.5
Requires Care	982	2.5
Home-Bound	3,655	10.6
Unable to Work	3,720	13.7

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	368	78.5	-8.2 [†]
Smoking	13	2.8 [§]	-73.2 [†]
Caesarean Section	114	24.3	+14.1

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	8	1.7 [§]	+1.1
Premature Birth (P)	43	9.2	+20.7
Fetal Mortality (R)	3	*	--
Infant Mortality (R)	0	*	--
Lead Screening			
Screened (P)	541	16	ND
Elevated (P)	4	*	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	89	165.7	-18.3 [†]
Breast	5	*	--
Colon	14	*	--
Lung	19	*	--
Prostate	5	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	11	*	--
Homicide	2	*	--
Suicide	0	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	104	188.1	-41.3 [†]
Stroke	21	37.2	-43.5 [†]
Lower Respiratory Disease	13	*	--
Diabetes Mellitus	8	*	--
Liver Disease and Cirrhosis	6	*	--
Alzheimer's Disease	6	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 18

MONTCLARE


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	908	7.2	+24.1 [†]
5-17	2,144	17	+29.8 [†]
18-24	1,307	10.3	+15.7 [†]
25-64	6,487	51.3	+0.6
65+	1,800	14.2	-33 [†]
All	12,646	--	+19.6 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	4,865	38.5	+239.2 [†]
Non-Hispanic			
Asian	337	2.7	+22 [†]
Black	264	2.1	+513.1 [†]
White	6,892	54.5	-36.6 [†]
Other	25	0.2	NA
Multiple	263	2.1	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	6,181	48.9	+3 [†]
Female	6,465	51.1	-2.7 [†]
Females 15-44	2,680	21.2	+1.6

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	46,636	--	NA
Below Poverty Level	693	5.6	+1.7
Childhood Poverty	151	5.1	-35.9 [†]
Housing Vacancies	166	3.9	+9.6
Same Place of Residence for 5 Years	6,489	55.3	-7.8 [†]
High School Graduates	6,118	74.4	+11.7 [†]
Unemployed	396	6.4	-1.2



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 18 MONTCLARE

**2004 ALL-CAUSE MORTALITY: 119 DEATHS,
767.6 PER 100,000, 15.2%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 192 BIRTHS, FERTILITY RATE IS
71.6 PER 1000, 11.7% DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	0	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	31	245.1	+418.4 [†]
Gonorrhea	<5	*	--
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	3	*	--
Tuberculosis	1	*	--
Hepatitis C	9	71.2 [§]	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	485	4.1
Physical	1,014	8.6
Mental	483	4.1
Requires Care	486	4.1
Home-Bound	1,323	13.3
Unable to Work	1,253	15.4

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	142	74	-0.5
Smoking	9	4.7 [§]	-47.6 [†]
Caesarean Section	51	26.6	+5.7

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	1	*	--
Premature Birth (P)	13	6.8 [§]	+1
Fetal Mortality (R)	3	*	--
Infant Mortality (R)	1	*	--
Lead Screening			
Screened (P)	308	24.3	ND
Elevated (P)	6	1.9 [§]	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	23	156	--
Breast	5	*	--
Colon	0	*	--
Lung	6	*	--
Prostate	2	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	1	*	--
Homicide	0	*	--
Suicide	2	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	36	225.5	-39.3 [†]
Stroke	8	*	--
Lower Respiratory Disease	4	*	--
Diabetes Mellitus	5	*	--
Liver Disease and Cirrhosis	0	*	--
Alzheimer's Disease	2	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.


ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES

POPULATION COMPOSITION


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	6,976	8.9	+27.1 [†]
5-17	16,322	20.9	+28.2 [†]
18-24	9,333	11.9	+21.4 [†]
25-64	39,195	50.2	-2.1 [†]
65+	6,318	8.1	-47.7 [†]
All	78,144	--	+37.6 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	50,881	65.1	+116.7 [†]
Non-Hispanic			
Asian	1,989	2.5	-18.2 [†]
Black	2,000	2.6	+157.7 [†]
White	21,881	28	-57.3 [†]
Other	164	0.2	NA
Multiple	1,229	1.6	ND



SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	39,106	50	+2.5 [†]
Female	39,038	50	-2.4 [†]
Females 15-44	18,236	23.3	+5.1 [†]

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.


NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

COMMUNITY AREA 19

BELMONT CRAGIN

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	43,159	--	NA
Below Poverty Level	8,705	11.2	+33.9 [†]
Childhood Poverty	3,221	14.2	+30.1 [†]
Housing Vacancies	767	3.4	-27.2 [†]
Same Place of Residence for 5 Years	37,765	53.1	+4.3 [†]
High School Graduates	26,622	58.7	-2 [†]
Unemployed	2,527	7.3	-5 [†]



2004 HEALTH MEASURES

COMMUNITY AREA 19 BELMONT CRAGIN

**2004 ALL-CAUSE MORTALITY: 405 DEATHS,
717.2 PER 100,000, 26.7%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 1,582 BIRTHS, FERTILITY RATE IS
86.8 PER 1000, 12.1%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	1	*	--
AIDS Cases [‡]	6	7.7 [§]	-60.4 [†]
Chlamydia	227	290.5	+345.8 [†]
Gonorrhea	55	70.4	+90.3 [†]
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	6	*	--
Tuberculosis	6	7.7 [§]	-27.3
Hepatitis C	32	41	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	1,584	2.2
Physical	4,673	6.6
Mental	2,672	3.8
Requires Care	2,028	2.8
Home-Bound	8,740	15.3
Unable to Work	9,293	18.3

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	1,148	72.6	-2.7
Smoking	25	1.6	-72.3 [†]
Caesarean Section	375	23.7	+24.4 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	23	1.5	+29.2
Premature Birth (P)	147	9.3	+3.2
Fetal Mortality (R)	8	5 [§]	-21.3
Infant Mortality (R)	13	8.2 [§]	+13.6
Lead Screening			
Screened (P)	2,996	30.8	ND
Elevated (P)	81	2.7	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	94	167.1	-26.4 [†]
Breast	9	*	--
Colon	8	*	--
Lung	21	38.6	-12.6
Prostate	3	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	17	*	--
Homicide	9	*	--
Suicide	4	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	127	239	-35.5 [†]
Stroke	19	*	--
Lower Respiratory Disease	10	*	--
Diabetes Mellitus	9	*	--
Liver Disease and Cirrhosis	10	*	--
Alzheimer's Disease	4	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 20

HERMOSA


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	2,437	9.1	-4.2 [†]
5-17	6,673	24.8	+9.7 [†]
18-24	3,388	12.6	+0.8
25-64	12,831	47.7	+0.2
65+	1,579	5.9	-24.4 ⁺
All	26,908	--	+16.3 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	22,574	83.9	+21.9 [†]
Non-Hispanic			
Asian	319	1.2	-40.3 [†]
Black	649	2.4	+80 [†]
White	3,086	11.5	-58.2 [†]
Other	65	0.2	NA
Multiple	215	0.8	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	13,449	50	+1.4 [†]
Female	13,459	50	-1.4 [†]
Females 15-44	6,478	24.1	-1.7

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	38,159	--	NA
Below Poverty Level	4,457	16.7	-4.2 [†]
Childhood Poverty	1,753	19.8	-17.6 [†]
Housing Vacancies	333	4.4	-27.2 [†]
Same Place of Residence for 5 Years	13,731	56.1	+11.5 [†]
High School Graduates	7,194	50.1	-3.5 [†]
Unemployed	1,207	11.5	+5.1 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 20 HERMOSA

**2004 ALL-CAUSE MORTALITY: 104 DEATHS,
694 PER 100,000, 22.6%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 515 BIRTHS, FERTILITY RATE IS
79.5 PER 1000, 26.5%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	5	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	119	442.2	+219.7 [†]
Gonorrhea	33	122.6	+118.2 [†]
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	4	*	--
Tuberculosis	6	22.3 [§]	+3.2
Hepatitis C	14	52 [§]	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	789	3.2
Physical	1,584	6.5
Mental	1,263	5.2
Requires Care	858	3.5
Home-Bound	2,799	14.9
Unable to Work	3,624	21.1

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	376	73	+2.4
Smoking	10	1.9 [§]	-68.7 [†]
Caesarean Section	125	24.3	+40.4 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	8	1.6 [§]	-20.6
Premature Birth (P)	48	9.3	+2
Fetal Mortality (R)	3	*	--
Infant Mortality (R)	6	11.7 [§]	-20.6
Lead Screening			
Screened (P)	1,332	37.7	ND
Elevated (P)	51	3.8	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	22	146.6	-23.5
Breast	1	*	--
Colon	3	*	--
Lung	5	*	--
Prostate	1	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	5	*	--
Homicide	0	*	--
Suicide	3	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	34	246.4	-34.8 [†]
Stroke	4	*	--
Lower Respiratory Disease	0	*	--
Diabetes Mellitus	3	*	--
Liver Disease and Cirrhosis	0	*	--
Alzheimer's Disease	1	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 21

AVONDALE


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	3,617	8.4	+21.7 [†]
5-17	8,285	19.2	+17.1 [†]
18-24	5,333	12.4	+22.8 [†]
25-64	22,742	52.8	-4.9 [†]
65+	3,106	7.2	-35.1 [†]
All	43,083	--	+21.1 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	26,700	62	+65.1 [†]
Non-Hispanic			
Asian	953	2.2	-28.6 [†]
Black	669	1.6	+66.4 [†]
White	12,757	29.6	-49 [†]
Other	169	0.4	NA
Multiple	1,835	4.3	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	21,915	50.9	+3 [†]
Female	21,168	49.1	-2.9 [†]
Females 15-44	10,183	23.6	+2.6 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	36,677	--	NA
Below Poverty Level	7,476	17.4	+0.3
Childhood Poverty	2,555	21.9	-11.6 [†]
Housing Vacancies	885	6.1	-17.3 [†]
Same Place of Residence for 5 Years	21,872	55.4	+14.2 [†]
High School Graduates	15,097	58.3	+0.3
Unemployed	1,826	8.9	+8.3 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 21 AVONDALE

**2004 ALL-CAUSE MORTALITY: 158 DEATHS,
602.4 PER 100,000, 36%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 771 BIRTHS, FERTILITY RATE IS
75.7 PER 1000, 20.7%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	2	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	137	318	+495.5 [†]
Gonorrhea	18	41.8 [§]	-0.9
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	3	*	--
Tuberculosis	2	*	--
Hepatitis C	15	34.8 [§]	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	1,165	3
Physical	2,453	6.2
Mental	1,583	4
Requires Care	946	2.4
Home-Bound	5,269	16.2
Unable to Work	5,795	19.7

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	552	71.6	-0.4
Smoking	10	1.3 [§]	-80.1 [†]
Caesarean Section	192	24.9	+43.4 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	7	0.9 [§]	--
Premature Birth (P)	93	12.1	+65.7 [†]
Fetal Mortality (R)	0	*	--
Infant Mortality (R)	2	*	--
Lead Screening			
Screened (P)	1,402	28	ND
Elevated (P)	54	3.9	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	31	117.1	-37.6 [†]
Breast	1	*	--
Colon	7	*	--
Lung	7	*	--
Prostate	0	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	13	*	--
Homicide	0	*	--
Suicide	2	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	45	180.5	-52.1 [†]
Stroke	11	*	--
Lower Respiratory Disease	8	*	--
Diabetes Mellitus	5	*	--
Liver Disease and Cirrhosis	6	*	--
Alzheimer's Disease	2	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.


ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES

POPULATION COMPOSITION


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	6,821	8.2	-16.3 [†]
5-17	16,172	19.6	-9.7 [†]
18-24	10,368	12.5	-0.8
25-64	44,394	53.7	+11 [†]
65+	4,960	6	-21.1 [†]
All	82,715	--	+0.1 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	53,833	65.1	-1.8 [†]
Non-Hispanic			
Asian	1,087	1.3	+16.1 [†]
Black	4,290	5.2	-4.7 [†]
White	21,742	26.3	-1.7 [†]
Other	397	0.5	NA
Multiple	1,366	1.7	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	42,086	50.9	+1.5 [†]
Female	40,629	49.1	-1.5 [†]
Females 15-44	21,723	26.3	+5.7 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	36,245	--	NA
Below Poverty Level	16,249	19.8	-24.9 [†]
Childhood Poverty	5,898	26.5	-27.1 [†]
Housing Vacancies	2,592	8.2	-25.6 [†]
Same Place of Residence for 5 Years	38,040	50.1	+5.6 [†]
High School Graduates	29,458	59.4	+14.9 [†]
Unemployed	3,249	8.2	-22.3 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 22 LOGAN SQUARE

**2004 ALL-CAUSE MORTALITY: 325 DEATHS,
716.4 PER 100,000, 34.4%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 1,417 BIRTHS, FERTILITY RATE IS
65.2 PER 1000, 36.8%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	5	*	--
AIDS Cases [‡]	13	15.7 [§]	-78.7 [†]
Chlamydia	269	325.2	+158.3 [†]
Gonorrhea	107	129.4	+57.1 [†]
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	3	*	--
Tuberculosis	8	9.7 [§]	-20.1
Hepatitis C	41	49.6	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	2,764	3.6
Physical	5,110	6.7
Mental	3,956	5.2
Requires Care	2,453	3.2
Home-Bound	8,689	14
Unable to Work	10,135	17.8

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	1,017	71.8	+1.3
Smoking	33	2.3	-63.2 [†]
Caesarean Section	361	25.5	+50.4 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	19	1.3 [§]	-16.4
Premature Birth (P)	134	9.5	-7.7
Fetal Mortality (R)	6	4.2 [§]	-40
Infant Mortality (R)	12	8.5 [§]	-45.6 [†]
Lead Screening			
Screened (P)	2,535	26.6	ND
Elevated (P)	88	3.5	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	58	134	-28.4 [†]
Breast	4	*	--
Colon	5	*	--
Lung	12	*	--
Prostate	1	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	21	31.8	-30.6 [†]
Homicide	10	*	--
Suicide	2	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	80	197.2	-52.8 [†]
Stroke	20	*	--
Lower Respiratory Disease	14	*	--
Diabetes Mellitus	16	*	--
Liver Disease and Cirrhosis	14	*	--
Alzheimer's Disease	4	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.


ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES

POPULATION COMPOSITION


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	6,704	10.2	-4.7 [†]
5-17	17,493	26.6	-2.6 [†]
18-24	8,250	12.5	-3.8 [†]
25-64	29,856	45.3	+2.7 [†]
65+	3,533	5.4	+10.2 [†]
All	65,836	--	-2.6 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	31,607	48	+9.1 [†]
Non-Hispanic			
Asian	239	0.4	-49.7 [†]
Black	31,207	47.4	-3.2 [†]
White	2,184	3.3	-44.9 [†]
Other	172	0.3	NA
Multiple	427	0.6	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	31,815	48.3	-0.3
Female	34,021	51.7	+0.3
Females 15-44	16,104	24.5	-4.1 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	28,728	--	NA
Below Poverty Level	20,352	31.1	-8.1 [†]
Childhood Poverty	9,239	39.4	-8.9 [†]
Housing Vacancies	2,004	10.1	-2.7
Same Place of Residence for 5 Years	34,104	57.7	+8.2 [†]
High School Graduates	16,792	50.3	+8.6 [†]
Unemployed	4,079	17.8	-6.6 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 23 HUMBOLDT PARK

**2004 ALL-CAUSE MORTALITY: 314 DEATHS,
916.8 PER 100,000, 29.2%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 1,291 BIRTHS, FERTILITY RATE IS
80.2 PER 1000, 15.8%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	5	*	--
AIDS Cases [‡]	26	39.5	-45.5 [†]
Chlamydia	676	1,026.8	+194 [†]
Gonorrhea	382	580.2	-3.2
Syphilis	8	12.2 [§]	-51.7 [†]
Influenza and Pneumonia Deaths	10	*	--
Tuberculosis	5	7.6 [§]	-85.3 [†]
Hepatitis C	70	106.3	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	2,026	3.4
Physical	5,340	9
Mental	3,591	6.1
Requires Care	2,424	4.1
Home-Bound	7,254	16.4
Unable to Work	8,466	20.9

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	832	64.4	+3
Smoking	76	5.9	-43.2 [†]
Caesarean Section	289	22.4	+21.6 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	26	2	-19.4
Premature Birth (P)	132	10.2	-22 [†]
Fetal Mortality (R)	15	11.5 [§]	+0.3
Infant Mortality (R)	12	9.3 [§]	-53.8 [†]
Lead Screening			
Screened (P)	2,738	28.4	ND
Elevated (P)	254	9.3	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	62	189.8	-24.5 [†]
Breast	4	*	--
Colon	8	*	--
Lung	15	*	--
Prostate	4	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	26	51.1	+9.5
Homicide	21	32.7	-50.4 [†]
Suicide	4	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	71	222.9	-50 [†]
Stroke	9	*	--
Lower Respiratory Disease	11	*	--
Diabetes Mellitus	17	*	--
Liver Disease and Cirrhosis	4	*	--
Alzheimer's Disease	0	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 24

WEST TOWN


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	5,860	6.7	-30.2 [†]
5-17	14,253	16.3	-26.6 [†]
18-24	10,566	12.1	-6.9 [†]
25-64	50,582	57.9	+24.5 [†]
65+	6,174	7.1	-17.4 [†]
All	87,435	--	-0.3 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	40,966	46.9	-24.4 [†]
Non-Hispanic			
Asian	1,510	1.7	+103.3 [†]
Black	7,979	9.1	+0.6
White	34,445	39.4	+43.3 [†]
Other	369	0.4	NA
Multiple	2,166	2.5	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	45,458	52	+2 [†]
Female	41,977	48	-2.1 [†]
Females 15-44	23,673	27.1	+12.7 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	38,915	--	NA
Below Poverty Level	18,025	20.7	-35.1 [†]
Childhood Poverty	6,168	31.3	-28.5 [†]
Housing Vacancies	3,932	10	-34.5 [†]
Same Place of Residence for 5 Years	38,628	47.4	-8.7 [†]
High School Graduates	40,117	70.4	+53.8 [†]
Unemployed	3,138	6.9	-45.6 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 24 WEST TOWN

**2004 ALL-CAUSE MORTALITY: 407 DEATHS,
758.4 PER 100,000, 26.5%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 1,328 BIRTHS, FERTILITY RATE IS
56.1 PER 1000, 29%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	7	*	--
AIDS Cases [‡]	12	13.7 [§]	-84.8 [†]
Chlamydia	362	414	+183.7 [†]
Gonorrhea	145	165.8	+21.2 [†]
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	9	*	--
Tuberculosis	7	8 [§]	-53.2 [†]
Hepatitis C	46	52.6	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	2,283	2.8
Physical	5,759	7.1
Mental	4,586	5.6
Requires Care	2,485	3
Home-Bound	6,778	9.8
Unable to Work	8,783	13.9

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	1,040	78.3	+7.2 [†]
Smoking	33	2.5	-74 [†]
Caesarean Section	360	27.1	+38.9 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	17	1.3 [§]	-21.1
Premature Birth (P)	149	11.2	+9.2
Fetal Mortality (R)	10	7.5 [§]	-21.5
Infant Mortality (R)	4	*	--
Lead Screening			
Screened (P)	1,934	23.9	ND
Elevated (P)	60	3.1	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	88	167.8	-18.4 [†]
Breast	8	*	--
Colon	12	*	--
Lung	25	48	+4.2
Prostate	6	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	25	32.5	-26.4
Homicide	12	*	--
Suicide	7	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	119	243.2	-31 [†]
Stroke	23	48.2	-35.7 [†]
Lower Respiratory Disease	8	*	--
Diabetes Mellitus	21	41.8	--
Liver Disease and Cirrhosis	12	*	--
Alzheimer's Disease	6	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 25

AUSTIN


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	10,053	8.6	-4.4 [†]
5-17	28,626	24.4	+5.6 [†]
18-24	12,629	10.7	-11.6 [†]
25-64	56,923	48.4	-2.2 [†]
65+	9,296	7.9	+23.4 [†]
All	117,527	--	+3 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	4,841	4.1	+13.1 [†]
Non-Hispanic			
Asian	642	0.5	-30.5 [†]
Black	105,369	89.7	+3.8 [†]
White	5,662	4.8	-47.1 [†]
Other	184	0.2	NA
Multiple	829	0.7	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	53,832	45.8	-1.6 [†]
Female	63,695	54.2	+1.4 [†]
Females 15-44	28,117	23.9	-11.3 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	33,663	--	NA
Below Poverty Level	27,852	24.1	-6.3 [†]
Childhood Poverty	11,735	31.4	-11.3 [†]
Housing Vacancies	3,002	7.8	-25.1 [†]
Same Place of Residence for 5 Years	69,945	65.1	+11.1 [†]
High School Graduates	44,014	66.2	+9.4 [†]
Unemployed	8,151	17.4	-2.5 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 25 AUSTIN

**2004 ALL-CAUSE MORTALITY: 956 DEATHS,
1,163 PER 100,000, 22.4%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 1,895 BIRTHS, FERTILITY RATE IS
67.4 PER 1000, 24.8%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	11	*	--
AIDS Cases [‡]	32	27.2	-58 [†]
Chlamydia	1,748	1,487.3	+162.2 [†]
Gonorrhea	927	788.8	-6.9 [†]
Syphilis	7	6 [§]	-88.1 [†]
Influenza and Pneumonia Deaths	32	41.9	-24.4
Tuberculosis	12	10.2 [§]	-65.7 [†]
Hepatitis C	142	120.8	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	3,371	3.1
Physical	11,568	10.8
Mental	6,698	6.2
Requires Care	4,091	3.8
Home-Bound	12,159	14.7
Unable to Work	13,241	18

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	1,300	68.6	+5.5 [†]
Smoking	147	7.8	-38 [†]
Caesarean Section	464	24.5	+30.8 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	58	3.1	-3
Premature Birth (P)	274	14.5	-2.3
Fetal Mortality (R)	20	10.4 [§]	-11.7
Infant Mortality (R)	33	17.4	-14.3
Lead Screening			
Screened (P)	3,680	24.9	ND
Elevated (P)	452	12.3	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	249	291.3	-14.5 [†]
Breast	27	30.2	-10.7
Colon	29	36.3	-23
Lung	68	81.7	-12.7
Prostate	14	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	44	39.8	+0.9
Homicide	34	28.9	-48.1 [†]
Suicide	4	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	237	304.7	-31.7 [†]
Stroke	45	62	-36.4 [†]
Lower Respiratory Disease	28	37.2	-20.5
Diabetes Mellitus	38	46.6	-22.6
Liver Disease and Cirrhosis	7	*	--
Alzheimer's Disease	8	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.


ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES

POPULATION COMPOSITION


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	2,128	9.2	-6.1 [†]
5-17	6,165	26.8	+11.7 [†]
18-24	2,346	10.2	-12.1 [†]
25-64	10,076	43.8	-6.0 [†]
65+	2,304	10	+25 [†]
All	23,019	--	-4.5 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	201	0.9	+58.2 [†]
Non-Hispanic			
Asian	18	0.1	+10.8
Black	22,564	98	-0.9 [†]
White	133	0.6	+60 [†]
Other	43	0.2	NA
Multiple	60	0.3	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	10,588	46	-0.5
Female	12,431	54	+0.4
Females 15-44	5,340	23.2	-8.2 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	23,121	--	NA
Below Poverty Level	8,161	35.9	-12 [†]
Childhood Poverty	3,454	43.9	-24.6 [†]
Housing Vacancies	1,018	12.9	+31.8 [†]
Same Place of Residence for 5 Years	12,955	62	-2.7 [†]
High School Graduates	7,188	58	+16.3 [†]
Unemployed	1,788	22.1	-17.5 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 26 WEST GARFIELD PARK

**2004 ALL-CAUSE MORTALITY: 196 DEATHS,
1,107.5 PER 100,000, 27.6%[†] DECREASE FROM
1994.**

**2004 BIRTHS: 380 BIRTHS, FERTILITY RATE IS
71.2 PER 1000, 37.1%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	5	*	--
AIDS Cases [‡]	6	26.1 [§]	-79.1 [†]
Chlamydia	368	1,598.7	+133.5 [†]
Gonorrhea	199	864.5	-19.6 [†]
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	3	*	--
Tuberculosis	1	*	--
Hepatitis C	28	121.6	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	731	3.5
Physical	2,551	12.2
Mental	1,734	8.3
Requires Care	1,035	5
Home-Bound	2,878	18.4
Unable to Work	2,716	20.4

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	238	62.6	+5.5
Smoking	56	14.7	+10.4
Caesarean Section	85	22.4	+44 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	10	2.6 [§]	-4.6
Premature Birth (P)	62	16.3	+8.1
Fetal Mortality (R)	10	25.6 [§]	+63.2
Infant Mortality (R)	2	*	--
Lead Screening			
Screened (P)	954	30.7	ND
Elevated (P)	122	12.8	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	40	225.2	-39.3 [†]
Breast	5	*	--
Colon	2	*	--
Lung	17	*	--
Prostate	1	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	8	*	--
Homicide	8	*	--
Suicide	0	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	66	378.5	+5.4
Stroke	14	*	--
Lower Respiratory Disease	4	*	--
Diabetes Mellitus	4	*	--
Liver Disease and Cirrhosis	2	*	--
Alzheimer's Disease	0	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.


ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES

POPULATION COMPOSITION


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	1,708	8.2	-15.5 [†]
5-17	5,421	26	+10.2 [†]
18-24	2,133	10.2	-12.1 [†]
25-64	9,467	45.3	-0.4
65+	2,152	10.3	+7.3 [†]
All	20,881	--	-13.1 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	207	1	+57.8 [†]
Non-Hispanic			
Asian	25	0.1	+105.5 [†]
Black	20,296	97.2	-1.3 [†]
White	235	1.1	+65.9 [†]
Other	25	0.1	NA
Multiple	93	0.4	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	9,798	46.9	-1
Female	11,083	53.1	+0.9
Females 15-44	4,847	23.2	-4.7 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	24,216	--	NA
Below Poverty Level	7,179	35.2	-26.9 [†]
Childhood Poverty	2,906	42.6	-32.1 [†]
Housing Vacancies	1,120	14.6	+13.2 [†]
Same Place of Residence for 5 Years	12,004	62.6	-2.7 [†]
High School Graduates	7,010	60.6	+19.3 [†]
Unemployed	1,587	22.9	-18.2 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 27 EAST GARFIELD PARK

**2004 ALL-CAUSE MORTALITY: 224 DEATHS,
1,336.1 PER 100,000, 16%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 395 BIRTHS, FERTILITY RATE IS
81.5 PER 1000, 31%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	4	*	--
AIDS Cases [‡]	16	76.6 [§]	-47.4 [†]
Chlamydia	374	1,791.1	+127.7 [†]
Gonorrhea	227	1,087.1	-21.8 [†]
Syphilis	7	33.5 [§]	-32.9
Influenza and Pneumonia Deaths	4	*	--
Tuberculosis	9	43.1 [§]	-58.6 [†]
Hepatitis C	54	258.6	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	677	3.5
Physical	2,352	12.3
Mental	1,206	6.3
Requires Care	787	4.1
Home-Bound	2,278	15.7
Unable to Work	2,116	17.2

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	276	69.9	+13.9 [†]
Smoking	52	13.2	-8.1
Caesarean Section	95	24.1	+74.9 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	21	5.3	+67 [†]
Premature Birth (P)	70	17.7	+5.6
Fetal Mortality (R)	5	12.5 [§]	+74
Infant Mortality (R)	5	12.7 [§]	-2.8
Lead Screening			
Screened (P)	910	36.1	ND
Elevated (P)	109	12	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	53	316.7	+6.3
Breast	4	*	--
Colon	9	*	--
Lung	13	*	--
Prostate	2	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	14	*	--
Homicide	10	*	--
Suicide	1	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	58	356.6	-23.6 [†]
Stroke	7	*	--
Lower Respiratory Disease	12	*	--
Diabetes Mellitus	4	*	--
Liver Disease and Cirrhosis	1	*	--
Alzheimer's Disease	1	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.


ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES

POPULATION COMPOSITION


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	2,977	6.4	-37.9 [†]
5-17	8,138	17.5	-20.1 [†]
18-24	8,329	17.9	+12.6 [†]
25-64	23,587	50.8	+16.8 [†]
65+	3,388	7.3	-14.1 [†]
All	46,419	--	+0.5 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	4,415	9.5	-0.5
Non-Hispanic			
Asian	4,861	10.5	+111.9 [†]
Black	24,546	52.9	-20.4 [†]
White	11,731	25.3	+34.6 [†]
Other	218	0.5	NA
Multiple	648	1.4	ND



SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	22,589	48.7	+2.3 [†]
Female	23,830	51.3	-2 [†]
Females 15-44	13,616	29.3	+10.1 [†]

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.


NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

COMMUNITY AREA 28

NEAR WEST SIDE

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	29,588	--	NA
Below Poverty Level	16,149	37.5	-31.1 [†]
Childhood Poverty	5,395	53	-27.8 [†]
Housing Vacancies	3,233	15.1	-36.1 [†]
Same Place of Residence for 5 Years	17,623	40.6	-15.1 [†]
High School Graduates	19,308	71	+23.8 [†]
Unemployed	4,180	18.9	-7.9 [†]



2004 HEALTH MEASURES

COMMUNITY AREA 28 NEAR WEST SIDE

**2004 ALL-CAUSE MORTALITY: 247 DEATHS,
830.3 PER 100,000, 39.5%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 732 BIRTHS, FERTILITY RATE IS
53.8 PER 1000, 57.7%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	4	*	--
AIDS Cases [‡]	15	32.3 [§]	-78.7 [†]
Chlamydia	449	967.3	+35 [†]
Gonorrhea	214	461	-48.7 [†]
Syphilis	5	10.8 [§]	-84.9 [†]
Influenza and Pneumonia Deaths	5	*	--
Tuberculosis	4	*	--
Hepatitis C	59	127.1	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	1,403	3.2
Physical	4,175	9.6
Mental	2,675	6.2
Requires Care	1,675	3.9
Home-Bound	4,611	12.6
Unable to Work	3,451	10.4

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	563	76.9	+16.1 [†]
Smoking	69	9.4	-38.2 [†]
Caesarean Section	208	28.4	+86.2 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	17	2.3 [§]	-15.4
Premature Birth (P)	103	14.1	-0.7
Fetal Mortality (R)	7	9.5 [§]	+24.6
Infant Mortality (R)	10	13.7 [§]	-10.9
Lead Screening			
Screened (P)	1,174	27.4	ND
Elevated (P)	55	4.7	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	57	207.4	-19.8
Breast	3	*	--
Colon	10	*	--
Lung	15	*	--
Prostate	4	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	15	*	--
Homicide	4	*	--
Suicide	3	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	75	259.9	-41.2 [†]
Stroke	17	*	--
Lower Respiratory Disease	3	*	--
Diabetes Mellitus	1	*	--
Liver Disease and Cirrhosis	1	*	--
Alzheimer's Disease	5	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 29

NORTH LAWDALE


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	4,020	9.6	-7.7 [†]
5-17	11,929	28.6	+10 [†]
18-24	4,356	10.4	-11.1 [†]
25-64	17,576	42.1	-3 [†]
65+	3,887	9.3	+9.4 [†]
All	41,768	--	-11.7 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	1,896	4.5	+46 [†]
Non-Hispanic			
Asian	54	0.1	+85.3 [†]
Black	39,164	93.8	-2.3 [†]
White	383	0.9	+21.1 [†]
Other	60	0.1	NA
Multiple	211	0.5	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	18,581	44.5	-4.2 [†]
Female	23,187	55.5	+3.6 [†]
Females 15-44	10,183	24.4	-1.1

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	18,342	--	NA
Below Poverty Level	18,485	45.2	-6.6 [†]
Childhood Poverty	8,989	59.1	-7.3 [†]
Housing Vacancies	2,218	15.2	+40 [†]
Same Place of Residence for 5 Years	25,584	67.8	+8.3 [†]
High School Graduates	12,978	60.5	+25.8 [†]
Unemployed	3,304	25.8	-5.4 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 29 NORTH LAWNSDALE

**2004 ALL-CAUSE MORTALITY: 356 DEATHS,
1,155.4 PER 100,000, 15.9%[†] DECREASE FROM
1994.**

**2004 BIRTHS: 819 BIRTHS, FERTILITY RATE IS
80.4 PER 1000, 40%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	13	*	--
AIDS Cases [‡]	15	35.9 [§]	-56.4 [†]
Chlamydia	728	1,743	+140.3 [†]
Gonorrhea	402	962.5	-11.4 [†]
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	7	*	--
Tuberculosis	6	14.4 [§]	-67.6 [†]
Hepatitis C	60	143.7	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	1,406	3.7
Physical	4,083	10.8
Mental	2,412	6.4
Requires Care	1,510	4
Home-Bound	4,685	17.1
Unable to Work	3,453	14.7

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	582	71.1	+12.6 [†]
Smoking	128	15.6	+50.8 [†]
Caesarean Section	198	24.2	+49.4 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	27	3.3	+47.2 [†]
Premature Birth (P)	145	17.7	+21.9 [†]
Fetal Mortality (R)	12	14.4 [§]	+14.3
Infant Mortality (R)	11	13.4 [§]	-25
Lead Screening			
Screened (P)	2,534	43.2	ND
Elevated (P)	278	11	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	72	237.9	-23.4 [†]
Breast	4	*	--
Colon	8	*	--
Lung	16	*	--
Prostate	6	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	12	*	--
Homicide	12	*	--
Suicide	0	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	95	327.5	-15.2
Stroke	21	68.8	-37.5 [†]
Lower Respiratory Disease	11	*	--
Diabetes Mellitus	14	*	--
Liver Disease and Cirrhosis	2	*	--
Alzheimer's Disease	3	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 30

SOUTH LAWNSDALE


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	9,032	9.9	-9.2 [†]
5-17	19,979	21.9	-12 [†]
18-24	15,564	17.1	+4.9 [†]
25-64	42,917	47.1	+9.5 [†]
65+	3,579	3.9	-20.4 [†]
All	91,071	--	+12.2 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	75,613	83	-2.5 [†]
Non-Hispanic			
Asian	116	0.1	+17.5
Black	11,759	12.9	+57.5 [†]
White	3,210	3.5	-43.2 [†]
Other	97	0.1	NA
Multiple	276	0.3	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	52,515	57.7	+4.3 [†]
Female	38,556	42.3	-5.3 [†]
Females 15-44	19,658	21.6	-3.2 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	32,320	--	NA
Below Poverty Level	21,057	26.5	+10.7 [†]
Childhood Poverty	9,050	32.5	+14 [†]
Housing Vacancies	1,778	8.5	+15.8 [†]
Same Place of Residence for 5 Years	44,896	54.7	+1.7 [†]
High School Graduates	17,343	37.3	+20.6 [†]
Unemployed	3,626	11.7	-15.5 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 30 SOUTH LAWNSDALE

**2004 ALL-CAUSE MORTALITY: 270 DEATHS,
727.9 PER 100,000, 33.4%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 1,968 BIRTHS, FERTILITY RATE IS
100.1 PER 1000, 18.6%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	6	*	--
AIDS Cases [‡]	16	17.6 [§]	-28.7
Chlamydia	382	419.5	+315.1 [†]
Gonorrhea	69	75.8	+36.6 [†]
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	3	*	--
Tuberculosis	13	14.3 [§]	-10.9
Hepatitis C	26	28.5	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	2,332	2.8
Physical	3,715	4.5
Mental	2,305	2.8
Requires Care	2,398	2.9
Home-Bound	10,120	15.5
Unable to Work	13,323	21.6

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	1,628	82.7	+16 [†]
Smoking	27	1.4	-45.5 [†]
Caesarean Section	439	22.3	+47.7 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	17	0.9 [§]	-12.6
Premature Birth (P)	171	8.7	+29.8 [†]
Fetal Mortality (R)	8	4 [§]	-58.6 [†]
Infant Mortality (R)	15	7.6 [§]	-32.2
Lead Screening			
Screened (P)	6,585	52.5	ND
Elevated (P)	255	3.9	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	46	143.9	-31.4 [†]
Breast	2	*	--
Colon	1	*	--
Lung	17	*	--
Prostate	1	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	13	*	--
Homicide	18	*	--
Suicide	6	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	64	209.4	-36.9 [†]
Stroke	16	*	--
Lower Respiratory Disease	5	*	--
Diabetes Mellitus	11	*	--
Liver Disease and Cirrhosis	5	*	--
Alzheimer's Disease	3	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.


ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES

POPULATION COMPOSITION


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	4,677	10.6	-7.8 [†]
5-17	9,905	22.5	-10.4 [†]
18-24	6,406	14.5	-5.2 [†]
25-64	20,547	46.7	+10.1 [†]
65+	2,496	5.7	0
All	44,031	--	-3.6 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	39,144	88.9	+0.9 [†]
Non-Hispanic			
Asian	121	0.3	+84.5 [†]
Black	774	1.8	+98.6 [†]
White	3,587	8.1	-22.6 [†]
Other	104	0.2	NA
Multiple	301	0.7	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	23,379	53.1	0
Female	20,652	46.9	0
Females 15-44	10,328	23.5	+2.9 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	27,763	--	NA
Below Poverty Level	11,841	27	-3.0 [†]
Childhood Poverty	5,042	35.3	-2.4 [†]
Housing Vacancies	1,613	11.2	+1.5
Same Place of Residence for 5 Years	22,163	56.3	+2.4 [†]
High School Graduates	10,013	43.5	+34.7 [†]
Unemployed	1,691	9.1	-27.7 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 31 LOWER WEST SIDE

**2004 ALL-CAUSE MORTALITY: 145 DEATHS,
677.2 PER 100,000, 35.1%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 867 BIRTHS, FERTILITY RATE IS
83.9 PER 1000, 35.6%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	0	*	--
AIDS Cases [‡]	11	25 [§]	-5
Chlamydia	156	354.3	+337.2 [†]
Gonorrhea	29	65.9	+58.3 [†]
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	1	*	--
Tuberculosis	6	13.6 [§]	-67.3 [†]
Hepatitis C	7	15.9 [§]	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	1,337	3.4
Physical	2,318	5.9
Mental	1,416	3.6
Requires Care	827	2.1
Home-Bound	4,401	14.2
Unable to Work	5,325	18.7

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	680	78.4	+11.2 [†]
Smoking	15	1.7 [§]	-36.5 [†]
Caesarean Section	181	20.9	+40.2 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	9	1 [§]	+8.4
Premature Birth (P)	76	8.8	+21.4 [†]
Fetal Mortality (R)	2	*	--
Infant Mortality (R)	5	5.8 [§]	-34.8
Lead Screening			
Screened (P)	2,812	43.1	ND
Elevated (P)	95	3.4	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	25	122	-6.2
Breast	1	*	--
Colon	3	*	--
Lung	6	*	--
Prostate	2	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	13	*	--
Homicide	8	*	--
Suicide	1	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	44	224.2	-38.4 [†]
Stroke	7	*	--
Lower Respiratory Disease	3	*	--
Diabetes Mellitus	3	*	--
Liver Disease and Cirrhosis	4	*	--
Alzheimer's Disease	2	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.


2000 DEMOGRAPHIC MEASURES

POPULATION COMPOSITION

COMMUNITY AREA 32 LOOP


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	443	2.7	+3.8
5-17	536	3.3	+22.2 [†]
18-24	2,436	14.9	+81.7 [†]
25-64	11,349	69.3	-7.5 [†]
65+	1,624	9.9	-15.4 [†]
All	16,388	--	+37.1 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	975	5.9	+4.7
Non-Hispanic			
Asian	1,625	9.9	+170 [†]
Black	3,221	19.7	+4.2 [†]
White	10,169	62.1	-13.2 [†]
Other	77	0.5	NA
Multiple	321	2	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	8,406	51.3	-2.5 [†]
Female	7,982	48.7	+2.8 [†]
Females 15-44	4,488	27.4	+0.1

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	65,128	--	NA
Below Poverty Level	1,754	11.9	+18.4 [†]
Childhood Poverty	18	2.6	-70 [†]
Housing Vacancies	1,462	14	-26.6 [†]
Same Place of Residence for 5 Years	5,607	35.2	+15.4 [†]
High School Graduates	12,368	94.3	+3.9 [†]
Unemployed	513	4.5	+13.1 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 32 LOOP

**2004 ALL-CAUSE MORTALITY: 92 DEATHS,
705.4 PER 100,000, 23.4%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 139 BIRTHS, FERTILITY RATE IS
31 PER 1000, 48.3%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	2	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	40	244.1	+53.6 [†]
Gonorrhea	25	152.6	-20.7
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	2	*	--
Tuberculosis	4	*	--
Hepatitis C	12	73.2 [§]	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	398	2.5
Physical	641	4
Mental	405	2.5
Requires Care	165	1
Home-Bound	477	3.1
Unable to Work	532	3.8

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	121	87.1	-7.3 [†]
Smoking	1	*	--
Caesarean Section	49	35.3	+115.9 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	2	*	--
Premature Birth (P)	17	12.2 [§]	+33.2
Fetal Mortality (R)	0	*	--
Infant Mortality (R)	0	*	--
Lead Screening			
Screened (P)	128	24.1	ND
Elevated (P)	3	*	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	31	220.8	-10
Breast	2	*	--
Colon	2	*	--
Lung	11	*	--
Prostate	0	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	2	*	--
Homicide	2	*	--
Suicide	1	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	20	*	--
Stroke	6	*	--
Lower Respiratory Disease	1	*	--
Diabetes Mellitus	1	*	--
Liver Disease and Cirrhosis	2	*	--
Alzheimer's Disease	0	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.


ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES

POPULATION COMPOSITION


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	876	9.2	-28.1 [†]
5-17	1,496	15.7	-36.9 [†]
18-24	709	7.5	-23.5 [†]
25-64	5,444	57.3	+43.6 [†]
65+	984	10.3	-18.3 [†]
All	9,509	--	+39.3 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	377	4	+150.7 [†]
Non-Hispanic			
Asian	516	5.4	+626.5 [†]
Black	6,052	63.6	-31.1 [†]
White	2,393	25.2	+385.4 [†]
Other	42	0.4	NA
Multiple	129	1.4	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	4,284	45.1	+10.6 [†]
Female	5,225	54.9	-7.3 [†]
Females 15-44	2,511	26.4	-4.2 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	34,329	--	NA
Below Poverty Level	3,058	32.3	-48.3 [†]
Childhood Poverty	1,313	52.5	-35.1 [†]
Housing Vacancies	892	16	+127 [†]
Same Place of Residence for 5 Years	3,878	44.9	-18.5 [†]
High School Graduates	5,060	78.8	+41.6 [†]
Unemployed	418	9.1	-63 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 33 NEAR SOUTH SIDE

**2004 ALL-CAUSE MORTALITY: 103 DEATHS,
1,277 PER 100,000, 40%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 233 BIRTHS, FERTILITY RATE IS
92.8 PER 1000, 36.5%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	3	*	--
AIDS Cases [‡]	5	52.6 [§]	-28.2
Chlamydia	104	1,093.7	-5.5
Gonorrhea	61	641.5	-60.5 [†]
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	2	*	--
Tuberculosis	1	*	--
Hepatitis C	7	73.6 [§]	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	289	3.3
Physical	923	10.7
Mental	645	7.5
Requires Care	349	4
Home-Bound	622	8.5
Unable to Work	673	10.6

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	189	81.1	+18 [†]
Smoking	14	6 [§]	-55.3 [†]
Caesarean Section	51	21.9	+43.3 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	5	2.1 [§]	-34.4
Premature Birth (P)	34	14.6	-6.7
Fetal Mortality (R)	4	*	--
Infant Mortality (R)	4	*	--
Lead Screening			
Screened (P)	380	32.1	ND
Elevated (P)	8	2.1 [§]	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	14	*	--
Breast	2	*	--
Colon	2	*	--
Lung	3	*	--
Prostate	1	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	5	*	--
Homicide	2	*	--
Suicide	0	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	22	251	-67.1 [†]
Stroke	5	*	--
Lower Respiratory Disease	2	*	--
Diabetes Mellitus	7	*	--
Liver Disease and Cirrhosis	3	*	--
Alzheimer's Disease	0	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 34

ARMOUR SQUARE


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	682	5.7	-6.6 [†]
5-17	1,830	15.2	+0.7
18-24	1,009	8.4	-25.7 [†]
25-64	6,189	51.4	+3.2 [†]
65+	2,322	19.3	+9.7 [†]
All	12,032	--	+11.4 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	448	3.7	-14.6 [†]
Non-Hispanic			
Asian	7,305	60.7	+17.2 [†]
Black	2,046	17	-23 [†]
White	2,062	17.1	-20.4 [†]
Other	17	0.1	NA
Multiple	154	1.3	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	5,693	47.3	-0.1
Female	6,339	52.7	+0.1
Females 15-44	2,536	21.1	-7.6 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	22,756	--	NA
Below Poverty Level	3,746	31.1	-13.5 [†]
Childhood Poverty	942	37.6	-20.9 [†]
Housing Vacancies	452	8.7	+36.6 [†]
Same Place of Residence for 5 Years	6,443	56.8	+4.3 [†]
High School Graduates	4,772	55.9	+15.9 [†]
Unemployed	326	6.1	-51.3 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 34 ARMOUR SQUARE

**2004 ALL-CAUSE MORTALITY: 101 DEATHS,
674 PER 100,000, 21.9%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 129 BIRTHS, FERTILITY RATE IS
50.9 PER 1000, 18.6%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	0	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	32	266	+105.2 [†]
Gonorrhea	23	191.2	-14
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	3	*	--
Tuberculosis	1	*	--
Hepatitis C	8	66.5 [§]	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	434	3.8
Physical	1,059	9.3
Mental	554	4.9
Requires Care	428	3.8
Home-Bound	1,533	15.7
Unable to Work	1,447	19.5

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	116	89.9	+11.7 [†]
Smoking	5	3.9 [§]	-40.3
Caesarean Section	35	27.1	+26.6

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	3	*	--
Premature Birth (P)	12	9.3 [§]	-37.7 [†]
Fetal Mortality (R)	1	*	--
Infant Mortality (R)	0	*	--
Lead Screening			
Screened (P)	227	23.1	ND
Elevated (P)	3	*	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	30	187.6	-3.3
Breast	2	*	--
Colon	2	*	--
Lung	11	*	--
Prostate	2	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	4	*	--
Homicide	1	*	--
Suicide	1	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	29	200.2	-23.5
Stroke	8	*	--
Lower Respiratory Disease	6	*	--
Diabetes Mellitus	3	*	--
Liver Disease and Cirrhosis	1	*	--
Alzheimer's Disease	0	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.


ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES

POPULATION COMPOSITION


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	2,094	7.9	-26.9 [†]
5-17	4,981	18.8	-10.5 [†]
18-24	3,999	15.1	+15.3 [†]
25-64	12,051	45.5	+7.8 [†]
65+	3,345	12.6	-2.3
All	26,470	--	-13.6 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	295	1.1	+35 [†]
Non-Hispanic			
Asian	1,390	5.3	+104.3 [†]
Black	22,635	85.5	-6.2 [†]
White	1,745	6.6	+26.5 [†]
Other	102	0.4	NA
Multiple	303	1.1	ND



SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	11,877	44.9	+4.5 [†]
Female	14,593	55.1	-3.4 [†]
Females 15-44	6,694	25.3	-2 [†]

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.


NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

COMMUNITY AREA 35

DOUGLAS

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	24,835	--	NA
Below Poverty Level	9,699	41.2	-16.5 [†]
Childhood Poverty	4,312	62.5	-14.1 [†]
Housing Vacancies	2,793	20.5	+29.1 [†]
Same Place of Residence for 5 Years	12,411	50.9	-14 [†]
High School Graduates	11,384	73.1	+13.3 [†]
Unemployed	3,666	31.6	+76.1 [†]



2004 HEALTH MEASURES

COMMUNITY AREA 35 DOUGLAS

**2004 ALL-CAUSE MORTALITY: 295 DEATHS,
1,155.1 PER 100,000, 30.8%[†] DECREASE FROM
1994.**

**2004 BIRTHS: 266 BIRTHS, FERTILITY RATE IS
39.7 PER 1000, 56.6%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	10	*	--
AIDS Cases [‡]	8	30.2 [§]	-33.8
Chlamydia	239	902.9	+76.3 [†]
Gonorrhea	144	544	-27.5 [†]
Syphilis	6	22.7 [§]	-30.5
Influenza and Pneumonia Deaths	8	*	--
Tuberculosis	7	26.4 [§]	-61.4 [†]
Hepatitis C	32	120.9	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	844	3.5
Physical	2,696	11.1
Mental	1,543	6.3
Requires Care	911	3.7
Home-Bound	2,756	13.8
Unable to Work	2,321	14

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	205	77.1	+17.2 [†]
Smoking	27	10.2	-49 [†]
Caesarean Section	76	28.6	+73.8 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	12	4.5 [§]	+36.1
Premature Birth (P)	50	18.8	+9.8
Fetal Mortality (R)	3	*	--
Infant Mortality (R)	2	*	--
Lead Screening			
Screened (P)	602	19.5	ND
Elevated (P)	13	2.2 [§]	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	68	274.3	-11.6
Breast	5	*	--
Colon	10	*	--
Lung	15	*	--
Prostate	3	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	11	*	--
Homicide	5	*	--
Suicide	0	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	92	346.5	-38.1 [†]
Stroke	23	81.3	-18.4
Lower Respiratory Disease	9	*	--
Diabetes Mellitus	10	*	--
Liver Disease and Cirrhosis	1	*	--
Alzheimer's Disease	5	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 36

OAKLAND


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	641	10.5	-18.6 [†]
5-17	1,764	28.9	-5.2 [†]
18-24	644	10.5	-2.8
25-64	2,537	41.5	+13.4 [†]
65+	524	8.6	-6.5 [†]
All	6,110	--	-25.5 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	58	0.9	+128.9 [†]
Non-Hispanic			
Asian	8	0.1	+53.3
Black	5,957	97.5	-1.5 [†]
White	40	0.7	+45 [†]
Other	5	0.1	NA
Multiple	42	0.7	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	2,674	43.8	+3.8 [†]
Female	3,436	56.2	-2.8 [†]
Females 15-44	1,595	26.1	+0.4

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	10,739	--	NA
Below Poverty Level	3,178	52.5	-27.5 [†]
Childhood Poverty	1,418	60.6	-28.9 [†]
Housing Vacancies	589	20.7	-43.1 [†]
Same Place of Residence for 5 Years	3,083	56.4	-2.3 [†]
High School Graduates	1,858	60.4	+25.9 [†]
Unemployed	500	26.4	-41.3 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 36 OAKLAND

**2004 ALL-CAUSE MORTALITY: 45 DEATHS,
1,055.2 PER 100,000, 22.9%[†] DECREASE FROM
1994.**

**2004 BIRTHS: 85 BIRTHS, FERTILITY RATE IS
53.3 PER 1000, 56.3%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	1	*	--
AIDS Cases [†]	<5	*	--
Chlamydia	79	1,293	+116.3 [†]
Gonorrhea	32	523.7	-63 [†]
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	0	*	--
Tuberculosis	0	*	--
Hepatitis C	5	81.8 [§]	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	186	3.4
Physical	827	15.1
Mental	391	7.1
Requires Care	324	5.9
Home-Bound	707	18
Unable to Work	492	14.4

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	68	80	+20.2 [†]
Smoking	8	9.4 [§]	-59.2 [†]
Caesarean Section	28	32.9	+78.4 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	4	*	--
Premature Birth (P)	12	14.1 [§]	-16.6
Fetal Mortality (R)	0	*	--
Infant Mortality (R)	0	*	--
Lead Screening			
Screened (P)	313	32.9	ND
Elevated (P)	5	1.6 [§]	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	8	*	--
Breast	0	*	--
Colon	1	*	--
Lung	4	*	--
Prostate	0	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	2	*	--
Homicide	1	*	--
Suicide	0	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	12	*	--
Stroke	4	*	--
Lower Respiratory Disease	3	*	--
Diabetes Mellitus	2	*	--
Liver Disease and Cirrhosis	0	*	--
Alzheimer's Disease	1	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 37

FULLER PARK


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	267	7.8	+1.3
5-17	760	22.2	+8.8 [†]
18-24	279	8.2	-17.2 [†]
25-64	1,610	47.1	+9.3 [†]
65+	504	14.7	-21.8 [†]
All	3,420	--	-21.6 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	116	3.4	+261 [†]
Non-Hispanic			
Asian	6	0.2	+282.8 [†]
Black	3,225	94.3	-4.1 [†]
White	18	0.5	+14.8
Other	20	0.6	NA
Multiple	35	1	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	1,602	46.8	+1.8
Female	1,818	53.2	-1.5
Females 15-44	704	20.6	-3.4

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	18,142	--	NA
Below Poverty Level	1,174	34.6	-29.7 [†]
Childhood Poverty	370	36.6	-46.8 [†]
Housing Vacancies	334	20.7	+190.3 [†]
Same Place of Residence for 5 Years	2,171	68.9	+14.6 [†]
High School Graduates	1,365	65.2	+44.7 [†]
Unemployed	171	16.4	-31.2 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 37 FULLER PARK

**2004 ALL-CAUSE MORTALITY: 30 DEATHS,
769.8 PER 100,000, 55.2%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 68 BIRTHS, FERTILITY RATE IS
96.6 PER 1000, 24.5%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	0	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	57	1,666.7	+216.2 [†]
Gonorrhea	34	994.2	-13.2
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	1	*	--
Tuberculosis	1	*	--
Hepatitis C	7	204.7 [§]	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	177	5.6
Physical	456	14.5
Mental	233	7.4
Requires Care	162	5.1
Home-Bound	326	13
Unable to Work	333	16.5

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	50	73.5	+32.6 [†]
Smoking	10	14.7 [§]	+9.4
Caesarean Section	19	27.9 [§]	+121.7 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	2	*	--
Premature Birth (P)	11	16.2 [§]	-12.5
Fetal Mortality (R)	1	*	--
Infant Mortality (R)	2	*	--
Lead Screening			
Screened (P)	162	41.6	ND
Elevated (P)	27	16.7	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	7	*	--
Breast	0	*	--
Colon	1	*	--
Lung	4	*	--
Prostate	0	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	2	*	--
Homicide	2	*	--
Suicide	0	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	10	*	--
Stroke	3	*	--
Lower Respiratory Disease	0	*	--
Diabetes Mellitus	1	*	--
Liver Disease and Cirrhosis	0	*	--
Alzheimer's Disease	0	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.


ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES

POPULATION COMPOSITION


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	2,785	9.9	-10.8 [†]
5-17	7,202	25.7	-0.4
18-24	2,739	9.8	-3 [†]
25-64	11,636	41.5	+7.2 [†]
65+	3,644	13	-9.1 [†]
All	28,006	--	-22 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	236	0.8	+107.2 [†]
Non-Hispanic			
Asian	21	0.1	-7.2
Black	27,370	97.7	-1.4 [†]
White	173	0.6	+131 [†]
Other	53	0.2	NA
Multiple	153	0.5	ND



SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	12,351	44.1	-0.7
Female	15,655	55.9	+0.5
Females 15-44	6,396	22.8	+0.1

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.


NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

COMMUNITY AREA 38

GRAND BOULEVARD

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	14,178	--	NA
Below Poverty Level	12,762	46.9	-27.6 [†]
Childhood Poverty	5,799	58.8	-29.1 [†]
Housing Vacancies	3,761	27.4	+23.8 [†]
Same Place of Residence for 5 Years	13,787	54.7	-5.5 [†]
High School Graduates	9,381	61.4	+35.2 [†]
Unemployed	2,186	24.4	-28.6 [†]



2004 HEALTH MEASURES

COMMUNITY AREA 38 GRAND BOULEVARD

**2004 ALL-CAUSE MORTALITY: 267 DEATHS,
971.7 PER 100,000, 45.1%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 331 BIRTHS, FERTILITY RATE IS
51.8 PER 1000, 63.7%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	4	*	--
AIDS Cases [‡]	12	42.8 [§]	-58.4 [†]
Chlamydia	352	1,256.9	+64.7 [†]
Gonorrhea	184	657	-48.6 [†]
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	10	*	--
Tuberculosis	5	17.9 [§]	-82.2 [†]
Hepatitis C	42	150	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	1,334	5.3
Physical	3,583	14.2
Mental	2,531	10
Requires Care	1,386	5.5
Home-Bound	3,710	19.6
Unable to Work	2,784	18.2

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	259	78.2	+29.1 [†]
Smoking	36	10.9	-53.8 [†]
Caesarean Section	73	22.1	+93.7 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	7	2.1 [§]	-50.6 [†]
Premature Birth (P)	53	16	-12.2
Fetal Mortality (R)	3	*	--
Infant Mortality (R)	5	15.1 [§]	-55.9 [†]
Lead Screening			
Screened (P)	996	24.3	ND
Elevated (P)	42	4.2	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	60	232.7	-25.8 [†]
Breast	8	*	--
Colon	13	*	--
Lung	10	*	--
Prostate	4	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	12	*	--
Homicide	5	*	--
Suicide	2	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	73	256.6	-51.2 [†]
Stroke	13	*	--
Lower Respiratory Disease	5	*	--
Diabetes Mellitus	9	*	--
Liver Disease and Cirrhosis	2	*	--
Alzheimer's Disease	5	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.


ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES

POPULATION COMPOSITION


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	1,179	6.4	0
5-17	2,872	15.6	+4.7 [†]
18-24	1,702	9.3	-1.1
25-64	10,135	55.2	+2.6 [†]
65+	2,475	13.5	-12.9 [†]
All	18,363	--	+1 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	301	1.6	+23.6 [†]
Non-Hispanic			
Asian	785	4.3	+71.5 [†]
Black	13,900	75.7	-0.7
White	2,915	15.9	-19 [†]
Other	98	0.5	NA
Multiple	364	2	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	8,027	43.7	-0.8
Female	10,336	56.3	+0.6
Females 15-44	4,529	24.7	-6.1 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	36,612	--	NA
Below Poverty Level	4,368	24	-9.6 [†]
Childhood Poverty	1,391	35	-12.6 [†]
Housing Vacancies	1,039	10.4	-25 [†]
Same Place of Residence for 5 Years	8,571	49.9	+0.8
High School Graduates	10,526	83.9	+9.9 [†]
Unemployed	1,244	13.4	+50.5 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 39 KENWOOD

**2004 ALL-CAUSE MORTALITY: 176 DEATHS,
888.5 PER 100,000, 23.9%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 230 BIRTHS, FERTILITY RATE IS
50.8 PER 1000, 24.9%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	0	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	181	985.7	+238.1 [†]
Gonorrhea	102	555.5	+14.7
Syphilis	5	27.2 [§]	--
Influenza and Pneumonia Deaths	5	*	--
Tuberculosis	5	27.2 [§]	-29.3
Hepatitis C	21	114.4	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	729	4.2
Physical	1,766	10.3
Mental	991	5.8
Requires Care	587	3.4
Home-Bound	1,618	11
Unable to Work	1,686	13.8

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	189	82.2	+16.9 [†]
Smoking	14	6.1 [§]	-36.6 [†]
Caesarean Section	56	24.3	+63.8 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	8	3.5 [§]	+124.7 [†]
Premature Birth (P)	26	11.3	+1.4
Fetal Mortality (R)	3	*	--
Infant Mortality (R)	1	*	--
Lead Screening			
Screened (P)	575	35	ND
Elevated (P)	15	2.6 [§]	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	47	240.6	+2.2
Breast	6	*	--
Colon	4	*	--
Lung	7	*	--
Prostate	0	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	2	*	--
Homicide	4	*	--
Suicide	4	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	59	293.8	-14.5
Stroke	14	*	--
Lower Respiratory Disease	8	*	--
Diabetes Mellitus	3	*	--
Liver Disease and Cirrhosis	2	*	--
Alzheimer's Disease	1	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.


ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES

POPULATION COMPOSITION


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	1,398	9.9	-16.1 [†]
5-17	3,934	27.8	+9.9 [†]
18-24	1,541	10.9	-0.9
25-64	5,995	42.4	+3.2 [†]
65+	1,278	9	-16.7 [†]
All	14,146	--	-27.2 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	134	0.9	+283.3 [†]
Non-Hispanic			
Asian	5	0	-47.2
Black	13,798	97.5	-1.7 [†]
White	74	0.5	+47.3 [†]
Other	33	0.2	NA
Multiple	102	0.7	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	6,311	44.6	-2 [†]
Female	7,835	55.4	+1.7 [†]
Females 15-44	3,504	24.8	+5.2 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	15,160	--	NA
Below Poverty Level	7,276	51.6	-11.5 [†]
Childhood Poverty	3,394	64.7	-15.5 [†]
Housing Vacancies	1,411	22.9	-17.2 [†]
Same Place of Residence for 5 Years	6,232	48.9	-10.3 [†]
High School Graduates	4,345	60.2	+25.5 [†]
Unemployed	1,160	24.8	-20.2 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 40 WASHINGTON PARK

**2004 ALL-CAUSE MORTALITY: 131 DEATHS,
1,243.2 PER 100,000, 11.8% DECREASE FROM 1994.**

**2004 BIRTHS: 276 BIRTHS, FERTILITY RATE IS
78.8 PER 1000, 43.4%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	1	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	290	2,050	+176.5 [†]
Gonorrhea	156	1,102.8	-10
Syphilis	6	42.4 [§]	-25.1
Influenza and Pneumonia Deaths	1	*	--
Tuberculosis	4	*	--
Hepatitis C	21	148.5	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	438	3.4
Physical	1,592	12.5
Mental	1,091	8.4
Requires Care	593	4.7
Home-Bound	1,429	15.3
Unable to Work	1,300	16.1

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	196	71	+37.3 [†]
Smoking	44	15.9	-20.8 [†]
Caesarean Section	56	20.3	+29 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	7	2.5 [§]	-29.9
Premature Birth (P)	48	17.4	-1.2
Fetal Mortality (R)	0	*	--
Infant Mortality (R)	4	*	--
Lead Screening			
Screened (P)	909	44.1	ND
Elevated (P)	68	7.5	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	34	335.5	+20.4
Breast	3	*	--
Colon	3	*	--
Lung	17	*	--
Prostate	3	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	7	*	--
Homicide	9	*	--
Suicide	1	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	33	326.2	-17.3
Stroke	8	*	--
Lower Respiratory Disease	3	*	--
Diabetes Mellitus	2	*	--
Liver Disease and Cirrhosis	1	*	--
Alzheimer's Disease	1	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 41

HYDE PARK


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	1,280	4.3	-4.4
5-17	2,841	9.5	+1.1
18-24	5,820	19.5	+2.6 [†]
25-64	16,701	55.8	-2.6 [†]
65+	3,278	11	+12.2 [†]
All	29,920	--	+4.5 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	1,230	4.1	+31.5 [†]
Non-Hispanic			
Asian	3,366	11.3	+32.4 [†]
Black	11,290	37.7	+0.8
White	13,020	43.5	-13.7 [†]
Other	178	0.6	NA
Multiple	836	2.8	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	14,479	48.4	-2.9 [†]
Female	15,441	51.6	+2.8 [†]
Females 15-44	8,551	28.6	-2.6 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	35,991	--	NA
Below Poverty Level	4,428	16.5	-9.6 [†]
Childhood Poverty	558	14	-1.9 [†]
Housing Vacancies	867	5.7	-40.4 [†]
Same Place of Residence for 5 Years	10,574	36.9	+0.7
High School Graduates	18,624	92.7	+1.0 [†]
Unemployed	1,271	7.3	+20.3 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 41 HYDE PARK

**2004 ALL-CAUSE MORTALITY: 150 DEATHS,
549.6 PER 100,000, 33%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 288 BIRTHS, FERTILITY RATE IS
33.7 PER 1000, 20.5%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	2	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	124	414.4	+249 [†]
Gonorrhea	66	220.6	+26.3
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	4	*	--
Tuberculosis	1	*	--
Hepatitis C	21	70.2	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	603	2.1
Physical	1,465	5.1
Mental	1,211	4.2
Requires Care	636	2.2
Home-Bound	1,576	6
Unable to Work	1,545	6.7

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	253	87.8	+18 [†]
Smoking	10	3.5 [§]	-17.6
Caesarean Section	85	29.5	+81.2 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	10	3.5 [§]	--
Premature Birth (P)	29	10.1	+19.5
Fetal Mortality (R)	2	*	--
Infant Mortality (R)	2	*	--
Lead Screening			
Screened (P)	577	33.6	ND
Elevated (P)	8	1.4 [§]	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	44	166.3	-21.6
Breast	7	*	--
Colon	3	*	--
Lung	13	*	--
Prostate	2	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	6	*	--
Homicide	4	*	--
Suicide	1	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	33	122.4	-50.7 [†]
Stroke	5	*	--
Lower Respiratory Disease	2	*	--
Diabetes Mellitus	2	*	--
Liver Disease and Cirrhosis	3	*	--
Alzheimer's Disease	6	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 42

WOODLAWN


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	2,251	8.3	-2.4
5-17	6,458	23.8	+21.4 [†]
18-24	2,887	10.7	-8.5 [†]
25-64	11,956	44.1	-0.9
65+	3,534	13	-17.2 [†]
All	27,086	--	-1.4 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	288	1.1	+64.1 [†]
Non-Hispanic			
Asian	207	0.8	+28 [†]
Black	25,518	94.2	-1.3 [†]
White	761	2.8	-8.9 [†]
Other	61	0.2	NA
Multiple	251	0.9	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	12,084	44.6	-1.4 [†]
Female	15,002	55.4	+1.2 [†]
Females 15-44	6,313	23.3	-1.4

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	18,266	--	NA
Below Poverty Level	10,323	39.4	+6.6 [†]
Childhood Poverty	4,117	48.7	-4.6 [†]
Housing Vacancies	1,778	14.9	-26.4 [†]
Same Place of Residence for 5 Years	12,927	52.1	+0.2
High School Graduates	10,548	67.7	+20.8 [†]
Unemployed	1,851	19.8	-18.3 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 42 WOODLAWN

**2004 ALL-CAUSE MORTALITY: 295 DEATHS,
1,128.3 PER 100,000, 21.2%[†] DECREASE FROM
1994.**

**2004 BIRTHS: 405 BIRTHS, FERTILITY RATE IS
64.2 PER 1000, 36.5%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	7	*	--
AIDS Cases [‡]	11	40.6 [§]	-58.7 [†]
Chlamydia	427	1,576.5	+198.7 [†]
Gonorrhea	241	889.8	+11.1
Syphilis	7	25.8 [§]	-64.5 [†]
Influenza and Pneumonia Deaths	4	*	--
Tuberculosis	4	*	--
Hepatitis C	40	147.7	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	1,159	4.7
Physical	3,563	14.3
Mental	2,136	8.6
Requires Care	1,126	4.5
Home-Bound	3,087	16
Unable to Work	2,934	18.7

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	303	74.8	+32.6 [†]
Smoking	57	14.1	-4.8
Caesarean Section	92	22.7	+39.3 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	9	2.2 [§]	-19
Premature Birth (P)	60	14.8	+2.3
Fetal Mortality (R)	2	*	--
Infant Mortality (R)	8	19.8 [§]	-19
Lead Screening			
Screened (P)	1,246	37.6	ND
Elevated (P)	104	8.3	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	58	222.4	-27 [†]
Breast	4	*	--
Colon	6	*	--
Lung	16	*	--
Prostate	6	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	10	*	--
Homicide	11	*	--
Suicide	1	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	99	377.6	-20.1 [†]
Stroke	12	*	--
Lower Respiratory Disease	5	*	--
Diabetes Mellitus	5	*	--
Liver Disease and Cirrhosis	1	*	--
Alzheimer's Disease	7	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.


ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES

POPULATION COMPOSITION


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	4,997	8.1	+6.6 [†]
5-17	12,197	19.8	+4.2 [†]
18-24	5,976	9.7	-8.5 [†]
25-64	31,638	51.4	-2.7 [†]
65+	6,748	11	+10 [†]
All	61,556	--	+0.1 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	636	1	+27.9 [†]
Non-Hispanic			
Asian	85	0.1	-9.6
Black	59,405	96.5	-0.5 [†]
White	703	1.1	-38.4 [†]
Other	146	0.2	NA
Multiple	581	0.9	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	26,889	43.7	-1.1 [†]
Female	34,667	56.3	+0.9 [†]
Females 15-44	15,353	24.9	-8.3 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	27,748	--	NA
Below Poverty Level	16,431	27.1	-1.0
Childhood Poverty	5,958	35.5	-10.8 [†]
Housing Vacancies	3,277	11.3	-21.4 [†]
Same Place of Residence for 5 Years	29,891	52.8	+2.9 [†]
High School Graduates	29,961	78.2	+8.4 [†]
Unemployed	4,080	15.2	-2.7 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 43 SOUTH SHORE

**2004 ALL-CAUSE MORTALITY: 660 DEATHS,
1,238.2 PER 100,000, 7.8%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 887 BIRTHS, FERTILITY RATE IS
57.8 PER 1000, 23.4%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	9	*	--
AIDS Cases [‡]	20	32.5 [§]	-54.6 [†]
Chlamydia	772	1,254.1	+208.6 [†]
Gonorrhea	457	742.4	+18 [†]
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	17	*	--
Tuberculosis	7	11.4 [§]	-61.1 [†]
Hepatitis C	61	99.1	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	1,976	3.5
Physical	6,123	10.8
Mental	4,209	7.4
Requires Care	2,243	4
Home-Bound	6,910	15
Unable to Work	5,873	15

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	667	75.2	+15.6 [†]
Smoking	97	10.9	-25.9 [†]
Caesarean Section	243	27.4	+36 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	24	2.7	+0.4
Premature Birth (P)	122	13.8	+3.2
Fetal Mortality (R)	9	10 [§]	-46.2 [†]
Infant Mortality (R)	13	14.7 [§]	-40.4 [†]
Lead Screening			
Screened (P)	2,447	34.3	ND
Elevated (P)	167	6.8	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	140	257.8	-9.3
Breast	10	*	--
Colon	20	*	--
Lung	40	70.2	-26.8 [†]
Prostate	11	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	22	38.9	+7.2
Homicide	19	*	--
Suicide	3	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	193	368.5	-13.7 [†]
Stroke	32	65.2	-24.6
Lower Respiratory Disease	21	39.4	--
Diabetes Mellitus	26	49.1	+6.2
Liver Disease and Cirrhosis	8	*	--
Alzheimer's Disease	18	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 44

CHATHAM


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	2,541	6.8	+15.3 [†]
5-17	6,512	17.5	+19 [†]
18-24	3,023	8.1	-4.7 [†]
25-64	18,693	50.1	-4 [†]
65+	6,506	17.5	-6.4 [†]
All	37,275	--	+1.3 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	220	0.6	+9.6
Non-Hispanic			
Asian	24	0.1	-42.2 [†]
Black	36,538	98	-0.7 [†]
White	121	0.3	-42.6 [†]
Other	77	0.2	NA
Multiple	295	0.8	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	16,161	43.4	-1.7 [†]
Female	21,114	56.6	+1.4 [†]
Females 15-44	8,274	22.2	-1.6

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	32,341	--	NA
Below Poverty Level	6,562	17.7	+19.7 [†]
Childhood Poverty	2,090	23.6	+0.9
Housing Vacancies	1,275	7.5	-25.5 [†]
Same Place of Residence for 5 Years	20,882	60.1	-9.5 [†]
High School Graduates	19,604	77.9	+6.8 [†]
Unemployed	2,156	13	+2.8



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 44 CHATHAM

**2004 ALL-CAUSE MORTALITY: 448 DEATHS,
1,003.9 PER 100,000, 11.2%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 429 BIRTHS, FERTILITY RATE IS
51.8 PER 1000, 22.8%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	4	*	--
AIDS Cases [‡]	8	21.5 [§]	-69.6 [†]
Chlamydia	425	1,140.2	+315.2 [†]
Gonorrhea	254	681.4	+41.6 [†]
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	8	*	--
Tuberculosis	1	*	--
Hepatitis C	43	115.4	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	1,200	3.5
Physical	3,804	11
Mental	2,144	6.2
Requires Care	1,316	3.8
Home-Bound	3,623	12.5
Unable to Work	3,375	15

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	328	76.5	+7.5 [†]
Smoking	38	8.9	-6.9
Caesarean Section	119	27.7	+21.7 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	14	3.3 [§]	+65.2
Premature Birth (P)	56	13.1	-8
Fetal Mortality (R)	1	*	--
Infant Mortality (R)	7	16.3 [§]	-30.1
Lead Screening			
Screened (P)	1,300	35.1	ND
Elevated (P)	89	6.8	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	106	227.9	-16 [†]
Breast	5	*	--
Colon	13	*	--
Lung	29	62.2	-21.4 [†]
Prostate	9	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	16	*	--
Homicide	12	*	--
Suicide	1	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	140	314	-3.8
Stroke	26	55	+3.9
Lower Respiratory Disease	10	*	--
Diabetes Mellitus	16	*	--
Liver Disease and Cirrhosis	1	*	--
Alzheimer's Disease	13	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 45

AVALON PARK


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	685	6.1	+8.9 [†]
5-17	2,013	18.1	+5.2 [†]
18-24	899	8.1	-22.1 [†]
25-64	5,767	51.7	-6.3 [†]
65+	1,783	16	+37.9 [†]
All	11,147	--	-4.8 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	85	0.8	+10.2
Non-Hispanic			
Asian	19	0.2	-33.5 [†]
Black	10,816	97	-0.6 [†]
White	96	0.9	-31.9 [†]
Other	29	0.3	NA
Multiple	102	0.9	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	4,924	44.2	-2.1 [†]
Female	6,223	55.8	+1.7 [†]
Females 15-44	2,309	20.7	-10.1 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	44,344	--	NA
Below Poverty Level	935	8.4	-37.4 [†]
Childhood Poverty	310	11.9	-39.1 [†]
Housing Vacancies	177	4.2	-13.5 [†]
Same Place of Residence for 5 Years	7,996	76.4	-1.2 [†]
High School Graduates	6,031	80.1	+3 [†]
Unemployed	437	8.3	-27.9 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 45 AVALON PARK

**2004 ALL-CAUSE MORTALITY: 135 DEATHS,
1,114.2 PER 100,000, 17.2%[†] DECREASE FROM
1994.**

**2004 BIRTHS: 145 BIRTHS, FERTILITY RATE IS
62.8 PER 1000, 14.4%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	1	*	--
AIDS Cases [‡]	6	53.8 [§]	-9.9
Chlamydia	121	1,085.5	+243.6 [†]
Gonorrhea	78	699.7	+41.3 [†]
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	3	*	--
Tuberculosis	0	*	--
Hepatitis C	11	98.7 [§]	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	426	4.1
Physical	1,218	11.6
Mental	472	4.5
Requires Care	395	3.8
Home-Bound	938	10.7
Unable to Work	1,091	15.7

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	107	73.8	+15 [†]
Smoking	17	11.7 [§]	-14
Caesarean Section	51	35.2	+65.8 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	3	*	--
Premature Birth (P)	21	14.5	+2.4
Fetal Mortality (R)	1	*	--
Infant Mortality (R)	2	*	--
Lead Screening			
Screened (P)	333	33.2	ND
Elevated (P)	20	6 [§]	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	39	313.7	-17.2
Breast	5	*	--
Colon	4	*	--
Lung	6	*	--
Prostate	4	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	3	*	--
Homicide	2	*	--
Suicide	0	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	33	282.4	-25.4
Stroke	14	*	--
Lower Respiratory Disease	3	*	--
Diabetes Mellitus	3	*	--
Liver Disease and Cirrhosis	2	*	--
Alzheimer's Disease	0	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 46

SOUTH CHICAGO


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	3,540	9.2	+5.7 [†]
5-17	9,401	24.4	+4.7 [†]
18-24	4,049	10.5	-13.9 [†]
25-64	17,867	46.3	-1.5 [†]
65+	3,739	9.7	+11.5 [†]
All	38,596	--	-5.3 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	10,565	27.4	-18.2 [†]
Non-Hispanic			
Asian	49	0.1	+23.3
Black	26,253	68	+12.4 [†]
White	1,135	2.9	-47.6 [†]
Other	102	0.3	NA
Multiple	492	1.3	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	17,831	46.2	-2.2 [†]
Female	20,765	53.8	+2 [†]
Females 15-44	8,988	23.3	-5.3 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	28,279	--	NA
Below Poverty Level	11,369	29.7	+18.2 [†]
Childhood Poverty	4,798	38.6	+5.4 [†]
Housing Vacancies	1,771	12.4	-8.4 [†]
Same Place of Residence for 5 Years	21,423	61.1	-1.6 [†]
High School Graduates	14,264	65.9	+11.1 [†]
Unemployed	2,761	18.2	+1.4



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 46 SOUTH CHICAGO

**2004 ALL-CAUSE MORTALITY: 257 DEATHS,
875.9 PER 100,000, 31%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 649 BIRTHS, FERTILITY RATE IS
72.2 PER 1000, 20.6%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	5	*	--
AIDS Cases [‡]	12	31.1 [§]	-2.5
Chlamydia	393	1,018.2	+400.2 [†]
Gonorrhea	230	595.9	+32.1 [†]
Syphilis	9	23.3 [§]	-13.6
Influenza and Pneumonia Deaths	7	*	--
Tuberculosis	9	23.3 [§]	+35.8
Hepatitis C	42	108.8	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	1,272	3.6
Physical	3,329	9.5
Mental	1,851	5.3
Requires Care	1,176	3.4
Home-Bound	3,581	13.3
Unable to Work	3,918	16.9

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	512	78.9	+14.4 [†]
Smoking	80	12.3	+23.5 [†]
Caesarean Section	158	24.3	+41.4 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	16	2.5 [§]	+18.3
Premature Birth (P)	79	12.2	+9.9
Fetal Mortality (R)	7	10.7 [§]	+22.7
Infant Mortality (R)	9	13.9 [§]	-45 [†]
Lead Screening			
Screened (P)	2,121	41.8	ND
Elevated (P)	130	6.1	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	50	167.8	-30.9 [†]
Breast	5	*	--
Colon	4	*	--
Lung	11	*	--
Prostate	1	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	9	*	--
Homicide	14	*	--
Suicide	1	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	53	186.4	-54.3 [†]
Stroke	20	*	--
Lower Respiratory Disease	9	*	--
Diabetes Mellitus	14	*	--
Liver Disease and Cirrhosis	8	*	--
Alzheimer's Disease	2	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 47

BURNSIDE

AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	280	8.5	+19.7 [†]
5-17	807	24.5	+6.1 [†]
18-24	308	9.4	-27.7 [†]
25-64	1,653	50.2	+0.8
65+	246	7.5	+7.1
All	3,294	--	-0.6 [†]




SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	34,790	--	NA
Below Poverty Level	949	29.1	+35.3 [†]
Childhood Poverty	419	39.5	+11.9 [†]
Housing Vacancies	106	9.9	-20.3 [†]
Same Place of Residence for 5 Years	1,873	62.1	-14.7 [†]
High School Graduates	1,370	71.5	+7.5 [†]
Unemployed	252	18.4	-5.5


RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	34	1	+113.8 [†]
Non-Hispanic			
Asian	7	0.2	+252.1 [†]
Black	3,180	96.5	+0.3
White	40	1.2	-61.7 [†]
Other	1	0	NA
Multiple	32	1	ND



SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	1,523	46.2	-2.3
Female	1,771	53.8	+2.1
Females 15-44	725	22	-15.2 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 47 BURNSIDE

**2004 ALL-CAUSE MORTALITY: 41 DEATHS,
2,024.1 PER 100,000, 69.5%[†] INCREASE FROM 1994.**

**2004 BIRTHS: 41 BIRTHS, FERTILITY RATE IS
56.6 PER 1000, 30.5%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	0	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	56	1,700.1	+275.6 [†]
Gonorrhea	39	1,184	+63.5 [†]
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	0	*	--
Tuberculosis	0	*	--
Hepatitis C	3	*	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	76	2.5
Physical	249	8.3
Mental	142	4.7
Requires Care	79	2.6
Home-Bound	265	11.5
Unable to Work	286	13.9

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	28	68.3	+13.8
Smoking	5	12.2 [§]	-39
Caesarean Section	11	26.8 [§]	+56.5

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	1	*	--
Premature Birth (P)	7	17.1 [§]	+99.2 [†]
Fetal Mortality (R)	0	*	--
Infant Mortality (R)	0	*	--
Lead Screening			
Screened (P)	110	26.1	ND
Elevated (P)	5	4.5 [§]	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	15	*	--
Breast	2	*	--
Colon	2	*	--
Lung	3	*	--
Prostate	4	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	1	*	--
Homicide	1	*	--
Suicide	0	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	11	*	--
Stroke	3	*	--
Lower Respiratory Disease	1	*	--
Diabetes Mellitus	3	*	--
Liver Disease and Cirrhosis	0	*	--
Alzheimer's Disease	0	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 48

CALUMET HEIGHTS


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	900	5.6	+7.7 [†]
5-17	2,635	16.5	-2.9
18-24	1,208	7.6	-34.5 [†]
25-64	8,651	54.2	-3.2 [†]
65+	2,580	16.2	+58.8 [†]
All	15,974	--	-8.5 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	747	4.7	-11.3 [†]
Non-Hispanic			
Asian	33	0.2	-59.5 [†]
Black	14,817	92.8	+1.3 [†]
White	206	1.3	-47.7 [†]
Other	24	0.2	NA
Multiple	147	0.9	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	7,102	44.5	-3.7 [†]
Female	8,872	55.5	+3.2 [†]
Females 15-44	3,165	19.8	-13 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	46,326	--	NA
Below Poverty Level	1,902	11.9	+53.6 [†]
Childhood Poverty	678	19.4	+46 [†]
Housing Vacancies	245	4	-18.8 [†]
Same Place of Residence for 5 Years	11,679	77.5	+7.5 [†]
High School Graduates	9,336	83	+2.4 [†]
Unemployed	716	9.2	-16.6 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 48 CALUMET HEIGHTS

**2004 ALL-CAUSE MORTALITY: 185 DEATHS,
1,175 PER 100,000, 25.6%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 163 BIRTHS, FERTILITY RATE IS
51.5 PER 1000, 4.4% DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	1	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	134	838.9	+192.8 [†]
Gonorrhea	93	582.2	+19.5
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	6	*	--
Tuberculosis	1	*	--
Hepatitis C	17	106.4 [§]	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	508	3.4
Physical	1,429	9.5
Mental	800	5.3
Requires Care	569	3.8
Home-Bound	1,648	12.8
Unable to Work	1,506	14.7

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	117	71.8	+3.8
Smoking	13	8 [§]	-18.7
Caesarean Section	51	31.3	+21.7

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	4	*	--
Premature Birth (P)	22	13.5	-3.7
Fetal Mortality (R)	5	29.8 [§]	--
Infant Mortality (R)	1	*	--
Lead Screening			
Screened (P)	472	37.5	ND
Elevated (P)	8	1.7 [§]	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	44	245.9	-28.6 [†]
Breast	6	*	--
Colon	6	*	--
Lung	11	*	--
Prostate	3	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	8	*	--
Homicide	2	*	--
Suicide	0	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	45	282.3	-45.5 [†]
Stroke	16	*	--
Lower Respiratory Disease	4	*	--
Diabetes Mellitus	9	*	--
Liver Disease and Cirrhosis	1	*	--
Alzheimer's Disease	5	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 49

ROSELAND


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	3,710	7	-2.8
5-17	11,328	21.5	+8 [†]
18-24	4,840	9.2	-20 [†]
25-64	25,767	48.9	-4.5 [†]
65+	7,078	13.4	+31.4 [†]
All	52,723	--	-6.7 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	363	0.7	+37.4 [†]
Non-Hispanic			
Asian	31	0.1	-40.7 [†]
Black	51,568	97.8	-0.7 [†]
White	276	0.5	-31.2 [†]
Other	95	0.2	NA
Multiple	390	0.7	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	23,730	45	-2.4 [†]
Female	28,993	55	+2.1 [†]
Females 15-44	11,435	21.7	-8.4 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	38,237	--	NA
Below Poverty Level	9,097	17.6	-6.6 [†]
Childhood Poverty	3,525	24.6	-12 [†]
Housing Vacancies	1,219	6.8	+3.2
Same Place of Residence for 5 Years	33,694	68.7	-3.8 [†]
High School Graduates	25,166	76.8	+12.2 [†]
Unemployed	3,916	17.4	-1.2



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 49 ROSELAND

**2004 ALL-CAUSE MORTALITY: 649 DEATHS,
1,299.6 PER 100,000, 6% DECREASE FROM 1994.**

**2004 BIRTHS: 773 BIRTHS, FERTILITY RATE IS
67.6 PER 1000, 14.9%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	11	*	--
AIDS Cases [‡]	16	30.3 [§]	-31.4
Chlamydia	696	1,320.1	+253.4 [†]
Gonorrhea	438	830.8	+12 [†]
Syphilis	8	15.2 [§]	-52.4 [†]
Influenza and Pneumonia Deaths	16	*	--
Tuberculosis	3	*	--
Hepatitis C	51	96.7	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	1,565	3.2
Physical	5,320	10.9
Mental	2,845	5.8
Requires Care	1,910	3.9
Home-Bound	5,606	14.3
Unable to Work	4,650	14.4

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	557	72.1	+7.1 [†]
Smoking	81	10.5	-37.4 [†]
Caesarean Section	199	25.7	+20.6 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	21	2.7	-22
Premature Birth (P)	143	18.5	+28.5 [†]
Fetal Mortality (R)	8	10.2 [§]	-34.9
Infant Mortality (R)	9	11.6 [§]	-31.2
Lead Screening			
Screened (P)	1,742	31.7	ND
Elevated (P)	119	6.8	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	138	259.1	-14
Breast	17	*	--
Colon	21	37.8	-18.5
Lung	25	45.2	-43.3 [†]
Prostate	11	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	25	50.5	+15.3
Homicide	15	*	--
Suicide	2	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	198	405.3	-13.9 [†]
Stroke	45	89.8	+59.7 [†]
Lower Respiratory Disease	16	*	--
Diabetes Mellitus	23	45.1	--
Liver Disease and Cirrhosis	5	*	--
Alzheimer's Disease	14	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 50

PULLMAN


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	703	7.9	+14.5 [†]
5-17	1,873	21	+5.5 [†]
18-24	793	8.9	-17.6 [†]
25-64	4,488	50.3	-3.6 [†]
65+	1,064	11.9	+16.7 [†]
All	8,921	--	-4.5 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	795	8.9	+6.8 [†]
Non-Hispanic			
Asian	15	0.2	-7.6
Black	7,262	81.4	+4 [†]
White	757	8.5	-34.3 [†]
Other	11	0.1	NA
Multiple	81	0.9	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	4,029	45.2	-0.9
Female	4,892	54.8	+0.8
Females 15-44	1,988	22.3	-7.4 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	30,966	--	NA
Below Poverty Level	1,990	22.4	+19.8 [†]
Childhood Poverty	847	33.7	+8.6 [†]
Housing Vacancies	286	8.1	+19.5 [†]
Same Place of Residence for 5 Years	5,610	68.3	-0.2
High School Graduates	4,043	72.8	+6.9 [†]
Unemployed	671	17.2	+29.5 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 50 PULLMAN

**2004 ALL-CAUSE MORTALITY: 80 DEATHS,
998.3 PER 100,000, 23.3%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 129 BIRTHS, FERTILITY RATE IS
64.9 PER 1000, 23.2%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	1	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	104	1,165.8	+275.6 [†]
Gonorrhea	58	650.2	+21.5
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	1	*	--
Tuberculosis	0	*	--
Hepatitis C	5	56 [§]	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	287	3.5
Physical	919	11.2
Mental	502	6.1
Requires Care	306	3.7
Home-Bound	967	14.6
Unable to Work	846	15.2

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	105	81.4	+9.7 [†]
Smoking	11	8.5 [§]	-53.7 [†]
Caesarean Section	30	23.3	+22.7

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	1	*	--
Premature Birth (P)	19	14.7 [§]	+16.6
Fetal Mortality (R)	2	*	--
Infant Mortality (R)	5	38.8 [§]	+47.3
Lead Screening			
Screened (P)	284	28.2	ND
Elevated (P)	16	5.6 [§]	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	16	*	--
Breast	3	*	--
Colon	2	*	--
Lung	7	*	--
Prostate	0	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	9	*	--
Homicide	1	*	--
Suicide	1	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	17	*	--
Stroke	2	*	--
Lower Respiratory Disease	3	*	--
Diabetes Mellitus	3	*	--
Liver Disease and Cirrhosis	0	*	--
Alzheimer's Disease	1	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.


ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES

POPULATION COMPOSITION


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	1,302	7.7	-3.8
5-17	3,772	22.2	+0.5
18-24	1,665	9.8	-18.3 [†]
25-64	8,365	49.2	-0.8
65+	1,886	11.1	+32.1 [†]
All	16,990	--	-4.3 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	5,176	30.5	+7.4 [†]
Non-Hispanic			
Asian	8	0	-58.2 [†]
Black	10,335	60.8	+3.7 [†]
White	1,287	7.6	-39.7 [†]
Other	32	0.2	NA
Multiple	152	0.9	ND



SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	7,811	46	-0.6
Female	9,179	54	+0.5
Females 15-44	3,759	22.1	-10.5 [†]

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.


NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

COMMUNITY AREA 51

SOUTH DEERING

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	34,789	--	NA
Below Poverty Level	3,311	19.6	+6.5 [†]
Childhood Poverty	1,313	27.3	+0.8
Housing Vacancies	366	6.2	+4.4
Same Place of Residence for 5 Years	12,056	76.8	+7.6 [†]
High School Graduates	7,364	71.2	+13.2 [†]
Unemployed	771	11.9	-9.9 [†]



2004 HEALTH MEASURES

COMMUNITY AREA 51 SOUTH DEERING

**2004 ALL-CAUSE MORTALITY: 112 DEATHS,
774.8 PER 100,000, 32.5%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 244 BIRTHS, FERTILITY RATE IS
64.9 PER 1000, 15.5%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	2	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	132	776.9	+187.4 [†]
Gonorrhea	72	423.8	-8.2
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	2	*	--
Tuberculosis	1	*	--
Hepatitis C	14	82.4 [§]	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	587	3.7
Physical	1,504	9.6
Mental	822	5.2
Requires Care	573	3.7
Home-Bound	1,868	15
Unable to Work	1,510	14.2

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	191	78.3	+4.3
Smoking	29	11.9	+8.3
Caesarean Section	64	26.2	+33.9 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	2	*	--
Premature Birth (P)	40	16.4	+41.7 [†]
Fetal Mortality (R)	2	*	--
Infant Mortality (R)	1	*	--
Lead Screening			
Screened (P)	665	35.5	ND
Elevated (P)	17	2.6 [§]	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	36	246.6	-10.7
Breast	4	*	--
Colon	1	*	--
Lung	9	*	--
Prostate	2	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	5	*	--
Homicide	2	*	--
Suicide	0	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	20	*	--
Stroke	8	*	--
Lower Respiratory Disease	7	*	--
Diabetes Mellitus	6	*	--
Liver Disease and Cirrhosis	0	*	--
Alzheimer's Disease	2	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 52

EAST SIDE


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	2,096	8.9	+25.4 [†]
5-17	5,192	22	+16.4 [†]
18-24	2,524	10.7	+9.2 [†]
25-64	11,025	46.6	-3.7 [†]
65+	2,816	11.9	-24.7 [†]
All	23,653	--	+15.7 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	16,113	68.1	+70.4 [†]
Non-Hispanic			
Asian	57	0.2	+40.8 [†]
Black	242	1	+1992.3 [†]
White	6,951	29.4	-50.7 [†]
Other	66	0.3	NA
Multiple	224	0.9	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	11,683	49.4	+2.3 [†]
Female	11,970	50.6	-2.2 [†]
Females 15-44	5,205	22	+3.4 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	39,724	--	NA
Below Poverty Level	2,923	12.4	-4.6 [†]
Childhood Poverty	1,112	15.5	-15 [†]
Housing Vacancies	416	5.3	+6.4
Same Place of Residence for 5 Years	13,999	64.9	-0.3
High School Graduates	8,450	60.6	+4.2 [†]
Unemployed	1,112	12.5	+18 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 52 EAST SIDE

**2004 ALL-CAUSE MORTALITY: 169 DEATHS,
831.8 PER 100,000, 15.3%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 460 BIRTHS, FERTILITY RATE IS
88.4 PER 1000, 1.1% DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	0	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	59	249.4	+218.8 [†]
Gonorrhea	9	38.1 [§]	-29.3
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	3	*	--
Tuberculosis	0	*	--
Hepatitis C	12	50.7 [§]	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	858	4
Physical	1,616	7.5
Mental	917	4.3
Requires Care	703	3.3
Home-Bound	1,931	11.3
Unable to Work	1,845	12.9

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	388	84.3	+1.3
Smoking	53	11.5	+44.6 [†]
Caesarean Section	103	22.4	+40.5 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	4	*	--
Premature Birth (P)	47	10.2	+24.2
Fetal Mortality (R)	4	*	--
Infant Mortality (R)	3	*	--
Lead Screening			
Screened (P)	1,116	37.3	ND
Elevated (P)	22	2	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	39	195.9	+9.2
Breast	3	*	--
Colon	5	*	--
Lung	14	*	--
Prostate	2	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	8	*	--
Homicide	2	*	--
Suicide	1	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	41	202.6	-40.6 [†]
Stroke	11	*	--
Lower Respiratory Disease	11	*	--
Diabetes Mellitus	6	*	--
Liver Disease and Cirrhosis	2	*	--
Alzheimer's Disease	5	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 53

WEST PULLMAN


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	2,890	7.9	-1.3
5-17	8,872	24.2	-2.4 [†]
18-24	3,757	10.3	-18.9 [†]
25-64	17,887	48.8	-0.4
65+	3,243	8.8	+57.1 [†]
All	36,649	--	-8 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	1,699	4.6	+4.3
Non-Hispanic			
Asian	16	0	-54.2 [†]
Black	34,277	93.5	0
White	328	0.9	-49.3 [†]
Other	79	0.2	NA
Multiple	250	0.7	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	16,950	46.2	-1.5 [†]
Female	19,699	53.8	+1.3 [†]
Females 15-44	8,094	22.1	-15.3 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	40,478	--	NA
Below Poverty Level	7,949	22	+13.7 [†]
Childhood Poverty	3,587	32.1	+21.2 [†]
Housing Vacancies	987	8.5	-9.1 [†]
Same Place of Residence for 5 Years	23,997	71.1	+8 [†]
High School Graduates	14,894	70.4	+0.3
Unemployed	2,079	14	-20.9 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 53 WEST PULLMAN

**2004 ALL-CAUSE MORTALITY: 306 DEATHS,
1,188.1 PER 100,000, 22.5%[†] DECREASE FROM
1994.**

**2004 BIRTHS: 556 BIRTHS, FERTILITY RATE IS
68.7 PER 1000, 18.1%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	9	*	--
AIDS Cases [‡]	10	27.3 [§]	-54.7 [†]
Chlamydia	504	1,375.2	+232.1 [†]
Gonorrhea	311	848.6	+7.7
Syphilis	6	16.4 [§]	-27.5
Influenza and Pneumonia Deaths	5	*	--
Tuberculosis	4	*	--
Hepatitis C	39	106.4	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	1,026	3
Physical	3,574	10.6
Mental	1,876	5.6
Requires Care	1,389	4.1
Home-Bound	3,810	14.6
Unable to Work	4,238	18.5

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	388	69.8	+6.6 [†]
Smoking	68	12.2	-24.5 [†]
Caesarean Section	139	25	+13.4 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	24	4.3	+50.4 [†]
Premature Birth (P)	93	16.7	+28.9 [†]
Fetal Mortality (R)	12	21.1 [§]	+86.1 [†]
Infant Mortality (R)	8	14.4 [§]	-10.5
Lead Screening			
Screened (P)	1,410	33.4	ND
Elevated (P)	104	7.4	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	79	268.9	-29.2 [†]
Breast	11	*	--
Colon	12	*	--
Lung	26	86.6	-16.3
Prostate	4	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	10	*	--
Homicide	11	*	--
Suicide	3	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	83	327.6	-37.2 [†]
Stroke	20	*	--
Lower Respiratory Disease	9	*	--
Diabetes Mellitus	9	*	--
Liver Disease and Cirrhosis	2	*	--
Alzheimer's Disease	5	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 54

RIVERDALE


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	1,175	12	-12.4 [†]
5-17	3,329	33.9	+5.9 [†]
18-24	1,070	10.9	-9.9 [†]
25-64	3,729	38	+1.1
65+	506	5.2	+15.6 [†]
All	9,809	--	-9.4 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	160	1.6	+17.7 [†]
Non-Hispanic			
Asian	7	0.1	+286.1 [†]
Black	9,479	96.6	-0.7 [†]
White	66	0.7	-39.3 [†]
Other	27	0.3	NA
Multiple	70	0.7	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	4,263	43.5	+1.5
Female	5,546	56.5	-1.1
Females 15-44	2,563	26.1	-4.8 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	13,178	--	NA
Below Poverty Level	5,487	56.3	-10.5 [†]
Childhood Poverty	3,022	68.5	-9.9 [†]
Housing Vacancies	358	11.1	+287.9 [†]
Same Place of Residence for 5 Years	6,025	69.8	+12.3 [†]
High School Graduates	2,659	62.4	+11.8 [†]
Unemployed	1,012	33.5	-3.2



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 54 RIVERDALE

**2004 ALL-CAUSE MORTALITY: 49 DEATHS,
1,150 PER 100,000, 4.5% DECREASE FROM 1994.**

**2004 BIRTHS: 132 BIRTHS, FERTILITY RATE IS
51.5 PER 1000, 50.2%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	2	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	145	1,478.2	+175.8 [†]
Gonorrhea	97	988.9	+48.6 [†]
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	2	*	--
Tuberculosis	0	*	--
Hepatitis C	7	71.4 [§]	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	292	3.4
Physical	731	8.5
Mental	511	5.9
Requires Care	333	3.9
Home-Bound	978	17.1
Unable to Work	830	15.9

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	96	72.7	+10 [†]
Smoking	18	13.6 [§]	-39.3 [†]
Caesarean Section	29	22	+18.3

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	1	*	--
Premature Birth (P)	22	16.7	+27.9
Fetal Mortality (R)	1	*	--
Infant Mortality (R)	0	*	--
Lead Screening			
Screened (P)	61	3.5	ND
Elevated (P)	0	*	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	9	*	--
Breast	1	*	--
Colon	4	*	--
Lung	0	*	--
Prostate	1	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	1	*	--
Homicide	3	*	--
Suicide	0	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	16	*	--
Stroke	0	*	--
Lower Respiratory Disease	2	*	--
Diabetes Mellitus	0	*	--
Liver Disease and Cirrhosis	0	*	--
Alzheimer's Disease	1	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.


ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES

POPULATION COMPOSITION


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	628	6.4	+12.3 [†]
5-17	1,718	17.6	+12.8 [†]
18-24	797	8.1	-13.8 [†]
25-64	5,004	51.2	-0.6
65+	1,634	16.7	-6.7 [†]
All	9,781	--	-3.5 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	2,820	28.8	+126.5 [†]
Non-Hispanic			
Asian	32	0.3	-32.3 [†]
Black	130	1.3	+104.1 [†]
White	6,553	67	-22.1 [†]
Other	45	0.5	NA
Multiple	201	2.1	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	4,768	48.7	-0.9
Female	5,013	51.3	+0.9
Females 15-44	1,926	19.7	-2.5

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	43,665	--	NA
Below Poverty Level	1,037	10.6	+37.1 [†]
Childhood Poverty	329	14.5	+37.6 [†]
Housing Vacancies	300	7.3	+31.3 [†]
Same Place of Residence for 5 Years	6,279	68.6	-8.3 [†]
High School Graduates	4,893	73.4	+9.8 [†]
Unemployed	347	7.9	-13.7 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 55 HEGEWISCH

**2004 ALL-CAUSE MORTALITY: 92 DEATHS,
786.1 PER 100,000, 32.6%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 125 BIRTHS, FERTILITY RATE IS
64.9 PER 1000, 10.8% INCREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	0	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	19	194.3 [§]	+228.2 [†]
Gonorrhea	8	81.8 [§]	--
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	4	*	--
Tuberculosis	1	*	--
Hepatitis C	4	*	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	408	4.5
Physical	873	9.5
Mental	358	3.9
Requires Care	237	2.6
Home-Bound	675	8.8
Unable to Work	760	12.6

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	109	87.2	+11.3 [†]
Smoking	25	20	+26.3
Caesarean Section	21	16.8	-19.4

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	1	*	--
Premature Birth (P)	15	12 [§]	+60
Fetal Mortality (R)	2	*	--
Infant Mortality (R)	1	*	--
Lead Screening			
Screened (P)	198	21.7	ND
Elevated (P)	0	*	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	23	188.6	-38.7 [†]
Breast	2	*	--
Colon	2	*	--
Lung	6	*	--
Prostate	0	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	0	*	--
Homicide	1	*	--
Suicide	0	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	37	315.8	-23.5
Stroke	4	*	--
Lower Respiratory Disease	2	*	--
Diabetes Mellitus	5	*	--
Liver Disease and Cirrhosis	0	*	--
Alzheimer's Disease	0	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 56

GARFIELD RIDGE


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	2,293	6.4	+8.5 [†]
5-17	6,332	17.5	+15.1 [†]
18-24	2,994	8.3	-11.7 [†]
25-64	17,981	49.8	+0.6
65+	6,501	18	-10 [†]
All	36,101	--	+6.3 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	5,948	16.5	+122.9 [†]
Non-Hispanic			
Asian	328	0.9	-19.3 [†]
Black	4,419	12.2	-4.2 [†]
White	24,878	68.9	-12.3 [†]
Other	56	0.2	NA
Multiple	472	1.3	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	17,140	47.5	+1.1 [†]
Female	18,961	52.5	-1 [†]
Females 15-44	7,209	20	-2.1 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	45,436	--	NA
Below Poverty Level	3,616	10.1	+6.3 [†]
Childhood Poverty	1,302	15.6	-12 [†]
Housing Vacancies	320	2.4	-13.3 [†]
Same Place of Residence for 5 Years	23,543	69.6	-6.3 [†]
High School Graduates	17,688	72	+12.3 [†]
Unemployed	1,065	6.5	-10.7 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 56 GARFIELD RIDGE

**2004 ALL-CAUSE MORTALITY: 395 DEATHS,
881.3 PER 100,000, 23%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 513 BIRTHS, FERTILITY RATE IS
71.2 PER 1000, 7.8% INCREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	2	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	72	199.4	+222.4 [†]
Gonorrhea	22	60.9	-47 [†]
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	8	*	--
Tuberculosis	2	*	--
Hepatitis C	15	41.6 [§]	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	1,468	4.3
Physical	3,079	9.1
Mental	1,515	4.5
Requires Care	1,153	3.4
Home-Bound	3,114	10.9
Unable to Work	2,606	11.9

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	435	84.8	+6.2 [†]
Smoking	24	4.7	-61.1 [†]
Caesarean Section	134	26.1	+34.1 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	11	2.1 [§]	-2
Premature Birth (P)	65	12.7	+15.8
Fetal Mortality (R)	3	*	--
Infant Mortality (R)	6	11.7 [§]	-23.6
Lead Screening			
Screened (P)	637	19.4	ND
Elevated (P)	6	0.9 [§]	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	106	227	-4.8
Breast	4	*	--
Colon	12	*	--
Lung	23	49.4	-24.9 [†]
Prostate	10	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	15	*	--
Homicide	5	*	--
Suicide	1	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	108	237.6	-49.8 [†]
Stroke	23	47.9	-43.6 [†]
Lower Respiratory Disease	12	*	--
Diabetes Mellitus	14	*	--
Liver Disease and Cirrhosis	6	*	--
Alzheimer's Disease	12	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 57

ARCHER HEIGHTS


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	1,014	8	+45.5 [†]
5-17	2,259	17.9	+37.7 [†]
18-24	1,436	11.4	+28.1 [†]
25-64	6,220	49.2	-4.3 [†]
65+	1,715	13.6	-35.8 [†]
All	12,644	--	+37 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	5,485	43.4	+413.8 [†]
Non-Hispanic			
Asian	48	0.4	-28.5 [†]
Black	74	0.6	+2600.1 [†]
White	6,752	53.4	-41.3 [†]
Other	27	0.2	NA
Multiple	258	2	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	6,285	49.7	+4.4 [†]
Female	6,359	50.3	-4 [†]
Females 15-44	2,722	21.5	+5.2 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	39,431	--	NA
Below Poverty Level	813	6.4	+49.1 [†]
Childhood Poverty	204	6.3	+68 [†]
Housing Vacancies	179	4.2	+23.1 [†]
Same Place of Residence for 5 Years	5,895	50.7	-28.3 [†]
High School Graduates	4,769	59.6	+7.8 [†]
Unemployed	377	6.7	-8



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 57 ARCHER HEIGHTS

**2004 ALL-CAUSE MORTALITY: 90 DEATHS,
726.5 PER 100,000, 30.2%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 254 BIRTHS, FERTILITY RATE IS
93.3 PER 1000, 28.1%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	0	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	35	276.8	--
Gonorrhea	<5	*	--
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	3	*	--
Tuberculosis	0	*	--
Hepatitis C	3	*	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	351	3
Physical	935	8
Mental	417	3.6
Requires Care	307	2.6
Home-Bound	1,376	14.1
Unable to Work	1,249	15.6

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	199	78.3	+4.3
Smoking	7	2.8 [§]	-51.8 [†]
Caesarean Section	57	22.4	+27.9 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	4	*	--
Premature Birth (P)	20	7.9 [§]	+1.5
Fetal Mortality (R)	1	*	--
Infant Mortality (R)	1	*	--
Lead Screening			
Screened (P)	585	41.7	ND
Elevated (P)	9	1.5 [§]	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	19	*	--
Breast	0	*	--
Colon	3	*	--
Lung	3	*	--
Prostate	3	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	2	*	--
Homicide	1	*	--
Suicide	2	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	33	267.7	-37.8 [†]
Stroke	8	*	--
Lower Respiratory Disease	3	*	--
Diabetes Mellitus	1	*	--
Liver Disease and Cirrhosis	1	*	--
Alzheimer's Disease	2	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

[§]Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

[†]Significant difference (0.1 level)

[‡]Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 58

BRIGHTON PARK


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	4,898	10.9	+34.6 [†]
5-17	10,286	22.9	+25.1 [†]
18-24	5,761	12.8	+19.6 [†]
25-64	20,602	45.9	-4.4 [†]
65+	3,365	7.5	-50 [†]
All	44,912	--	+39.4 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	34,409	76.6	+104.9 [†]
Non-Hispanic			
Asian	1,288	2.9	+51.2 [†]
Black	221	0.5	+832.2 [†]
White	8,300	18.5	-69.4 [†]
Other	98	0.2	NA
Multiple	596	1.3	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	23,125	51.5	+4.8 [†]
Female	21,787	48.5	-4.7 [†]
Females 15-44	10,259	22.8	+5.1 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	36,245	--	NA
Below Poverty Level	7,721	17.3	+36.9 [†]
Childhood Poverty	3,171	21.3	+14.1 [†]
Housing Vacancies	921	6.9	+21.9 [†]
Same Place of Residence for 5 Years	20,784	51.9	-8 [†]
High School Graduates	11,325	47.4	-11.1 [†]
Unemployed	2,024	11.5	+32 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 58 BRIGHTON PARK

**2004 ALL-CAUSE MORTALITY: 174 DEATHS,
584.6 PER 100,000, 43.9%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 1,127 BIRTHS, FERTILITY RATE IS
109.9 PER 1000, 5% DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	0	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	138	307.3	+266.5 [†]
Gonorrhea	20	44.5 [§]	+186.8 [†]
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	1	*	--
Tuberculosis	2	*	--
Hepatitis C	8	17.8 [§]	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	1,348	3.4
Physical	2,366	5.9
Mental	1,520	3.8
Requires Care	1,132	2.8
Home-Bound	4,829	15.5
Unable to Work	4,817	17.3

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	930	82.5	+10.5 [†]
Smoking	19	1.7 [§]	-72.7 [†]
Caesarean Section	259	23	+8.2

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	12	1.1 [§]	-4.2
Premature Birth (P)	100	8.9	+10.6
Fetal Mortality (R)	6	5.3 [§]	-13.7
Infant Mortality (R)	8	7.1 [§]	-55.8 [†]
Lead Screening			
Screened (P)	3,082	45.5	ND
Elevated (P)	100	3.2	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	40	143.6	-34.6 [†]
Breast	0	*	--
Colon	4	*	--
Lung	7	*	--
Prostate	2	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	13	*	--
Homicide	4	*	--
Suicide	3	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	59	218.6	-42.4 [†]
Stroke	7	*	--
Lower Respiratory Disease	3	*	--
Diabetes Mellitus	7	*	--
Liver Disease and Cirrhosis	2	*	--
Alzheimer's Disease	5	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 59

MCKINLEY PARK


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	1,393	8.7	+3.6
5-17	3,400	21.3	+6 [†]
18-24	1,899	11.9	+7.2 [†]
25-64	7,796	48.8	+3.2 [†]
65+	1,474	9.2	-29.8 [†]
All	15,962	--	+20 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	9,819	61.5	+55.7 [†]
Non-Hispanic			
Asian	1,212	7.6	+216.5 [†]
Black	116	0.7	+866.3 [†]
White	4,607	28.9	-49.9 [†]
Other	27	0.2	NA
Multiple	181	1.1	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	7,992	50.1	+3.2 [†]
Female	7,970	49.9	-3 [†]
Females 15-44	3,637	22.8	+1

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	36,010	--	NA
Below Poverty Level	2,095	13.1	+20.1 [†]
Childhood Poverty	845	17.9	+16.6 [†]
Housing Vacancies	410	7.4	-13 [†]
Same Place of Residence for 5 Years	8,591	59	-3.5 [†]
High School Graduates	4,809	52.2	-6.8 [†]
Unemployed	610	8.7	+4.4



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 59 MCKINLEY PARK

**2004 ALL-CAUSE MORTALITY: 92 DEATHS,
836.8 PER 100,000, 21.1%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 294 BIRTHS, FERTILITY RATE IS
80.8 PER 1000, 21%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	0	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	46	288.2	+248.4 [†]
Gonorrhea	11	68.9 [§]	--
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	2	*	--
Tuberculosis	2	*	--
Hepatitis C	4	*	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	470	3.2
Physical	1,089	7.5
Mental	550	3.8
Requires Care	797	5.5
Home-Bound	2,020	17.3
Unable to Work	2,126	20.9

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	233	79.3	+0.1
Smoking	9	3.1 [§]	-60.8 [†]
Caesarean Section	68	23.1	+39.2 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	1	*	--
Premature Birth (P)	24	8.2	+67.1 [†]
Fetal Mortality (R)	2	*	--
Infant Mortality (R)	3	*	--
Lead Screening			
Screened (P)	708	35.8	ND
Elevated (P)	9	1.3 [§]	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	16	*	--
Breast	0	*	--
Colon	0	*	--
Lung	8	*	--
Prostate	1	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	3	*	--
Homicide	1	*	--
Suicide	1	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	34	312.8	-37 [†]
Stroke	8	*	--
Lower Respiratory Disease	5	*	--
Diabetes Mellitus	1	*	--
Liver Disease and Cirrhosis	1	*	--
Alzheimer's Disease	0	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.


ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES

POPULATION COMPOSITION


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	2,471	7.3	-7.6 [†]
5-17	6,010	17.8	+0.6
18-24	3,573	10.6	-7.8 [†]
25-64	18,025	53.5	+6.6 [†]
65+	3,615	10.7	-15.1 [†]
All	33,694	--	+12.8 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	10,165	30.2	+15.6 [†]
Non-Hispanic			
Asian	8,808	26.1	+58.6 [†]
Black	354	1.1	+726 [†]
White	13,819	41	-27.9 [†]
Other	101	0.3	NA
Multiple	447	1.3	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	16,746	49.7	+1.2 [†]
Female	16,948	50.3	-1.2 [†]
Females 15-44	7,733	23	-1.1

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	35,535	--	NA
Below Poverty Level	6,085	18.1	+24.1 [†]
Childhood Poverty	2,300	27.4	+32.1 [†]
Housing Vacancies	1,317	9.7	+10.6 [†]
Same Place of Residence for 5 Years	18,019	57.7	+0.2
High School Graduates	13,951	64.8	+16.7 [†]
Unemployed	1,251	7.7	-16.5 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 60 BRIDGEPORT

**2004 ALL-CAUSE MORTALITY: 238 DEATHS,
849.6 PER 100,000, 17.2%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 457 BIRTHS, FERTILITY RATE IS
59.1 PER 1000, 28.8%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	1	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	70	207.8	+158.6 [†]
Gonorrhea	12	35.6 [§]	+112.8 [†]
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	4	*	--
Tuberculosis	5	14.8 [§]	--
Hepatitis C	11	32.6 [§]	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	967	3.1
Physical	2,354	7.5
Mental	1,223	3.9
Requires Care	914	2.9
Home-Bound	3,162	12.2
Unable to Work	3,293	14.7

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	389	85.1	+11.7 [†]
Smoking	32	7	-48.4 [†]
Caesarean Section	114	24.9	+16.6 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	5	1.1 [§]	-42.8
Premature Birth (P)	44	9.6	-18.6
Fetal Mortality (R)	0	*	--
Infant Mortality (R)	1	*	--
Lead Screening			
Screened (P)	680	19.4	ND
Elevated (P)	11	1.6 [§]	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	72	251.9	-0.6
Breast	5	*	--
Colon	10	*	--
Lung	25	86	+25.8
Prostate	2	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	13	*	--
Homicide	2	*	--
Suicide	2	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	60	220	-44.1 [†]
Stroke	8	*	--
Lower Respiratory Disease	6	*	--
Diabetes Mellitus	9	*	--
Liver Disease and Cirrhosis	2	*	--
Alzheimer's Disease	7	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 61

NEW CITY


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	5,766	11.1	-3.5 [†]
5-17	13,753	26.6	-0.7
18-24	6,596	12.8	-0.8
25-64	22,654	43.8	+2.6 [†]
65+	2,952	5.7	-8.1 [†]
All	51,721	--	-2.8 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	25,948	50.2	+27.7 [†]
Non-Hispanic			
Asian	146	0.3	+26.3 [†]
Black	18,252	35.3	-12.9 [†]
White	6,789	13.1	-33.1 [†]
Other	105	0.2	NA
Multiple	481	0.9	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	26,128	50.5	+1.2 [†]
Female	25,593	49.5	-1.2 [†]
Females 15-44	12,043	23.3	-2.2 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	25,647	--	NA
Below Poverty Level	17,687	34.5	+1
Childhood Poverty	8,123	43	-2.8 [†]
Housing Vacancies	1,941	12.2	-11.1 [†]
Same Place of Residence for 5 Years	25,285	55	+6.3 [†]
High School Graduates	11,985	47	+4.8 [†]
Unemployed	2,723	14.9	-18.2 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 61 NEW CITY

**2004 ALL-CAUSE MORTALITY: 281 DEATHS,
1,071.1 PER 100,000, 21.1%[†] DECREASE FROM
1994.**

**2004 BIRTHS: 1,156 BIRTHS, FERTILITY RATE IS
96 PER 1000, 19.4%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	1	*	--
AIDS Cases [‡]	7	13.5 [§]	-64 [†]
Chlamydia	477	922.3	+178.9 [†]
Gonorrhea	250	483.4	-7.5
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	4	*	--
Tuberculosis	9	17.4 [§]	-51.3 [†]
Hepatitis C	37	71.5	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	1,746	3.8
Physical	3,475	7.6
Mental	2,584	5.6
Requires Care	1,551	3.4
Home-Bound	6,066	17.8
Unable to Work	6,571	21.1

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	858	74.2	+17.9 [†]
Smoking	95	8.2	-16.8 [†]
Caesarean Section	272	23.5	+55.6 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	17	1.5 [§]	-17.9
Premature Birth (P)	143	12.4	+7.2
Fetal Mortality (R)	11	9.4 [§]	-37.3 [†]
Infant Mortality (R)	13	11.2 [§]	-47 [†]
Lead Screening			
Screened (P)	3,084	37.7	ND
Elevated (P)	206	6.7	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	61	244.2	-11.9
Breast	3	*	--
Colon	10	*	--
Lung	21	79.5	--
Prostate	2	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	14	*	--
Homicide	10	*	--
Suicide	2	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	82	341.3	-17.3
Stroke	10	*	--
Lower Respiratory Disease	10	*	--
Diabetes Mellitus	11	*	--
Liver Disease and Cirrhosis	7	*	--
Alzheimer's Disease	6	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 62

WEST ELSDON


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	1,239	7.8	+36.8 [†]
5-17	3,094	19.4	+49.2 [†]
18-24	1,677	10.5	+32.9 [†]
25-64	7,688	48.3	-2.4 [†]
65+	2,223	14	-41.4 [†]
All	15,921	--	+29.8 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	7,875	49.5	+434.5 [†]
Non-Hispanic			
Asian	136	0.9	+69 [†]
Black	74	0.5	+1325.3 [†]
White	7,461	46.9	-48 [†]
Other	18	0.1	NA
Multiple	357	2.2	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	7,776	48.8	+4.2 [†]
Female	8,145	51.2	-3.7 [†]
Females 15-44	3,507	22	+11.9 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	45,310	--	NA
Below Poverty Level	1,093	6.9	+28.4 [†]
Childhood Poverty	331	7.7	+47.9 [†]
Housing Vacancies	210	3.9	+75.5 [†]
Same Place of Residence for 5 Years	8,572	58.4	-36.1 [†]
High School Graduates	6,152	61.8	-2.2 [†]
Unemployed	492	7.1	+8.6



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 62 WEST ELSDON

**2004 ALL-CAUSE MORTALITY: 116 DEATHS,
717.4 PER 100,000, 23.2%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 345 BIRTHS, FERTILITY RATE IS
98.4 PER 1000, 52.3%[†] INCREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	0	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	41	257.5	--
Gonorrhea	<5	*	--
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	5	*	--
Tuberculosis	2	*	--
Hepatitis C	5	31.4 [§]	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	451	3.1
Physical	1,126	7.7
Mental	489	3.3
Requires Care	360	2.5
Home-Bound	1,731	14.3
Unable to Work	1,477	15

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	288	83.5	-1.3
Smoking	8	2.3 [§]	-27.7
Caesarean Section	82	23.8	+23.6

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	3	*	--
Premature Birth (P)	22	6.4	-33.7 [†]
Fetal Mortality (R)	0	*	--
Infant Mortality (R)	0	*	--
Lead Screening			
Screened (P)	646	36.2	ND
Elevated (P)	9	1.4 [§]	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	34	215.3	-18.6
Breast	4	*	--
Colon	5	*	--
Lung	10	*	--
Prostate	0	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	6	*	--
Homicide	1	*	--
Suicide	0	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	28	173.9	-47.9 [†]
Stroke	6	*	--
Lower Respiratory Disease	3	*	--
Diabetes Mellitus	7	*	--
Liver Disease and Cirrhosis	1	*	--
Alzheimer's Disease	0	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 63

GAGE PARK


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	4,304	11	+39.2 [†]
5-17	9,840	25.1	+25.5 [†]
18-24	5,041	12.9	+21.7 [†]
25-64	17,615	44.9	-4.1 [†]
65+	2,393	6.1	-58.2 [†]
All	39,193	--	+45.4 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	31,079	79.3	+102.2 [†]
Non-Hispanic			
Asian	161	0.4	-46 [†]
Black	2,743	7	+46 [†]
White	4,811	12.3	-77.7 [†]
Other	86	0.2	NA
Multiple	313	0.8	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	19,914	50.8	+4.1 [†]
Female	19,279	49.2	-3.9 [†]
Females 15-44	9,239	23.6	+7.6 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	36,463	--	NA
Below Poverty Level	7,413	19	+67.1 [†]
Childhood Poverty	3,230	23.4	+46.6 [†]
Housing Vacancies	515	5	+9.6 [†]
Same Place of Residence for 5 Years	19,464	55.8	+1.1 [†]
High School Graduates	9,214	46	-16.9 [†]
Unemployed	1,493	10.6	+2.4



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 63 GAGE PARK

**2004 ALL-CAUSE MORTALITY: 152 DEATHS,
677.9 PER 100,000, 33.3%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 1,011 BIRTHS, FERTILITY RATE IS
109.4 PER 1000, 15.1%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	2	*	--
AIDS Cases [‡]	7	17.9 [§]	-46.5
Chlamydia	158	403.1	+219.6 [†]
Gonorrhea	46	117.4	-4.1
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	5	*	--
Tuberculosis	3	*	--
Hepatitis C	11	28.1 [§]	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	1,010	2.9
Physical	2,085	6
Mental	1,361	3.9
Requires Care	924	2.6
Home-Bound	4,105	15.5
Unable to Work	4,188	17.4

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	813	80.4	+5.5 [†]
Smoking	14	1.4 [§]	-71.5 [†]
Caesarean Section	229	22.7	+18.9 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	9	0.9 [§]	-24.7
Premature Birth (P)	89	8.8	+17.5
Fetal Mortality (R)	6	5.9 [§]	-24.6
Infant Mortality (R)	5	4.9 [§]	-37.3
Lead Screening			
Screened (P)	2,911	48.5	ND
Elevated (P)	117	4	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	32	148.5	-39.7 [†]
Breast	0	*	--
Colon	7	*	--
Lung	1	*	--
Prostate	3	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	7	*	--
Homicide	3	*	--
Suicide	0	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	39	187.9	-45.6 [†]
Stroke	7	*	--
Lower Respiratory Disease	10	*	--
Diabetes Mellitus	5	*	--
Liver Disease and Cirrhosis	6	*	--
Alzheimer's Disease	3	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 64

CLEARING


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	1,446	6.5	+14 [†]
5-17	3,653	16.4	+12.3 [†]
18-24	1,914	8.6	-13.1 [†]
25-64	11,874	53.2	0
65+	3,444	15.4	-6.7 [†]
All	22,331	--	+3.9 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	4,688	21	+179.3 [†]
Non-Hispanic			
Asian	152	0.7	+22.9 [†]
Black	137	0.6	+1364.9 [†]
White	17,047	76.3	-16.8 [†]
Other	40	0.2	NA
Multiple	267	1.2	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	10,955	49.1	+1.1
Female	11,376	50.9	-1
Females 15-44	4,662	20.9	-3.5 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	45,533	--	NA
Below Poverty Level	1,535	6.9	+56.1 [†]
Childhood Poverty	429	8.6	+78.9 [†]
Housing Vacancies	264	3	+17 [†]
Same Place of Residence for 5 Years	12,913	61.8	-9.4 [†]
High School Graduates	11,805	77	+10.7 [†]
Unemployed	534	4.9	-12.1 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 64 CLEARING

**2004 ALL-CAUSE MORTALITY: 205 DEATHS,
827 PER 100,000, 28.3%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 320 BIRTHS, FERTILITY RATE IS
68.6 PER 1000, 21.7%[†] INCREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	0	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	24	107.5	--
Gonorrhea	5	22.4 [§]	--
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	0	*	--
Tuberculosis	2	*	--
Hepatitis C	13	58.2 [§]	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	691	3.3
Physical	1,815	8.7
Mental	867	4.2
Requires Care	554	2.7
Home-Bound	1,815	10.2
Unable to Work	1,953	13.6

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	283	88.4	-1.8
Smoking	20	6.3 [§]	-60.1 [†]
Caesarean Section	86	26.9	+6.7

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	6	1.9 [§]	--
Premature Birth (P)	35	10.9	+36.5
Fetal Mortality (R)	1	*	--
Infant Mortality (R)	5	15.6 [§]	--
Lead Screening			
Screened (P)	332	16.3	ND
Elevated (P)	7	2.1 [§]	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	53	209.9	-14.8
Breast	3	*	--
Colon	3	*	--
Lung	12	*	--
Prostate	0	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	8	*	--
Homicide	2	*	--
Suicide	5	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	67	264.6	-42.3 [†]
Stroke	10	*	--
Lower Respiratory Disease	10	*	--
Diabetes Mellitus	5	*	--
Liver Disease and Cirrhosis	3	*	--
Alzheimer's Disease	1	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 65

WEST LAWN


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	2,436	8.3	+40.7 [†]
5-17	6,053	20.7	+38.9 [†]
18-24	3,215	11	+27.9 [†]
25-64	13,879	47.5	-3.8 [†]
65+	3,652	12.5	-41 [†]
All	29,235	--	+24.9 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	15,179	51.9	+382.4 [†]
Non-Hispanic			
Asian	272	0.9	+25.9 [†]
Black	760	2.6	+948.9 [†]
White	12,540	42.9	-51.3 [†]
Other	54	0.2	NA
Multiple	430	1.5	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	14,343	49.1	+3.1 [†]
Female	14,892	50.9	-2.8 [†]
Females 15-44	6,505	22.3	+11.7 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	47,017	--	NA
Below Poverty Level	2,148	7.4	+40.4 [†]
Childhood Poverty	722	8.6	+0.6
Housing Vacancies	303	3.3	+60.2 [†]
Same Place of Residence for 5 Years	14,929	55.7	-20.6 [†]
High School Graduates	11,598	65.5	-5.7 [†]
Unemployed	921	7.3	+28.9 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 65 WEST LAWN

**2004 ALL-CAUSE MORTALITY: 208 DEATHS,
736.9 PER 100,000, 28%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 594 BIRTHS, FERTILITY RATE IS
91.3 PER 1000, 31%[†] INCREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	0	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	73	249.7	+630.4 [†]
Gonorrhea	11	37.6 [§]	--
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	2	*	--
Tuberculosis	2	*	--
Hepatitis C	10	34.2 [§]	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	851	3.2
Physical	2,064	7.7
Mental	901	3.4
Requires Care	670	2.5
Home-Bound	2,538	11.7
Unable to Work	2,288	12.7

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	491	82.7	-5.7 [†]
Smoking	10	1.7 [§]	-84.4 [†]
Caesarean Section	126	21.2	+6.1

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	8	1.3 [§]	-12.5
Premature Birth (P)	64	10.8	+16.7
Fetal Mortality (R)	7	11.6 [§]	--
Infant Mortality (R)	5	8.4 [§]	-60.9 [†]
Lead Screening			
Screened (P)	1,284	37	ND
Elevated (P)	19	1.5 [§]	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	44	156.6	-37 [†]
Breast	2	*	--
Colon	6	*	--
Lung	10	*	--
Prostate	3	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	10	*	--
Homicide	0	*	--
Suicide	4	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	72	258.5	-36.5 [†]
Stroke	8	*	--
Lower Respiratory Disease	8	*	--
Diabetes Mellitus	5	*	--
Liver Disease and Cirrhosis	2	*	--
Alzheimer's Disease	3	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 66

CHICAGO LAWN


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	6,034	9.8	+6.5 [†]
5-17	15,936	25.9	+19.9 [†]
18-24	7,275	11.8	+2.6 [†]
25-64	28,165	45.9	+0.2
65+	4,002	6.5	-45.4 [†]
All	61,412	--	+19.8 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	21,534	35.1	+23.5 [†]
Non-Hispanic			
Asian	393	0.6	-61.5 [†]
Black	32,240	52.5	+100.7 [†]
White	6,190	10.1	-76.8 [†]
Other	153	0.2	NA
Multiple	902	1.5	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	29,475	48	-1 [†]
Female	31,937	52	+1 [†]
Females 15-44	15,148	24.7	+4.4 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	35,983	--	NA
Below Poverty Level	11,970	19.8	+8.1 [†]
Childhood Poverty	5,146	24.3	-5.8 [†]
Housing Vacancies	1,421	7.7	+22 [†]
Same Place of Residence for 5 Years	30,880	55.8	+15 [†]
High School Graduates	21,164	65.3	+4.7 [†]
Unemployed	3,927	15.7	+40.1 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 66 CHICAGO LAWN

**2004 ALL-CAUSE MORTALITY: 375 DEATHS,
967.2 PER 100,000, 9.8%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 1,243 BIRTHS, FERTILITY RATE IS
82.1 PER 1000, 23.7%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	4	*	--
AIDS Cases [‡]	7	11.4 [§]	-67.6 [†]
Chlamydia	616	1,003.1	+267.1 [†]
Gonorrhea	315	512.9	+18.4 [†]
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	6	*	--
Tuberculosis	5	8.1 [§]	-53.6 [†]
Hepatitis C	38	61.9	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	1,800	3.3
Physical	4,337	7.8
Mental	2,925	5.3
Requires Care	1,847	3.3
Home-Bound	5,911	14.2
Unable to Work	5,960	15.8

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	977	78.6	+10.4 [†]
Smoking	72	5.8	-33.2 [†]
Caesarean Section	285	22.9	+42.3 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	29	2.3	+21.6
Premature Birth (P)	145	11.7	+10.9
Fetal Mortality (R)	7	5.6 [§]	-53.8 [†]
Infant Mortality (R)	15	12.1 [§]	-25.1
Lead Screening			
Screened (P)	3,501	40.7	ND
Elevated (P)	209	6	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	93	258.9	+13.8
Breast	13	*	--
Colon	11	*	--
Lung	23	67.1	-11.7
Prostate	5	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	19	*	--
Homicide	13	*	--
Suicide	3	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	111	307.2	-24.9 [†]
Stroke	15	*	--
Lower Respiratory Disease	5	*	--
Diabetes Mellitus	12	*	--
Liver Disease and Cirrhosis	4	*	--
Alzheimer's Disease	5	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.


ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES

POPULATION COMPOSITION


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	3,855	8.5	-7.6 [†]
5-17	11,860	26.2	+5.6 [†]
18-24	4,874	10.8	-16.3 [†]
25-64	20,295	44.8	-2.4 [†]
65+	4,398	9.7	+34.7 [†]
All	45,282	--	-14.2 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	459	1	+61.6 [†]
Non-Hispanic			
Asian	29	0.1	-29.6 [†]
Black	44,271	97.8	-0.3 [†]
White	164	0.4	-66.9 [†]
Other	71	0.2	NA
Multiple	288	0.6	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	20,991	46.4	-1.2 [†]
Female	24,291	53.6	+1.1 [†]
Females 15-44	10,276	22.7	-9 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	26,693	--	NA
Below Poverty Level	14,450	32.1	+5 [†]
Childhood Poverty	6,383	41.7	+1.3
Housing Vacancies	1,693	12	+55.9 [†]
Same Place of Residence for 5 Years	27,884	67.3	-0.5
High School Graduates	15,453	62.8	+13.2 [†]
Unemployed	3,995	24.5	+1.9



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 67 WEST ENGLEWOOD

**2004 ALL-CAUSE MORTALITY: 416 DEATHS,
1,262.5 PER 100,000, 20.6%[†] DECREASE FROM
1994.**

**2004 BIRTHS: 866 BIRTHS, FERTILITY RATE IS
84.3 PER 1000, 22.9%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	10	*	--
AIDS Cases [‡]	18	39.8 [§]	-25.1
Chlamydia	818	1,806.5	+247.9 [†]
Gonorrhea	488	1,077.7	+8.7 [†]
Syphilis	7	15.5 [§]	-83.4 [†]
Influenza and Pneumonia Deaths	6	*	--
Tuberculosis	9	19.9 [§]	-12.6
Hepatitis C	33	72.9	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	1,500	3.6
Physical	4,582	11.1
Mental	3,239	7.8
Requires Care	2,033	4.9
Home-Bound	5,273	16.9
Unable to Work	4,886	18.2

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	571	65.9	+24.5 [†]
Smoking	142	16.4	+17.8 [†]
Caesarean Section	207	23.9	+51.3 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	28	3.2	+1
Premature Birth (P)	140	16.2	+1.9
Fetal Mortality (R)	11	12.5 [§]	+13.9
Infant Mortality (R)	10	11.5 [§]	+3.7
Lead Screening			
Screened (P)	2,288	40.1	ND
Elevated (P)	303	13.2	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	105	324.4	-3.4
Breast	10	*	--
Colon	13	*	--
Lung	27	80.8	-21.3 [†]
Prostate	11	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	12	*	--
Homicide	21	45.8	-30.6 [†]
Suicide	1	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	127	402.2	-15 [†]
Stroke	25	79.3	-39.4 [†]
Lower Respiratory Disease	10	*	--
Diabetes Mellitus	10	*	--
Liver Disease and Cirrhosis	3	*	--
Alzheimer's Disease	2	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 68

ENGLEWOOD


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	3,774	9.4	-5.1 [†]
5-17	10,795	26.8	+8.9 [†]
18-24	4,070	10.1	-11.4 [†]
25-64	16,998	42.3	-2.1 [†]
65+	4,585	11.4	+4.6 [†]
All	40,222	--	-17 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	347	0.9	+80.9 [†]
Non-Hispanic			
Asian	27	0.1	-50.7 [†]
Black	39,352	97.8	-1 [†]
White	178	0.4	+12.8
Other	68	0.2	NA
Multiple	250	0.6	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	18,207	45.3	0
Female	22,015	54.7	0
Females 15-44	9,289	23.1	-4 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	18,955	--	NA
Below Poverty Level	17,344	43.8	+1.3 [†]
Childhood Poverty	7,563	54.1	-4.1 [†]
Housing Vacancies	2,591	17	+50.4 [†]
Same Place of Residence for 5 Years	22,400	61.5	0
High School Graduates	12,082	59.3	+13.2 [†]
Unemployed	3,208	25.8	-3.7 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 68 ENGLEWOOD

**2004 ALL-CAUSE MORTALITY: 425 DEATHS,
1,273.4 PER 100,000, 15.4%[†] DECREASE FROM
1994.**

**2004 BIRTHS: 736 BIRTHS, FERTILITY RATE IS
79.2 PER 1000, 21.5%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	6	*	--
AIDS Cases [‡]	12	29.8 [§]	-58.7 [†]
Chlamydia	830	2,063.5	+228.8 [†]
Gonorrhea	525	1,305.3	+34.2 [†]
Syphilis	7	17.4 [§]	-79.4 [†]
Influenza and Pneumonia Deaths	10	*	--
Tuberculosis	7	17.4 [§]	-53.2 [†]
Hepatitis C	43	106.9	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	1,790	4.9
Physical	5,396	14.8
Mental	2,762	7.6
Requires Care	2,146	5.9
Home-Bound	5,007	18.5
Unable to Work	3,959	17.6

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	470	63.9	+26.6 [†]
Smoking	119	16.2	+52.1 [†]
Caesarean Section	176	23.9	+29.6 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	26	3.5	+38.5
Premature Birth (P)	129	17.5	+6.8
Fetal Mortality (R)	6	8.1 [§]	-31.3
Infant Mortality (R)	17	23.1 [§]	-3
Lead Screening			
Screened (P)	2,546	45.7	ND
Elevated (P)	402	15.8	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	114	346.8	+16.5
Breast	15	*	--
Colon	19	*	--
Lung	32	97.3	+13.8
Prostate	12	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	11	*	--
Homicide	19	*	--
Suicide	1	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	103	314.5	-25.4 [†]
Stroke	23	70.1	-23.3
Lower Respiratory Disease	19	*	--
Diabetes Mellitus	14	*	--
Liver Disease and Cirrhosis	5	*	--
Alzheimer's Disease	5	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.


ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES

POPULATION COMPOSITION


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	3,046	7.9	+2.6
5-17	8,488	22	+22.2 [†]
18-24	3,384	8.8	-6.4 [†]
25-64	17,746	46	-1.1 [†]
65+	5,955	15.4	-16.3 [†]
All	38,619	--	-0.1 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	276	0.7	+46.1 [†]
Non-Hispanic			
Asian	26	0.1	+23.9
Black	37,779	97.8	-1.1 [†]
White	146	0.4	-14.1 [†]
Other	100	0.3	NA
Multiple	292	0.8	ND



SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	17,229	44.6	+0.9
Female	21,390	55.4	-0.7
Females 15-44	8,421	21.8	-3.8 [†]

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.


NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

COMMUNITY AREA 69

GREATER GRAND CROSSING

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	27,916	--	NA
Below Poverty Level	10,809	28.5	-1.8 [†]
Childhood Poverty	4,495	40.3	-13 [†]
Housing Vacancies	1,734	10.8	-9.5 [†]
Same Place of Residence for 5 Years	21,905	61.6	-10.1 [†]
High School Graduates	17,665	74.7	+15.4 [†]
Unemployed	2,915	18.6	+9.3 [†]



2004 HEALTH MEASURES

COMMUNITY AREA 69 GREATER GRAND CROSSING

**2004 ALL-CAUSE MORTALITY: 455 DEATHS,
1,052.7 PER 100,000, 21.9%[†] DECREASE FROM
1994.**

**2004 BIRTHS: 559 BIRTHS, FERTILITY RATE IS
66.4 PER 1000, 23.9%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	6	*	--
AIDS Cases [‡]	15	38.8 [§]	-40 [†]
Chlamydia	625	1,618.4	+272.3 [†]
Gonorrhea	348	901.1	+9.5
Syphilis	5	12.9 [§]	-76.2 [†]
Influenza and Pneumonia Deaths	14	*	--
Tuberculosis	5	12.9 [§]	-73.7 [†]
Hepatitis C	51	132.1	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	1,293	3.6
Physical	4,586	12.9
Mental	2,782	7.8
Requires Care	1,797	5.1
Home-Bound	4,517	16
Unable to Work	3,752	16.9

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	410	73.3	+23.7 [†]
Smoking	75	13.4	-6.8
Caesarean Section	158	28.3	+42.1 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	19	3.4 [§]	-7.3
Premature Birth (P)	84	15	-1.9
Fetal Mortality (R)	7	12.4 [§]	-20
Infant Mortality (R)	7	12.5 [§]	-26.4
Lead Screening			
Screened (P)	1,826	41	ND
Elevated (P)	177	9.7	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	100	237.2	-15
Breast	7	*	--
Colon	8	*	--
Lung	34	84	+23.3
Prostate	9	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	20	*	--
Homicide	14	*	--
Suicide	1	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	127	290.8	-30.7 [†]
Stroke	25	56.3	-38.8 [†]
Lower Respiratory Disease	11	*	--
Diabetes Mellitus	15	*	--
Liver Disease and Cirrhosis	2	*	--
Alzheimer's Disease	9	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 70

ASHBURN


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	2,905	7.3	+15.9 [†]
5-17	8,896	22.5	+36.4 [†]
18-24	3,340	8.4	-6.7 [†]
25-64	19,689	49.7	-1.2 [†]
65+	4,754	12	-32.6 [†]
All	39,584	--	+6.7 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	6,674	16.9	+168.3 [†]
Non-Hispanic			
Asian	408	1	+6.8
Black	17,045	43.1	+332 [†]
White	14,546	36.7	-55.5 [†]
Other	71	0.2	NA
Multiple	840	2.1	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	18,829	47.6	-1.2 [†]
Female	20,755	52.4	+1.1 [†]
Females 15-44	8,956	22.6	+10.1 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	53,633	--	NA
Below Poverty Level	2,722	6.9	+64.7 [†]
Childhood Poverty	914	7.9	+9.9 [†]
Housing Vacancies	330	2.5	+87.9 [†]
Same Place of Residence for 5 Years	22,571	61.5	-11.8 [†]
High School Graduates	19,677	80.2	+4 [†]
Unemployed	1,562	8.8	+59.1 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 70 ASHBURN

**2004 ALL-CAUSE MORTALITY: 339 DEATHS,
946.8 PER 100,000, 11.1%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 590 BIRTHS, FERTILITY RATE IS
65.9 PER 1000, 9.8%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	2	*	--
AIDS Cases [‡]	5	12.6 [§]	--
Chlamydia	242	611.4	+930.7 [†]
Gonorrhea	107	270.3	+203.8 [†]
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	8	*	--
Tuberculosis	5	12.6 [§]	--
Hepatitis C	29	73.3	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	1,089	3
Physical	2,579	7
Mental	1,267	3.5
Requires Care	920	2.5
Home-Bound	3,345	11.5
Unable to Work	3,441	14.2

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	511	86.6	+3.5 [†]
Smoking	16	2.7 [§]	-68.5 [†]
Caesarean Section	153	25.9	+21.4 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	15	2.5 [§]	+41.6
Premature Birth (P)	79	13.4	+52.2 [†]
Fetal Mortality (R)	3	*	--
Infant Mortality (R)	3	*	--
Lead Screening			
Screened (P)	1,108	26.2	ND
Elevated (P)	19	1.7 [§]	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	76	214.7	-11.7
Breast	2	*	--
Colon	8	*	--
Lung	27	75.3	-5.1
Prostate	1	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	8	*	--
Homicide	3	*	--
Suicide	0	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	108	303.5	-16.2 [†]
Stroke	24	66.9	+3.6
Lower Respiratory Disease	16	*	--
Diabetes Mellitus	7	*	--
Liver Disease and Cirrhosis	3	*	--
Alzheimer's Disease	10	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 71

AUBURN GRESHAM


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	4,193	7.5	0
5-17	12,164	21.7	+9 [†]
18-24	5,124	9.2	-19.3 [†]
25-64	27,554	49.3	-5.9 [†]
65+	6,893	12.3	+39.8 [†]
All	55,928	--	-6.5 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	347	0.6	+81.9 [†]
Non-Hispanic			
Asian	45	0.1	+71.9 [†]
Black	54,862	98.1	-0.9 [†]
White	237	0.4	-27.6 [†]
Other	95	0.2	NA
Multiple	342	0.6	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	25,092	44.9	-1.8 [†]
Female	30,836	55.1	+1.5 [†]
Females 15-44	12,583	22.5	-10.6 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	34,238	--	NA
Below Poverty Level	11,439	20.6	+13.5 [†]
Childhood Poverty	4,478	28.3	+2.4 [†]
Housing Vacancies	1,685	8.4	+25.2 [†]
Same Place of Residence for 5 Years	35,463	68.5	-2.1 [†]
High School Graduates	25,049	72.9	+10.9 [†]
Unemployed	3,782	16.7	+4.3 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 71 AUBURN GRESHAM

**2004 ALL-CAUSE MORTALITY: 577 DEATHS,
1,193.5 PER 100,000, 16.4%[†] DECREASE FROM
1994.**

**2004 BIRTHS: 733 BIRTHS, FERTILITY RATE IS
58.3 PER 1000, 20.1%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	9	*	--
AIDS Cases [‡]	20	35.8 [§]	-10.9
Chlamydia	732	1,308.8	+188.8 [†]
Gonorrhea	455	813.5	+16.4 [†]
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	8	*	--
Tuberculosis	1	*	--
Hepatitis C	75	134.1	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	1,707	3.3
Physical	6,142	11.9
Mental	3,517	6.8
Requires Care	2,649	5.1
Home-Bound	6,913	16.7
Unable to Work	6,555	19.1

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	551	75.2	+20.7 [†]
Smoking	82	11.2	-4.9
Caesarean Section	228	31.1	+62.5 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	30	4.1	+21.3
Premature Birth (P)	130	17.7	+16.5 [†]
Fetal Mortality (R)	11	14.8 [§]	-8.4
Infant Mortality (R)	8	10.9 [§]	-64.8 [†]
Lead Screening			
Screened (P)	2,021	33	ND
Elevated (P)	187	9.3	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	155	302.8	-13.2
Breast	11	*	--
Colon	12	*	--
Lung	44	82.2	-12.9
Prostate	13	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	24	47.8	+21.2
Homicide	20	*	--
Suicide	2	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	154	322	-25.7 [†]
Stroke	35	77.7	-34.2 [†]
Lower Respiratory Disease	13	*	--
Diabetes Mellitus	24	48.5	--
Liver Disease and Cirrhosis	9	*	--
Alzheimer's Disease	12	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 72

BEVERLY


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	1,445	6.6	-12 [†]
5-17	4,572	20.8	+3 [†]
18-24	1,499	6.8	-20 [†]
25-64	11,997	54.6	+7.5 [†]
65+	2,479	11.3	-13.1 [†]
All	21,992	--	-1.8 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	643	2.9	+66.5 [†]
Non-Hispanic			
Asian	121	0.6	+8
Black	7,006	31.9	+32.8 [†]
White	13,814	62.8	-14.5 [†]
Other	64	0.3	NA
Multiple	344	1.6	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	10,377	47.2	+0.4
Female	11,615	52.8	-0.3
Females 15-44	4,502	20.5	-13.8 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	66,823	--	NA
Below Poverty Level	874	4	+9.3 [†]
Childhood Poverty	239	4	-21.9 [†]
Housing Vacancies	167	2	-15.5 [†]
Same Place of Residence for 5 Years	15,173	73.8	+3.2 [†]
High School Graduates	13,817	94.6	+3 [†]
Unemployed	675	5.8	+5.7



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 72 BEVERLY

**2004 ALL-CAUSE MORTALITY: 163 DEATHS,
781.1 PER 100,000, 9% DECREASE FROM 1994.**

**2004 BIRTHS: 273 BIRTHS, FERTILITY RATE IS
60.6 PER 1000, 1.4% DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	0	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	54	245.5	+129 [†]
Gonorrhea	33	150.1	+67.9 [†]
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	2	*	--
Tuberculosis	0	*	--
Hepatitis C	13	59.1 [§]	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	494	2.4
Physical	1,151	5.6
Mental	629	3.1
Requires Care	489	2.4
Home-Bound	852	5.1
Unable to Work	912	6.4

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	239	87.5	-0.9
Smoking	7	2.6 [§]	-44.1 [†]
Caesarean Section	91	33.3	+36.3 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	11	4 [§]	+163.5 [†]
Premature Birth (P)	29	10.6	+38.9
Fetal Mortality (R)	2	*	--
Infant Mortality (R)	1	*	--
Lead Screening			
Screened (P)	296	14.3	ND
Elevated (P)	6	2 [§]	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	39	185.6	-12.1
Breast	8	*	--
Colon	3	*	--
Lung	7	*	--
Prostate	2	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	5	*	--
Homicide	2	*	--
Suicide	2	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	61	292.8	+1.5
Stroke	11	*	--
Lower Respiratory Disease	1	*	--
Diabetes Mellitus	3	*	--
Liver Disease and Cirrhosis	1	*	--
Alzheimer's Disease	4	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.


ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES

POPULATION COMPOSITION


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	1,803	6	-1.6
5-17	5,688	19.1	+7.9 [†]
18-24	2,476	8.3	-26.5 [†]
25-64	15,162	50.8	-6.4 [†]
65+	4,714	15.8	+47.7 [†]
All	29,843	--	-7.1 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	231	0.8	+77.6 [†]
Non-Hispanic			
Asian	9	0	-51.6 [†]
Black	29,108	97.5	-0.9 [†]
White	193	0.6	-29.1 [†]
Other	54	0.2	NA
Multiple	248	0.8	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	13,466	45.1	-2.2 [†]
Female	16,377	54.9	+1.9 [†]
Females 15-44	6,159	20.6	-10.6 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	43,201	--	NA
Below Poverty Level	3,680	12.4	+6.9 [†]
Childhood Poverty	1,177	16.3	-8.8 [†]
Housing Vacancies	490	4.7	+72.8 [†]
Same Place of Residence for 5 Years	20,934	74.7	-2.3 [†]
High School Graduates	15,293	76.6	+7.2 [†]
Unemployed	1,693	12.9	-6.1 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 73 WASHINGTON HEIGHTS

**2004 ALL-CAUSE MORTALITY: 371 DEATHS,
1,245.4 PER 100,000, 12.1%[†] INCREASE FROM
1994.**

**2004 BIRTHS: 337 BIRTHS, FERTILITY RATE IS
54.7 PER 1000, 24%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	4	*	--
AIDS Cases [‡]	10	33.5	-40.2 [†]
Chlamydia	304	1,018.7	+166 [†]
Gonorrhea	198	663.5	0
Syphilis	6	20.1 [§]	-35.4
Influenza and Pneumonia Deaths	9	*	--
Tuberculosis	5	16.8 [§]	-58.6 [†]
Hepatitis C	23	77.1	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	1,177	4.2
Physical	3,389	12.1
Mental	1,842	6.6
Requires Care	1,266	4.5
Home-Bound	3,534	15.2
Unable to Work	3,167	17.1

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	247	73.3	+1.7
Smoking	28	8.3	-32.8 [†]
Caesarean Section	115	34.1	+47 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	7	2.1 [§]	-41.6
Premature Birth (P)	64	19	+15.2
Fetal Mortality (R)	6	17.5 [§]	--
Infant Mortality (R)	2	*	--
Lead Screening			
Screened (P)	840	30.8	ND
Elevated (P)	40	4.8	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	84	265.6	-17
Breast	7	*	--
Colon	8	*	--
Lung	21	64.2	-20.1
Prostate	9	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	11	*	--
Homicide	8	*	--
Suicide	0	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	116	388.7	+33 [†]
Stroke	20	*	--
Lower Respiratory Disease	7	*	--
Diabetes Mellitus	15	*	--
Liver Disease and Cirrhosis	1	*	--
Alzheimer's Disease	6	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.


ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES

POPULATION COMPOSITION


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	1,263	6.7	-2.9
5-17	3,451	18.3	+9.6 [†]
18-24	1,718	9.1	-3.2
25-64	9,698	51.5	+4.5 [†]
65+	2,690	14.3	-19.2 [†]
All	18,820	--	-1.9 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	723	3.8	+103.5 [†]
Non-Hispanic			
Asian	61	0.3	-11.2
Black	672	3.6	+177.3 [†]
White	17,127	91	-5.5 [†]
Other	31	0.2	NA
Multiple	206	1.1	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	9,279	49.3	+1.3
Female	9,541	50.7	-1.2
Females 15-44	4,047	21.5	+2

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	57,493	--	NA
Below Poverty Level	722	3.9	-6.2
Childhood Poverty	150	3.2	-33.4 [†]
Housing Vacancies	198	2.8	+11.8
Same Place of Residence for 5 Years	12,824	73	+2.8 [†]
High School Graduates	11,276	90.5	+10.6 [†]
Unemployed	424	4.4	+24.8 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 74 MOUNT GREENWOOD

**2004 ALL-CAUSE MORTALITY: 190 DEATHS,
904.9 PER 100,000, 14.4%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 261 BIRTHS, FERTILITY RATE IS
64.5 PER 1000, 3.5% DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	0	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	13	69.1 [§]	--
Gonorrhea	7	37.2 [§]	--
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	7	*	--
Tuberculosis	0	*	--
Hepatitis C	10	53.1 [§]	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	532	3
Physical	1,310	7.5
Mental	567	3.2
Requires Care	524	3
Home-Bound	1,084	7.4
Unable to Work	986	8.3

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	251	96.2	+3.9 [†]
Smoking	21	8	-45.7 [†]
Caesarean Section	97	37.2	+70.1 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	3	*	--
Premature Birth (P)	37	14.2	+47.2 [†]
Fetal Mortality (R)	3	*	--
Infant Mortality (R)	4	*	--
Lead Screening			
Screened (P)	149	8.4	ND
Elevated (P)	0	*	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	51	244.1	-6.3
Breast	5	*	--
Colon	5	*	--
Lung	11	*	--
Prostate	1	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	12	*	--
Homicide	0	*	--
Suicide	4	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	58	267.4	-23.4 [†]
Stroke	5	*	--
Lower Respiratory Disease	4	*	--
Diabetes Mellitus	4	*	--
Liver Disease and Cirrhosis	2	*	--
Alzheimer's Disease	3	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.


ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES

POPULATION COMPOSITION


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	1,639	6.5	-11 [†]
5-17	5,296	21	+8.8 [†]
18-24	2,093	8.3	-17 [†]
25-64	12,706	50.4	+0.4
65+	3,492	13.8	+6.2 [†]
All	25,226	--	-5.7 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	533	2.1	+66.2 [†]
Non-Hispanic			
Asian	83	0.3	+7.3
Black	16,816	66.7	+3.5 [†]
White	7,510	29.8	-12 [†]
Other	51	0.2	NA
Multiple	233	0.9	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	11,551	45.8	-1.8 [†]
Female	13,675	54.2	+1.6 [†]
Females 15-44	5,385	21.3	-6.2 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	53,133	--	NA
Below Poverty Level	2,829	11.5	+2.9
Childhood Poverty	969	14.4	-8 [†]
Housing Vacancies	472	5.3	+79.5 [†]
Same Place of Residence for 5 Years	16,640	70.5	-1.8 [†]
High School Graduates	13,664	84.4	+7.2 [†]
Unemployed	1,015	8.5	-17.7 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 75 MORGAN PARK

**2004 ALL-CAUSE MORTALITY: 232 DEATHS,
835.4 PER 100,000, 30.7%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 309 BIRTHS, FERTILITY RATE IS
57.4 PER 1000, 17.2%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	5	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	213	844.4	+218 [†]
Gonorrhea	104	412.3	+23.9 [†]
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	6	*	--
Tuberculosis	0	*	--
Hepatitis C	21	83.2	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	762	3.2
Physical	2,016	8.5
Mental	1,129	4.8
Requires Care	674	2.9
Home-Bound	2,032	10.6
Unable to Work	2,269	14.5

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	238	77	-5.5 [†]
Smoking	22	7.1	-47.3 [†]
Caesarean Section	91	29.4	+44.5 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	7	2.3 [§]	+59.3
Premature Birth (P)	35	11.3	+11.2
Fetal Mortality (R)	4	*	--
Infant Mortality (R)	6	19.4 [§]	+63.9
Lead Screening			
Screened (P)	497	20.5	ND
Elevated (P)	15	3 [§]	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	56	204.3	-40.6 [†]
Breast	8	*	--
Colon	4	*	--
Lung	15	*	--
Prostate	6	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	5	*	--
Homicide	1	*	--
Suicide	1	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	59	205.5	-34.7 [†]
Stroke	10	*	--
Lower Respiratory Disease	6	*	--
Diabetes Mellitus	12	*	--
Liver Disease and Cirrhosis	5	*	--
Alzheimer's Disease	3	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 76

O'HARE


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	633	5.3	+23.3 [†]
5-17	1,046	8.7	+22.5 [†]
18-24	1,087	9.1	-6.2 [†]
25-64	7,350	61.5	-1.3 [†]
65+	1,840	15.4	-7.2 [†]
All	11,956	--	+6.8 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	773	6.5	+39.4 [†]
Non-Hispanic			
Asian	889	7.3	+169.9 [†]
Black	258	2.2	-24 [†]
White	9,735	81.4	-9.2 [†]
Other	37	0.3	NA
Multiple	268	2.2	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	5,875	49.1	+1.8 [†]
Female	6,081	50.9	-1.7 [†]
Females 15-44	2,918	24.4	-3.4 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	43,542	--	NA
Below Poverty Level	953	8	+57.7 [†]
Childhood Poverty	187	11.4	+233.7 [†]
Housing Vacancies	403	6.6	-11.9 [†]
Same Place of Residence for 5 Years	4,842	42.8	-13.4 [†]
High School Graduates	7,610	82.7	+5.3 [†]
Unemployed	287	4.1	-13.3 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 76 O'HARE

**2004 ALL-CAUSE MORTALITY: 70 DEATHS,
524.9 PER 100,000, 39.5%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 173 BIRTHS, FERTILITY RATE IS
59.3 PER 1000, 17.2%[†] INCREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	0	*	--
AIDS Cases [‡]	<5	*	--
Chlamydia	14	117.1 [§]	--
Gonorrhea	7	58.5 [§]	--
Syphilis	<5	*	--
Influenza and Pneumonia Deaths	1	*	--
Tuberculosis	0	*	--
Hepatitis C	0	*	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	291	2.6
Physical	728	6.4
Mental	368	3.3
Requires Care	296	2.6
Home-Bound	1,040	10
Unable to Work	1,169	13.7

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	123	71.1	-13.1 [†]
Smoking	5	2.9 [§]	-70.5 [†]
Caesarean Section	49	28.3	+35 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	1	*	--
Premature Birth (P)	10	5.8 [§]	-44.9 [†]
Fetal Mortality (R)	0	*	--
Infant Mortality (R)	1	*	--
Lead Screening			
Screened (P)	118	14.7	ND
Elevated (P)	3	*	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	18	*	--
Breast	2	*	--
Colon	2	*	--
Lung	2	*	--
Prostate	1	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	2	*	--
Homicide	0	*	--
Suicide	3	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	23	171.8	--
Stroke	4	*	--
Lower Respiratory Disease	2	*	--
Diabetes Mellitus	0	*	--
Liver Disease and Cirrhosis	1	*	--
Alzheimer's Disease	2	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.

2000 DEMOGRAPHIC MEASURES


POPULATION COMPOSITION

COMMUNITY AREA 77

EDGEWATER


AGE

	NUMBER	PERCENT	10-YR CHANGE
< 5	3,319	5.3	-8.6 [†]
5-17	6,323	10.2	-3.8 [†]
18-24	7,408	11.9	+4.4 [†]
25-64	37,638	60.5	+5.6 [†]
65+	7,510	12.1	-18.8 [†]
All	62,198	--	+2.5 [†]



RACE/ETHNICITY

	NUMBER	PERCENT	10-YR CHANGE
Hispanic	12,176	19.6	+12.5 [†]
Non-Hispanic			
Asian	7,172	11.5	-0.6
Black	10,564	17	-11.4 [†]
White	29,782	47.9	-6.4 [†]
Other	456	0.7	NA
Multiple	2,048	3.3	ND




SEX

	NUMBER	PERCENT	10-YR CHANGE
Male	31,373	50.4	+2 [†]
Female	30,825	49.6	-1.9 [†]
Females 15-44	15,731	25.3	+2.4 [†]

SOCIOECONOMIC INDICES

	NUMBER	PERCENT	10-YR CHANGE
Median Household Income (\$)	35,766	--	NA
Below Poverty Level	10,330	17.1	+0.9
Childhood Poverty	1,862	19.9	-24.5 [†]
Housing Vacancies	1,843	5.6	-43.3 [†]
Same Place of Residence for 5 Years	25,028	42.5	+4 [†]
High School Graduates	38,033	83.4	+3.8 [†]
Unemployed	2,342	6.7	-14 [†]



10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1990. See Methods section for more detail.

[†]Significant difference (0.1 level)

ND = No Data, data not collected in 1990 to calculate 10-YR CHANGE.

NA = Appropriate data not available to calculate 10-YR CHANGE. Median Household Income is not inflation-adjusted, and 1990 and 2000 definitions for Other Race/Ethnicity are not the same.

2004 HEALTH MEASURES

COMMUNITY AREA 77 EDGEWATER

**2004 ALL-CAUSE MORTALITY: 435 DEATHS,
705.9 PER 100,000, 30.5%[†] DECREASE FROM 1994.**

**2004 BIRTHS: 710 BIRTHS, FERTILITY RATE IS
45.1 PER 1000, 29.8%[†] DECREASE FROM 1994.**

INFECTIOUS DISEASE

	NUMBER	RATE	10-YR CHANGE
HIV/AIDS Deaths	7	*	--
AIDS Cases [‡]	53	85.2	-50.7 [†]
Chlamydia	130	209	+73.8 [†]
Gonorrhea	95	152.7	+7.8
Syphilis	30	48.2	--
Influenza and Pneumonia Deaths	16	*	--
Tuberculosis	10	16.1 [§]	-48.6 [†]
Hepatitis C	37	59.5	ND

DISABILITIES (2000 CENSUS)

	NUMBER	PERCENT
Blind/Deaf	1,706	2.9
Physical	4,704	8
Mental	3,225	5.5
Requires Care	1,963	3.3
Home-Bound	5,993	11.2
Unable to Work	5,901	12.8

MATERNAL HEALTH

	NUMBER	PCT	10-YR CHANGE
First Trimester Prenatal Care	478	67.3	+3.5
Smoking	21	3	-50.8 [†]
Caesarean Section	193	27.2	+56.9 [†]

INFANT AND CHILD HEALTH

	NUMBER	RATE/PCT	10-YR CHANGE
Very Low Birthweight (P)	6	0.8 [§]	-57.1 [†]
Premature Birth (P)	67	9.4	-18 [†]
Fetal Mortality (R)	2	*	--
Infant Mortality (R)	0	*	--
Lead Screening			
Screened (P)	942	21.3	ND
Elevated (P)	19	2 [§]	ND

CANCER DEATHS

	NUMBER	RATE	10-YR CHANGE
All-cancers	96	166.2	-11.9
Breast	9	*	--
Colon	6	*	--
Lung	25	42.9	-7.2
Prostate	4	*	--

UNNATURAL CAUSES OF DEATH

	NUMBER	RATE	10-YR CHANGE
Accidents	15	*	--
Homicide	2	*	--
Suicide	3	*	--

CHRONIC DISEASE DEATHS

	NUMBER	RATE	10-YR CHANGE
Heart Disease	157	248.2	-25.4 [†]
Stroke	22	34.4	-34.9 [†]
Lower Respiratory Disease	9	*	--
Diabetes Mellitus	12	*	--
Liver Disease and Cirrhosis	8	*	--
Alzheimer's Disease	5	*	--

10-YR CHANGE is the relative percent change over time (e.g. 10% change is from 20 to 22) not the absolute percent change over time (e.g. 10% change is from 20 to 30). The reference year for 10-YR CHANGE is 1994. Calculation of 10-YR CHANGE using 1994 mortality data are comparability-adjusted. See Methods section for more detail.

If rate/percent suppressed for 2004 and/or 1994, then 10-YR CHANGE is indicated by "--."

*Rate or percent suppressed because count is < 5 (or < 21 for age-adjusted rates).

§Use caution when interpreting data based on 20 or fewer events, the rate/percent is unreliable. See Methods section for more information.

†Significant difference (0.1 level)

‡Cases and rates are significantly different than those for 2003 due to changes in methodology. Incident cases and rates, not prevalence, are presented. See Definitions of Measures section for more information.

ND = No Data, data not collected in 1994 to calculate 10-YR CHANGE.