

**BEHAVIORAL RISK FACTOR
SURVEILLANCE SYSTEM (BRFSS):
CHICAGO REFERENCE TABLES**



**Office of Epidemiology
Department of Public Health
City of Chicago**

Behavioral Risk Factor Surveillance System (BRFSS): Chicago Reference Tables

Girma Woldemichael, Sc.D.

Kirsti A. Bocskay, Ph.D., M.P.H.

Dana Harper, B.S.

Sandra D. Thomas, M.D., M.S.

Copyright Information

All material appearing in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

Suggested Citation

Woldemichael G, Bocskay KA, Harper D, Thomas SD. Behavioral Risk Factor Surveillance System (BRFSS): Chicago Reference Tables. Health Status Index Series Vol. XVI No. II. Chicago, Illinois: Chicago Department of Public Health Office of Epidemiology, 2007.



"Making Chicago the healthiest city in the U.S."

Chicago Department of Public Health

Terry Mason, M.D. • Commissioner

PREFACE

This edition of the annual Behavioral Risk Factor Surveillance System Chicago Reference Tables has similar content and organization as the 2003 edition but includes some additional variables focused on family planning and environmental factors. We hope this report will prove helpful in developing effective interventions for improving the health and well-being of Chicagoans. We welcome any questions, comments, or suggestions for improvements. Please contact:

Office of Epidemiology
Chicago Department of Public Health
DePaul Center, Room 2137
333 South State Street
Chicago, Illinois 60604-3972
(312) 747-9810

CONTENTS

Introduction and Methods.....	1	Immunizations.....	25
Demographics.....	4	Had Flu Shot	
Health Risk Factors and Chronic Conditions.....	6	Ever Had Pneumonia Vaccine	
Health Status.....	7	Colorectal Cancer Screening.....	27
Perception of Health		Ever Had Blood Stool Test	
Physical Health Not Good		Ever Had Sigmoidoscopy or Colonoscopy	
Mental Health Not Good		Prostate Cancer Screening.....	29
Kept from Usual Activities Due to Poor Health		Ever Had PSA Test	
Activities Limited Due to Health Problems		Ever Had Digital Rectal Exam	
Special Equipment Use		Women’s Health.....	31
Have a Disability		Ever Had Mammogram	
Health Care Access.....	14	Ever Had Clinical Breast Exam	
Health Care Coverage		Ever Had Pap Test	
Personal Doctor or Health Care Provider		Had a Hysterectomy	
Prevented from Seeing Doctor Due to Cost		Diabetes.....	35
Oral Health.....	17	Ever Diagnosed with Diabetes	
Last Visit to Dentist/Dental Clinic		Frequency of Feet Check	
Loss of Permanent Teeth		Frequency of Blood Glucose/Sugar Check	
Last Teeth Cleaning		Last Dilation of Pupils	
Family Planning.....	20	Asthma.....	37
Birth Control Use		Ever Diagnosed with Asthma	
Type of Birth Control		Still Have Asthma	
Reason for Not Using Birth Control		Currently Have Asthma	
Feelings About Having a Child			
When Want a Child			

HIV/AIDS.....	39	Weight.....	56
Fetal Transmission of HIV		Body Mass Index (BMI)	
HIV Treatment		Physical Activity.....	57
Ever Tested for HIV		Any Physical Activity/Exercise	
Reason for HIV Test		Firearms.....	58
Location of HIV Test		Firearms in Home	
Type of Clinic for HIV Test		Firearms Loaded	
Risk of AIDS		Loaded Firearms Unlocked	
Talked About Condoms Preventing STDS		Excess Sun Exposure.....	60
Alcohol Consumption.....	46	Sunburn	
Frequency of Alcohol Consumption		Frequency of Sunburns	
Average Number of Drinks per Day		Environmental Factors.....	62
Frequency of Drinking 5 or More Drinks		Indoor Air Quality	
Chronic Drinking Risk		Outdoor Air Pollution	
Binge Drinking Risk			
Drinking and Driving Risk			
Tobacco Use.....	52		
Ever Smoked			
Smoking Frequency			
Smoking Status			
Quit Smoking			

WHAT IS THE BRFSS?

The Behavioral Risk Factor Surveillance System (BRFSS) is a collaboration between the U.S. Centers for Disease Control and Prevention (CDC) and state health departments. This system was designed to gather locally relevant information on health related behaviors related to the leading causes of death in the U.S. It has expanded to include data on the prevalence of selected health conditions, and access to health services. Each state has options for sample design and data collection within parameters set by the CDC.

SURVEY SYSTEM

The BRFSS is a telephone based survey system of non-institutionalized adults. The survey is in the field on a continual basis. A probability sample of telephone numbers is generated on a quarterly basis, and provides the sampling frame for identifying eligible households. States conduct interviews during each month in accordance with a prescribed protocol, and incorporate surveillance results into computer files. States edit and correct completed interviews each month. Data are aggregated and tabulated on an annual basis. Illinois is stratified into 5 regions: Chicago, suburban Cook County, Collar Counties, other Urban Counties, and Rural Counties. The sampling process described above is performed within each region during the data collection phase.

SURVEY INSTRUMENT

The BRFSS survey instrument is organized in a modular fashion. The five sections are:

1. Fixed Core
2. Two Rotating Cores
3. Optional Modules
4. Emerging Core
5. State-Added Questions

The fixed core is used in all states every year, the rotating cores are used in all states in an alternating fashion- one form is used for odd numbered years, the other form is used for even numbered years. The rotating cores are used in all states. Optional modules are standardized sets of questions on a wide variety of issues available for states to use based on their needs. The emerging core is used to add questions of topical interest, and to evaluate questions for potential use in future surveys. State-Added questions are unique to each jurisdiction and can be used to cover questions that are not addressed elsewhere in the survey.

WEIGHTING

The data are weighted prior to tabulation and analysis. Weighting data corrects for study design features and variation of the age/race/sex subgroups between the sample and the general population. Weighting allows inferences to be drawn about the entire adult population from the sample of interview respondents. Region-specific weights are developed post-collection. These techniques allow valid statistics to be generated for each region, in addition to statewide statistics.

Weighted frequencies are based on intercensal population estimates for 2004 developed by the Illinois Department of Public Health. As such, these frequencies may differ from population estimates for the adult Chicago population in other publications produced by the Chicago Department of Public Health.

CHICAGO ANALYSES

The data for the analyses presented in this volume are extracted from BRFSS files provided by the Illinois Department of Public Health for Chicago. Each questionnaire item was examined for non-response or non-valid response percentages. All items included in this report were found to have sufficient valid response rates for further analysis. Frequency tables with percentages were generated for each item. Percentages were based on the universe of valid responses, not the entire respondent pool. Since Chicago has a much smaller sample size than the statewide sample, responses for many items were collapsed into categories (based on literature review and local needs) to improve the validity and stability of the estimates. The response categories used in this volume may vary from other reports that use BRFSS data. Data are weighted with the appropriate local weights, except when weighting is not possible due to limited sample size.

DATA PRESENTATION

This volume is organized into sections containing related survey questions. The text for each question is presented, and the skip pattern is defined (for relevant questions). The weighted percent and frequency, and number in the sample for each response category for the question are then listed. For questions that were not asked of the entire sample, the frequencies reported will not total to the (estimated) Chicago adult population. Due to rounding, the reported frequencies for a question may not total to 100 percent. If sufficient numbers are available, responses will be stratified by gender, age, race/ethnicity, household type, marital status, and/or income, and presented in tabular form.

DEMOGRAPHICS

	NUMBER IN SAMPLE	WEIGHTED PERCENT	WEIGHTED FREQUENCY
SEX			
Male	270	48.7	868,138
Female	413	51.3	913,073
<i>Pregnant*</i>			
Yes	6	3.2	18,159
No	224	96.8	547,262
AGE			
18-24	73	16.4	291,788
25-44	303	46.3	824,054
45-64	191	24.7	439,521
65+	115	12.6	224,752
AGE 40			
< 40	311	53	942,960
40-64	257	34.4	613,500
65+	115	12.6	224,752
AGE 50			
< 50	425	70.2	1,251,066
50-64	143	17.1	305,394
65+	115	12.6	224,752
ETHNICITY			
Hispanic	111	25.7	456,414
Non-Hispanic	570	74.3	1,322,702
RACE[†]			
Black	257	41.2	731,333
Other [‡]	43	9.2	163,715
White	380	49.6	879,995
RACE[†]/SEX			
Black Female	174	26.6	428,122
Black Male	83	18.8	303,211
White Female	214	25.6	411,803
White Male	166	29.1	468,193
PHONE STATUS			
Without phone service for 1 week or more during past 12 months	52	9.4	166,543

*For women between the ages of 18-44.

[†]Includes Hispanic and non-Hispanic persons.

[‡]Includes persons who identified themselves as Asian/Pacific Islander, Native American, Other Race or Multiple Race.

DEMOGRAPHICS

	NUMBER IN SAMPLE	WEIGHTED PERCENT	WEIGHTED FREQUENCY
MARITAL STATUS			
Divorced/separated	105	11.6	206,832
Married	249	44.6	791,833
Never married	233	32.2	571,370
Unmarried couple	30	5.5	97,335
Widowed	64	6.1	108,279
NUMBER OF ADULTS			
One	297	23	410,470
Two	275	43.8	780,570
Three or more	111	33.1	590,172
NUMBER OF CHILDREN			
None	435	55.1	980,115
One	86	13.3	236,937
Two or more	160	31.5	560,608
HOUSEHOLD TYPE			
One adult, no children	234	18.1	321,964
One adult, child/ren	63	5	88,505
> 1 adult, no children	201	37	658,150
> 1 adult, child/ren	185	40	712,592
EDUCATION			
Less than high school	85	18.1	319,755
High school graduate/GED	152	25.6	452,864
Some college/technical school	165	22.2	391,969
College graduate	278	34.1	602,061
EMPLOYMENT			
Employed	408	60.8	1,081,795
Homemaker/student	64	12.3	218,225
Retired/unable to work	148	17.8	315,947
Unemployed	60	9.1	162,381
HOUSEHOLD INCOME			
Less than \$15,000	78	14.7	225,427
\$15,000-24,999	126	19.1	293,756
\$25,000-49,999	200	36.3	558,693
\$50,000-74,999	83	12.8	197,601
More than \$75,000	115	17.1	262,699
HOUSEHOLD INCOME 2			
Less than \$15,000	78	14.7	225,427
\$15,000-34,999	224	38.4	590,830
\$35,000-49,999	102	17	261,619
More than \$50,000	198	30	460,300

HEALTH RISK FACTORS AND CHRONIC CONDITIONS

RISK FACTOR/CHRONIC CONDITION	CHICAGO (95% CI)		COMPARE TO:	
			ILLINOIS	UNITED STATES
General health status is poor	4.5	(2.2, 6.9)	3.7	3.9
No health care coverage	22.3	(17.9, 26.7)	14.3	14.9
Have not visited a dentist in past 12 months	36.2	(31.5, 40.9)	28.5	29.8
Not using birth control (Sexually active, heterosexual couples)	22.5	(17.5,27.5)	NA	NA
Not vaccinated against the flu virus in past 12 months	77.2	(73.7, 80.8)	70.2	NA
No colorectal cancer screening (Endoscopy, ages 50 and older)	52.9	(45.4, 60.4)	51	47
No prostate cancer screening (PSA test, males age 40 and older)	46.4	(36.3, 56.4)	42.3	47.9
Never had a mammogram (Females age 40 and older)	8.9	(4.7, 13.1)	9.9	25.4
Never had a Pap test	7.2	(3.6, 10.7)	5.4	NA
Diagnosed with diabetes	7	(4.4, 9.5)	6.1	7.1
Diagnosed with asthma	13.1	(9.9, 16.3)	13.1	13.3
Unaware treatment during pregnancy reduces fetal HIV transmission	21.2	(16.1, 26.3)	24.7	NA
Unaware medical treatments helps HIV infected persons live longer	3	(1.2, 4.8)	4.2	NA
At risk of contracting HIV or developing AIDS	7.5	(4.2, 10.8)	3.6	NA
Chronic drinking risk (2 or more drinks daily)	4.5	(2.5, 6.6)	3.8	4.9
Binge drinking risk (5 or more drinks at one time)	20.4	(16.4, 24.4)	17.5	14.9
Drinking and driving risk	2.1	(0.9, 3.3)	2.5	NA
Current smoker	27.5	(23, 31.9)	22.2	20.8
Overweight, obese or morbidly obese (BMI >= 25)	57.8	(53.2, 62.4)	59	NA
Do not participate in any physical activity	28.2	(23.7, 32.7)	24.9	NA
Firearm(s) in home	9	(6.2, 11.7)	20.7	NA
Sunburned in past 12 months	19.8	(16.3, 23.3)	NA	NA
Illness/symptoms related to poor indoor air quality in past year	23.8	(19.8, 27.9)	NA	NA
Illness/symptoms related to outdoor air pollution in past year	15.3	(11.8, 18.9)	NA	NA

Values shown are percents weighted for the appropriate population in each jurisdiction.

United States includes all 50 states, Washington D.C. and U.S. territories abroad.

NA = Data not available.

PERCEPTION OF HEALTH

Would you say that in general your health is: excellent, very good, good, fair or poor?

	WEIGHTED PERCENT		NUMBER IN SAMPLE WITH FAIR OR POOR HEALTH	WEIGHTED PERCENT	95% CI
		TOTAL	117	19.7	15.5, 23.8
		GENDER			
		Female	79	22.8	17.1, 28.5
		Male	38	16.4	10.4, 22.3
		AGE			
EXCELLENT	18.4	18-24	17	26.4	13, 39.7
VERY GOOD	31	25-44	32	12.7	7.6, 17.8
GOOD	31	45-64	36	22.6	14.3, 31
FAIR	15.1	65+	32	31.2	20.5, 41.8
POOR	4.5	ETHNICITY			
		Hispanic	37	37.3	25.9, 48.8
		Non-Hispanic	80	13.6	10.2, 17
		RACE[†]			
		Black	64	23.5	17.4, 29.6
		White	47	16.7	10.6, 22.7
		RACE[†]/SEX			
		Black Female	42	23.7	16, 31.3
		Black Male	22	23.2	13.2, 33.2
		White Female	35	24.6	15.1, 34
		White Male	12	9.7	2.5, 16.9
		HOUSEHOLD TYPE			
		One adult, no children	40	16.3	11.4, 21.1
		One adult, child/ren	15	23.9	12.9, 34.9
		> 1 adult, no children	27	15.8	9.2, 22.4
		> 1 adult, child/ren	35	24.2	16.4, 32.1
		INCOME			
		Less than \$15,000	28	36.2	22, 50.4
		\$15,000-24,999	36	32.2	22.3, 42.2
		\$25,000-49,999	27	17.4	9.5, 25.3
		\$50,000-74,999	*	*	*
		More than \$75,000	*	*	*
		WEIGHTED FREQUENCY			
EXCELLENT	326,504				
VERY GOOD	549,355				
GOOD	550,894				
FAIR	268,565				
POOR	80,788				
TOTAL IN SAMPLE	680				

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

PHYSICAL HEALTH NOT GOOD

Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?

	WEIGHTED PERCENT		NUMBER IN SAMPLE WITH AT LEAST 1 DAY (IN PAST 30) WHEN PHYSICAL HEALTH WAS NOT GOOD	WEIGHTED PERCENT	95% CI
NONE	69.4	TOTAL	224	30.5	26.4, 34.6
1-7 DAYS	19.9	GENDER			
8-30 DAYS	10.6	Female	148	35.6	29.9, 41.3
		Male	76	25.2	19.4, 31
		AGE			
		18-24	22	30	17.5, 42.5
		25-44	90	25.4	20, 30.8
		45-64	72	36	27.8, 44.3
		65+	40	39.7	28.6, 50.7
		ETHNICITY			
		Hispanic	30	20.4	12.5, 28.2
		Non-Hispanic	194	34.1	29.4, 38.7
		RACE [†]			
		Black	100	26	20.9, 31.1
		White	110	37.6	30.4, 44.7
		RACE [†] /SEX			
		Black Female	69	40.5	31.6, 49.4
		Black Male	31	33.5	21.9, 45.1
		White Female	72	31.9	24.3, 39.5
		White Male	38	20.8	14, 27.6
		HOUSEHOLD TYPE			
		One adult, no children	82	35.4	28.8, 42
		One adult, child/ren	20	33.2	20.8, 45.6
		> 1 adult, no children	73	34	26.7, 41.2
		> 1 adult, child/ren	49	24.8	17.8, 31.8
		INCOME			
		Less than \$15,000	34	36.7	23.5, 49.9
		\$15,000-24,999	44	33	23.6, 42.5
		\$25,000-49,999	64	28.3	21.1, 35.5
		\$50,000-74,999	24	27.6	16.4, 38.7
		More than \$75,000	35	33.3	23.1, 43.5

[†]Includes Hispanic and non-Hispanic persons.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

MENTAL HEALTH NOT GOOD

Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?

		NUMBER IN SAMPLE WITH AT LEAST 1 DAY (IN PAST 30) WHEN MENTAL HEALTH WAS NOT GOOD			
	WEIGHTED PERCENT		WEIGHTED PERCENT	95% CI	
		TOTAL	274	39.3	34.8, 44
		GENDER			
		Female	185	45.5	40, 51.5
		Male	89	33.1	26.2, 40
		AGE			
		18-24	34	46.6	32.6, 60.6
		25-44	139	41.4	34.7, 48.1
		45-64	75	36	27.7, 44.3
		65+	25	28.8	18, 39.7
		ETHNICITY			
		Hispanic	45	37.4	26.3, 48.5
		Non-Hispanic	228	40.1	35.2, 45
		RACE[†]			
		Black	101	37.1	29.9, 44.2
		White	153	40.6	34.2, 47
		RACE[†]/SEX			
		Black Female	78	44	35.1, 52.7
		Black Male	23	27.7	16.1, 39.2
		White Female	96	47.4	38.7, 56.1
		White Male	57	34.6	25.7, 43.5
		HOUSEHOLD TYPE			
		One adult, no children	95	43.6	36.7, 50.5
		One adult, child/ren	28	45.1	32.1, 58
		> 1 adult, no children	81	40.6	32.7, 48.5
		> 1 adult, child/ren	70	35.6	27.5, 43.7
		INCOME			
		Less than \$15,000	32	34.6	21.6, 47.5
		\$15,000-24,999	51	42.5	32.2, 52.8
		\$25,000-49,999	92	46.7	37.8, 55.5
		\$50,000-74,999	33	36.9	24.5, 49.2
		More than \$75,000	44	35.4	25.6, 45.2

[†]Includes Hispanic and non-Hispanic persons.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

KEPT FROM USUAL ACTIVITIES DUE TO POOR HEALTH

During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation?

For respondents who had at least one day when their physical and/or mental health was not good.

	WEIGHTED PERCENT		NUMBER IN SAMPLE WITH AT LEAST 1 DAY (IN PAST 30) OF ACTIVITY LIMITATION	WEIGHTED PERCENT	95% CI
NONE	58.4	TOTAL	158	41.6	35.5, 47.7
1-7 DAYS	26	GENDER			
8-30 DAYS	15.7	Female	108	43.7	36.3, 51.1
		Male	50	38.7	28.3, 49
		AGE			
		18-24	19	43.1	25.1, 61.1
		25-44	73	41.1	32.4, 49.9
		45-64	46	41.1	29.8, 52.3
		65+	19	42.3	25.1, 59.5
		ETHNICITY			
		Hispanic	20	30.6	17.1, 44.2
		Non-Hispanic	137	44.6	37.9, 51.3
		RACE [†]			
		Black	62	40.8	32.6, 49
		White	84	43.8	33.9, 53.7
		RACE [†] /SEX			
		Black Female	45	42	30.8, 53.2
		Black Male	17	47.7	27.8, 67.6
		White Female	53	40.9	31, 50.9
		White Male	31	40.6	27.3, 54
		HOUSEHOLD TYPE			
		One adult, no children	62	47.2	38, 56.3
		One adult, child/ren	14	37.7	21.7, 53.7
		> 1 adult, no children	48	48.4	37.6, 59.1
		> 1 adult, child/ren	34	33.3	22.7, 44
		INCOME			
		Less than \$15,000	23	49.6	32.4, 66.8
		\$15,000-24,999	25	37.6	24.1, 51.1
		\$25,000-49,999	52	45.3	33.8, 56.8
		\$50,000-74,999	18	39.1	22.7, 55.4
		More than \$75,000	23	33.4	20.1, 46.7

[†]Includes Hispanic and non-Hispanic persons.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

ACTIVITIES LIMITED DUE TO HEALTH PROBLEMS

*Are you limited in any way
in any activities because of
physical, mental or emotional
problems?*

			NUMBER IN SAMPLE WITH HEALTH-RELATED ACTIVITY LIMITATIONS	WEIGHTED PERCENT	95% CI
		TOTAL	109	14.6	11.5, 17.7
		GENDER			
		Female	71	16.9	12.5, 21.3
		Male	38	12.2	7.9, 16.5
		AGE			
		18-24	9	13.5	3.8, 23.2
		25-44	31	9.5	5.8, 13.2
		45-64	40	19.3	13, 25.5
		65+	29	25.9	16.2, 35.5
		ETHNICITY			
		Hispanic	16	11.6	5.2, 17.9
		Non-Hispanic	93	15.7	12.2, 19.3
		RACE[†]			
		Black	47	18.3	12.6, 23.9
		White	59	13.5	9.6, 17.4
		RACE[†]/SEX			
		Black Female	34	19.5	12.4, 26.7
		Black Male	13	16.4	7.4, 25.5
		White Female	35	15.5	9.6, 21.3
		White Male	24	11.8	6.5, 17.1
		HOUSEHOLD TYPE			
		One adult, no children	51	20.8	15.4, 26.2
		One adult, child/ren	6	10.2	2.3, 18
		> 1 adult, no children	32	16.9	11.1, 22.7
		> 1 adult, child/ren	20	10.3	5.5, 15.2
		INCOME			
		Less than \$15,000	24	25.7	14.3, 37.2
		\$15,000-24,999	28	21.1	12.8, 29.4
		\$25,000-49,999	25	10.8	6.1, 15.5
		\$50,000-74,999	9	8.5	1.7, 15.3
		More than \$75,000	11	9.6	3.6, 15.6
YES	WEIGHTED PERCENT				
	14.6				
NO					
	85.4				
		WEIGHTED FREQUENCY			
YES	258,790				
NO	1,509,558				
TOTAL IN SAMPLE	677				

[†]Includes Hispanic and non-Hispanic persons.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

SPECIAL EQUIPMENT USE

Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone? Include occasional use or use in certain circumstances.

	WEIGHTED PERCENT		NUMBER IN SAMPLE WHO USE SPECIAL EQUIPMENT	WEIGHTED PERCENT	95% CI
		TOTAL	43	5.1	3.3, 6.8
		GENDER			
		Female	32	7	4.3, 9.8
		Male	11	3	1, 4.9
		AGE			
		18-24	*	*	*
		25-44	*	*	*
YES	5.1	45-64	15	6.8	2.9, 10.7
NO	94.9	65+	21	20.8	11.8, 29.9
		ETHNICITY			
		Hispanic	*	*	*
		Non-Hispanic	39	6.2	4, 8.5
		RACE†			
YES	89,394	Black	25	8.3	4.8, 11.9
NO	1,678,955	White	16	2.9	1.2, 4.5
		RACE†/SEX			
		Black Female	19	10.3	5.3, 15.3
		Black Male	6	5.5	0.8, 10.2
		White Female	13	4.9	1.7, 8.1
		White Male	*	*	*
		HOUSEHOLD TYPE			
		One adult, no children	25	11.6	7, 16.1
		One adult, child/ren	*	*	*
		> 1 adult, no children	8	4.1	1.2, 7.1
		> 1 adult, child/ren	7	3.1	0.7, 5.6
		INCOME			
		Less than \$15,000	9	6.4	1.9, 11
		\$15,000-24,999	17	14.1	7.1, 21.2
		\$25,000-49,999	7	2.7	0.5, 4.8
		\$50,000-74,999	*	*	*
		More than \$75,000	*	*	*
		TOTAL IN SAMPLE			
	677				

†Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

HAVE A DISABILITY

A calculated variable. Disability is defined as respondents who reported that they are limited in any way in any activities because of physical, mental or emotional problems OR have health problem that requires special equipment, such as a cane, a wheelchair, a special bed or a special telephone (including occasional use or use in certain circumstances). No disability is defined as respondents who reported no limitations in any way in any activities AND no health problems requiring special equipment.

	WEIGHTED PERCENT		NUMBER IN SAMPLE WHO HAVE A DISABILITY	WEIGHTED PERCENT	95% CI
		TOTAL	119	15.5	12.4, 18.7
		GENDER			
		Female	79	18.3	13.8, 22.8
		Male	40	12.6	8.3, 17
		AGE			
		18-24	9	13.4	3.7, 23.1
		25-44	31	9.4	5.8, 13.1
		45-64	42	19.9	13.6, 26.3
		65+	37	32.1	22, 42.2
		ETHNICITY			
		Hispanic	17	12.2	5.7, 18.6
		Non-Hispanic	102	16.7	13.1, 20.3
		RACE[†]			
		Black	54	19.8	14.1, 25.5
		White	61	13.7	9.7, 17.6
		RACE[†]/SEX			
		Black Female	40	22.1	14.8, 29.4
		Black Male	14	16.6	7.7, 25.5
		White Female	37	15.8	10, 21.6
		White Male	24	11.8	6.5, 17.1
		HOUSEHOLD TYPE			
		One adult, no children	57	23.7	17.9, 29.4
		One adult, child/ren	8	12.8	4.4, 21.3
		> 1 adult, no children	33	17.3	11.4, 23.1
		> 1 adult, child/ren	21	10.6	5.7, 15.5
		INCOME			
		Less than \$15,000	26	26.8	15.2, 38.4
		\$15,000-24,999	32	23.5	15, 32
		\$25,000-49,999	26	11.2	6.5, 15.9
		\$50,000-74,999	9	8.5	1.7, 15.3
		More than \$75,000	11	9.6	3.6, 15.6
		TOTAL IN SAMPLE	683		
YES	15.5				
NO	84.5				
		WEIGHTED FREQUENCY			
YES	276,621				
NO	1,504,591				

[†]Includes Hispanic and non-Hispanic persons.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

HEALTH CARE COVERAGE

Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare?

			NUMBER IN SAMPLE WHO HAVE NO HEALTH CARE COVERAGE	WEIGHTED PERCENT	95% CI
		TOTAL	116	22.3	17.9, 26.7
		GENDER			
		Female	63	18.9	13.6, 24.3
		Male	53	25.9	18.9, 32.9
		AGE			
YES	WEIGHTED PERCENT	18-24	27	45.1	31.1, 59.2
NO		25-44	57	23.6	17.1, 30.1
		45-64	29	15.1	9, 21.2
		65+	*	*	*
		ETHNICITY			
YES	WEIGHTED FREQUENCY	Hispanic	37	40.9	29.5, 52.3
NO		Non-Hispanic	79	15.9	11.9, 19.9
		RACE[†]			
		Black	55	25.3	18.3, 32.3
		White	51	19.7	13.6, 25.9
		RACE[†]/SEX			
		Black Female	33	18.1	11.6, 24.5
		Black Male	22	35.4	22.3, 48.5
		White Female	26	20.7	11.5, 30
		White Male	25	18.8	10.6, 27.1
		HOUSEHOLD TYPE			
		One adult, no children	30	12.9	8.4, 17.5
		One adult, child/ren	11	19.5	8.6, 30.3
		> 1 adult, no children	25	17.1	9.8, 24.4
		> 1 adult, child/ren	50	31.8	23.7, 39.9
		INCOME			
		Less than \$15,000	28	42.3	27.9, 56.6
		\$15,000-24,999	32	27.4	17.8, 37
		\$25,000-49,999	30	19.5	11.4, 27.5
		\$50,000-74,999	7	7.7	1.4, 14
		More than \$75,000	6	7.2	1.3, 13.1

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

PERSONAL DOCTOR OR HEALTH CARE PROVIDER

Do you have one person you think of as your personal doctor or health care provider? (If "no," is there more than one or is there no person who you think of?)

	WEIGHTED PERCENT		NUMBER IN SAMPLE WITH NO PERSONAL DOCTOR OR HEALTH CARE PROVIDER	WEIGHTED PERCENT	95% CI
		TOTAL	124	23.5	19.2, 27.9
		GENDER			
		Female	41	13.6	8.7, 18.6
		Male	83	34	27, 41
		AGE			
YES	65.5	18-24	27	46.2	32.2, 60.3
MORE THAN ONE	11	25-44	65	23.8	17.9, 29.8
NO	23.5	45-64	23	14.8	8.2, 21.3
		65+	9	10.1	2.4, 17.8
		ETHNICITY			
		Hispanic	37	39.6	28.3, 50.9
		Non-Hispanic	86	17.9	14, 21.9
		RACE[†]			
YES	1,161,744	Black	36	18.1	12, 24.2
MORE THAN ONE	194,519	White	76	26.6	20.2, 32.9
NO	417,482	RACE[†]/SEX			
		Black Female	14	10.3	4.5, 16
		Black Male	22	29.2	17.4, 41
		White Female	25	17.3	8.8, 25.9
		White Male	51	34.7	25.4, 44
		HOUSEHOLD TYPE			
		One adult, no children	36	18.3	12.7, 24
		One adult, child/ren	9	18.4	7.4, 29.5
		> 1 adult, no children	40	25.5	17.6, 33.5
		> 1 adult, child/ren	39	24.7	17.3, 32
		INCOME			
		Less than \$15,000	21	34.5	20.7, 48.3
		\$15,000-24,999	33	33.7	23.2, 44.1
		\$25,000-49,999	28	18.3	10.6, 25.9
		\$50,000-74,999	14	17	7.8, 26.3
		More than \$75,000	12	13.8	6.2, 21.4

[†]Includes Hispanic and non-Hispanic persons.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

PREVENTED FROM SEEING DOCTOR DUE TO COST

Was there a time in the past 12 months when you needed to see a doctor but could not because of the cost?

			NUMBER IN SAMPLE WHO HAD COST-RELATED BARRIERS TO HEALTH CARE IN PAST YEAR	WEIGHTED PERCENT	95% CI
		TOTAL	104	17.5	13.6, 21.4
		GENDER			
	WEIGHTED PERCENT	Female	64	17.9	12.8, 22.9
		Male	40	17.1	11.1, 23.1
YES	17.5	AGE			
NO	82.5	18-24	21	30.7	17.1, 44.3
		25-44	43	16.4	10.8, 22
	WEIGHTED FREQUENCY	45-64	30	14.9	9.2, 20.5
YES	310,721	65+	10	9.5	2.7, 16.3
NO	1,467,494	ETHNICITY			
		Hispanic	22	20.9	11, 30.8
		Non-Hispanic	81	16.2	12.3, 20.2
		RACE[†]			
		Black	43	20.6	14, 27.1
		White	55	15.3	10.3, 20.3
		RACE[†]/SEX			
		Black Female	25	15.1	8.9, 21.3
		Black Male	18	28.2	15.7, 40.7
		White Female	37	22.5	13.9, 31.1
		White Male	18	8.9	4.3, 13.6
		HOUSEHOLD TYPE			
		One adult, no children	32	14.2	9.4, 19
		One adult, child/ren	6	9.9	2.1, 17.6
		> 1 adult, no children	36	20.2	13.1, 27.1
		> 1 adult, child/ren	30	17.4	10.6, 24.3
		INCOME			
		Less than \$15,000	17	25.2	12.7, 37.7
		\$15,000-24,999	23	21.1	12.4, 29.9
		\$25,000-49,999	40	21.6	13.3, 29.8
		\$50,000-74,999	*	*	*
		More than \$75,000	6	5.5	0.4, 10.5

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

LAST VISIT TO DENTIST/DENTAL CLINIC

How long has it been since you visited a dentist or a dental clinic for any reason? Include visits to dental specialists, such as orthodontists.

	WEIGHTED PERCENT		NUMBER IN SAMPLE WITH AT LEAST A YEAR SINCE LAST DENTAL VISIT	WEIGHTED PERCENT	95% CI
		TOTAL	217	36.2	31.5, 40.9
		GENDER			
		Female	115	31.4	25.5, 37.2
		Male	102	41.3	34, 48.6
		AGE			
≤ 1 YEAR	63.8	18-24	26	39.8	25.9, 53.7
1-2 YEARS	15.8	25-44	93	36	29, 42.9
> 2 YEARS/NEVER	20.4	45-64	56	30.5	22.5, 38.5
		65+	41	43.2	32.2, 54.2
		ETHNICITY			
		Hispanic	52	51.2	39.9, 62.5
		Non-Hispanic	164	31	26.3, 35.7
		RACE†			
		Black	92	37.2	27.4, 40.5
		White	107	33.9	30, 44.4
		RACE†\SEX			
		Black Female	54	30.5	22.5, 38.5
		Black Male	38	46.6	33.9, 59.3
		White Female	52	31.9	22.7, 41.1
		White Male	55	35.8	26.5, 45
		HOUSEHOLD TYPE			
		One adult, no children	72	33	26.5, 39.5
		One adult, child/ren	17	30.4	18, 42.7
		> 1 adult, no children	60	33.4	25.5, 41.3
		> 1 adult, child/ren	68	40.9	32.5, 49.4
		INCOME			
		Less than \$15,000	33	39.6	26.1, 53.1
		\$15,000-24,999	48	44.5	34.1, 54.9
		\$25,000-49,999	69	39.4	30.5, 48.2
		\$50,000-74,999	19	27.2	14.4, 40.1
		More than \$75,000	23	26.2	16.1, 36.4

†Includes Hispanic and non-Hispanic persons.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

LOSS OF PERMANENT TEETH

How many of your permanent teeth have been removed because of tooth decay or gum disease? Do not include teeth lost for other reasons, such as injury or orthodontics. Include teeth lost due to "infection."

	WEIGHTED PERCENT	NUMBER IN SAMPLE WHO HAVE LOST AT LEAST ONE PERMANENT TOOTH	WEIGHTED PERCENT	95% CI
TOTAL		305	46	41.3, 50.8
GENDER				
Female		185	45.1	39.2, 51
Male		120	47	39.5, 54.4
AGE				
18-24		10	17.4	6.3, 28.5
25-44		103	41.1	34, 48.3
45-64		116	62.6	54.1, 71.2
65+		76	70	60.1, 80
ETHNICITY				
Hispanic		47	47.4	35.9, 58.9
Non-Hispanic		257	45.5	40.5, 50.5
RACE[†]				
Black		145	54.7	47.2, 62.1
White		146	41.8	35.2, 48.3
RACE[†]\SEX				
Black Female		100	54.7	45.7, 63.6
Black Male		45	54.6	41.8, 67.5
White Female		78	38.2	29.8, 46.6
White Male		68	44.8	35.2, 54.5
HOUSEHOLD TYPE				
One adult, no children		99	42.6	35.8, 49.5
One adult, child/ren		26	36.9	24.6, 49.1
> 1 adult, no children		96	46.6	38.6, 54.6
> 1 adult, child/ren		84	48.1	39.5, 56.6
INCOME				
Less than \$15,000		41	48.4	33.9, 62.9
\$15,000-24,999		61	46.8	36.4, 57.4
\$25,000-49,999		95	46.1	37.3, 55
\$50,000-74,999		33	50.1	36.8, 63.4
More than \$75,000		41	34.4	24.6, 44.1

[†]Includes Hispanic and non-Hispanic persons.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

LAST TEETH CLEANING

How long has it been since you had your teeth cleaned by a dentist or dental hygienist?

For respondents who have ever visited a dentist or a dental clinic and who have not had all their permanent teeth removed.

	WEIGHTED PERCENT	NUMBER IN SAMPLE WITH AT LEAST ONE YEAR SINCE LAST DENTAL CLEANING	WEIGHTED PERCENT	95% CI
TOTAL		235	39.8	35, 44.6
GENDER				
Female		130	36.1	30, 42.2
Male		105	43.8	36.2, 51.3
AGE				
18-24		26	39.6	25.5, 53.7
25-44		103	39	32, 46
45-64		65	37.4	28.8, 46.1
65+		40	48.1	36.3, 59.9
ETHNICITY				
Hispanic		53	52.1	40.5, 63.7
Non-Hispanic		180	35.5	30.5, 40.4
RACE[†]				
Black		100	42.8	35.2, 50.5
White		116	36.7	30.1, 43.4
RACE[†]/SEX				
Black Female		63	37	28.3, 45.6
Black Male		37	51.9	38.2, 65.6
White Female		56	34.7	25.3, 44.2
White Male		60	38.4	29, 47.9
HOUSEHOLD TYPE				
One adult, no children		80	39.1	32.1, 46.1
One adult, child/ren		21	37.6	24.5, 50.6
> 1 adult, no children		63	36	27.9, 44.1
> 1 adult, child/ren		71	44.1	35.3, 52.8
INCOME				
Less than \$15,000		37	44.6	30, 59.3
\$15,000-24,999		48	45.7	34.8, 56.7
\$25,000-49,999		78	45.7	36.7, 54.8
\$50,000-74,999		17	25.9	13, 38.7
More than \$75,000		24	23.7	14.5, 32.9

[†]Includes Hispanic and non-Hispanic persons.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

BIRTH CONTROL USE

Some things people do to keep from getting pregnant include not having sex at certain times, using birth control methods such as the pill, implants, shots, condoms, diaphragm, foam, IUD, having their tubes tied or having a vasectomy. Are you or your wife/husband/partner doing anything now to keep from getting pregnant? (If more than one partner, consider usual partner.)

For female respondents who are less than 45 or male respondents who are less than 60. Female respondents have not had a hysterectomy and were not pregnant.

	WEIGHTED PERCENT
YES	61.7
NO	22.5
NO PARTNER/ NOT SEXUALLY ACTIVE	14
SAME SEX PARTNER	1.7
	WEIGHTED FREQUENCY
YES	764,016
NO	278,534
NO PARTNER/ NOT SEXUALLY ACTIVE	173,847
SAME SEX PARTNER	21,374
TOTAL IN SAMPLE	413

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

	NUMBER IN SAMPLE WHO ARE HETEROSEXUALLY ACTIVE BUT DO NOT USE BIRTH CONTROL	WEIGHTED PERCENT	95% CI
TOTAL	86	22.5	17.5, 27.5
GENDER			
Female	37	18	11.9, 24.1
Male	49	25.8	18.4, 33.2
AGE			
18-24	6	12.5	2.1, 22.8
25-44	60	23.6	17.4, 29.7
45-59	20	30	19.2, 48.9
ETHNICITY			
Hispanic	20	22.9	12.4, 33.3
Non-Hispanic	66	22.3	16.8, 27.9
RACE [†]			
Black	27	23.5	16.7, 30.3
White	50	18.9	11.1, 26.7
RACE [†] \SEX			
Black Female	13	13.5	5.3, 21.6
Black Male	14	24.2	11.1, 37.4
White Female	20	21.4	11.8, 30.9
White Male	30	24.8	15.5, 34
MARITAL STATUS			
Divorced/separated	*	*	*
Married	56	33.6	24.7, 42.4
Never married	21	14.3	18, 33.6
Unmarried couple	*	*	*
Widowed	*	*	*
HOUSEHOLD TYPE			
One adult, no children	9	7.4	2.5, 12.3
One adult, child/ren	*	*	*
> 1 adult, no children	32	28.4	18.6, 38.1
> 1 adult, child/ren	40	24.4	16.5, 32.2
INCOME			
Less than \$15,000	6	19	3.2, 34.7
\$15,000-24,999	12	18.7	7.8, 29.7
\$25,000-49,999	22	18.8	10.4, 27.2
\$50,000-74,999	12	25.9	11.6, 40.2
More than \$75,000	*	*	*

[†]Includes Hispanic and non-Hispanic persons.

*Count percent and 95% CI suppressed because count is 5 or less.

TYPE OF BIRTH CONTROL

What are you or your husband/
wife/partner doing now to
keep you/her from not getting
pregnant?

For female (< 45) or male (< 60)
respondents who are using some form
of birth control. Female respondents
have not had a hysterectomy and were
not pregnant.

	WEIGHTED PERCENT		NUMBER IN SAMPLE WHO USE CONDOMS FOR BIRTH CONTROL	WEIGHTED PERCENT	95% CI
		TOTAL	86	36.2	28.5, 44
		GENDER			
		Female	40	29.8	19.4, 40.1
		Male	46	42	30.6, 53.4
		AGE			
		18-24	15	43.4	22.6, 64.2
		25-44	61	33	24.6, 41.5
		45-59	10	43.4	19.9, 66.9
		ETHNICITY			
		Hispanic	23	44.8	28.3, 61.3
		Non-Hispanic	63	32.1	24.2, 40.1
		RACE†			
		Black	24	25.3	14.1, 36.6
		White	52	41.5	30.7, 52.2
		RACE†\SEX			
		Black Female	13	19.2	8.2, 30.3
		Black Male	11	32.6	12.2, 53.1
		White Female	22	35.6	18.8, 52.5
		White Male	30	45.8	31.6, 60
		MARITAL STATUS			
		Divorced/separated	12	47.7	21.9, 73.6
		Married	25	26.1	16, 36.3
		Never married	45	47	34.2, 59.7
		Unmarried couple	*	*	*
		Widowed	*	*	*
		HOUSEHOLD TYPE			
		One adult, no children	31	57.3	44, 70.6
		One adult, child/ren	7	23	7.4, 38.7
		> 1 adult, no children	24	50	35, 65
		> 1 adult, child/ren	24	24.1	14.2, 34
		INCOME			
		Less than \$15,000	9	44.4	18.1, 70.8
		\$15,000-24,999	14	40.7	21.1, 60.4
		\$25,000-49,999	36	47.6	32.9, 62.3
		\$50,000-74,999	11	26.9	10.9, 43
		More than \$75,000	11	27.6	12.8, 42.4
		WEIGHTED PERCENT			
VASECTOMY/ HYSTERECTOMY	17.9				
BIRTH CONTROL PILLS	24				
CONDOMS	36.2				
CONTRACEPTIVE SHOTS/DEVICES	11.4				
OTHER*	10.4				
		WEIGHTED FREQUENCY			
VASECTOMY/ HYSTERECTOMY	128,476				
BIRTH CONTROL PILLS	172,174				
CONDOMS	259,364				
CONTRACEPTIVE SHOTS/DEVICES	81,773				
OTHER*	74,130				
TOTAL IN SAMPLE	235				

*Other includes having tubes tied, using emergency contraception, withdrawal, not having sex at certain times (rhythm) or other methods (foam, jelly, cream, etc.)

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

†Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

REASON FOR NOT USING BIRTH CONTROL

What is the main reason for not doing anything to keep you/your wife/your partner from getting pregnant?

For female (<45) or male (< 60) respondents who are not using some form of birth control. Female respondents have not had a hysterectomy and were not pregnant.

CROSS-TABULATION BY SELECTED DEMOGRAPHIC VARIABLES IS NOT POSSIBLE BECAUSE THERE ARE TOO FEW PERSONS WITHIN EACH RESPONSE CATEGORY.

	WEIGHTED PERCENT
DIDN'T THINK WAS GOING TO HAVE SEX/ NO REGULAR PARTNER	14.9
WANT A PREGNANCY	16.1
OTHER*	68.9

	WEIGHTED FREQUENCY
DIDN'T THINK WAS GOING TO HAVE SEX/ NO REGULAR PARTNER	35,686
WANT A PREGNANCY	38,548
OTHER*	164,839
TOTAL IN SAMPLE	74

*Other includes didn't want to use birth control, don't like birth control/fear side effects, can't pay for birth control, lapse in use of method, don't think can get pregnant, had tubes tied, a vasectomy or partner had hysterectomy, too old, currently breastfeeding, just had a baby/postpartum, other reason, don't care if get pregnant, or partner is pregnant now.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

FEELINGS ABOUT HAVING A CHILD

How do you feel about having a child now or sometime in the future? Would you say you don't want to have one, you do want to have one or you're not sure if you do or don't?

For female respondents who are less than 45 or male respondents who are less than 60. Female respondents have not had a hysterectomy and were not pregnant. Male respondents had not had a vasectomy and their partner had neither a hysterectomy nor were pregnant. Respondents who were not sexually active or had a same sex partner were also excluded.

	WEIGHTED PERCENT	NUMBER IN SAMPLE WHO DON'T WANT TO HAVE A CHILD	WEIGHTED PERCENT	95% CI
TOTAL		114	38.5	31.6, 45.3
GENDER				
Female		55	37.2	27.7, 46.7
Male		59	39.4	29.8, 49
AGE				
18-24		10	23	8.6, 37.4
25-44		75	36.3	28.3, 44.3
45-59		29	74.5	55.8, 93.2
ETHNICITY				
Hispanic		25	40.9	26.1, 55.7
Non-Hispanic		89	37.4	30, 44.7
RACE†				
Black		41	39.6	27.7, 51.4
White		65	37.3	28.4, 46.2
RACE†\SEX				
Black Female		24	43.8	28.4, 59.3
Black Male		17	35.9	18.7, 53.1
White Female		30	37.1	23.9, 50.4
White Male		35	37.4	25.5, 49.3
HOUSEHOLD TYPE				
Divorced/separated		14	35.4	14.7, 56.1
Married		59	49.5	38.6, 60.3
Never married		35	29.2	18.8, 39.6
Unmarried couple		*	*	*
Widowed		*	*	*
HOUSEHOLD TYPE				
One adult, no children		19	24	13.6, 34.5
One adult, child/ren		16	63.3	42.6, 84.1
> 1 adult, no children		25	30.4	19.2, 41.7
> 1 adult, child/ren		54	46.5	35.3, 57.6
INCOME				
Less than \$15,000		7	28.3	7.7, 48.9
\$15,000-24,999		20	52.1	34.2, 70.1
\$25,000-49,999		35	39.7	27, 52.4
\$50,000-74,999		16	33.7	17.6, 49.7
More than \$75,000		25	34.8	22, 47.6

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

†Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

WHEN WANT A CHILD

How soon would you want to have a child? Would you say less than 12 months from now, between 12 months to less than two years from now, between two years to less than 5 years from now or 5 or more years from now?

For female respondents (<45) and male respondents (< 60) who want to have a child. Female respondents have not had a hysterectomy and were not pregnant. Male respondents had not had a vasectomy and their partner had neither a hysterectomy nor were pregnant. Respondents who were not sexually active or had a same sex partner were also excluded.

	WEIGHTED PERCENT
< 2 YEARS	51.2
2 OR MORE YEARS	48
	WEIGHTED FREQUENCY
< 2 YEARS	145,736
2 OR MORE YEARS	138,812
TOTAL IN SAMPLE	98

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

	NUMBER IN SAMPLE WHO WANT A CHILD IN 2 OR MORE YEARS	WEIGHTED PERCENT	95% CI
TOTAL	47	48	37.9, 58
GENDER			
Female	24	43.1	29, 57.2
Male	23	54.7	34.1, 75.3
AGE			
18-24	18	75.9	52.1, 99.7
25-44	29	39.1	25.5, 52.6
45-59	*	*	*
ETHNICITY			
Hispanic	*	*	*
Non-Hispanic	42	48.3	35.4, 61.3
RACE[†]			
Black	8	24.7	7.4, 42
White	35	60.6	46.2, 75
RACE[†]\SEX			
Black Female	*	*	*
Black Male	*	*	*
White Female	15	47.8	28.8, 66.7
White Male	20	69.9	50.1, 89.7
MARITAL STATUS			
Divorced or separated	*	*	*
Married	*	*	*
Never married	34	18.7	60, 92.7
Unmarried couple	*	*	*
Widowed	*	*	*
HOUSEHOLD TYPE			
One adult, no children	17	66.6	48.3, 84.9
One adult, child/ren	*	*	*
> 1 adult, no children	24	55.8	39.9, 71.7
> 1 adult, child/ren	*	*	*
INCOME			
Less than \$15,000	*	*	*
\$15,000-24,999	8	65.5	37.4, 93.5
\$25,000-49,999	14	56.4	29.1, 83.7
\$50,000-74,999	7	40.7	11.9, 69.5
More than \$75,000	7	28.4	8.7, 48

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

HAD FLU SHOT

*During the past 12 months,
have you had a flu shot?*

	WEIGHTED PERCENT	TOTAL	NUMBER IN SAMPLE WHO DIDN'T HAVE A FLU SHOT IN PAST 12 MONTHS	WEIGHTED PERCENT	95% CI
			487	77.3	73.7, 80.8
		GENDER			
YES	22.7	Female	291	75.2	70.5, 79.9
NO	77.3	Male	196	79.4	74.2, 84.6
		AGE			
	WEIGHTED FREQUENCY	18-24	61	86.9	78.6, 95.3
YES	404,611	25-44	249	84.8	80.3, 89.2
NO	1,374,311	45-64	130	73.2	66, 80.4
		65+	46	44.9	33.9, 55.8
TOTAL IN SAMPLE	681	ETHNICITY			
		Hispanic	89	84.5	77.9, 91.6
		Non-Hispanic	396	74.6	70.6, 78.6
		RACE†			
		Black	183	76.3	70.6, 82
		White	270	78.4	73.8, 82.9
		RACE†\SEX			
		Black Female	126	76.9	70.1, 83.7
		Black Male	57	75.4	65.6, 85.2
		White Female	146	74.2	67.5, 80.8
		White Male	124	82.1	75.8, 88.3
		HOUSEHOLD TYPE			
		One adult, no children	141	62.6	56, 69.1
		One adult, child/ren	47	75.6	64.5, 86.7
		> 1 adult, no children	141	73.2	66.5, 79.9
		> 1 adult, child/ren	158	87.8	83, 92.6
		INCOME			
		Less than \$15,000	55	78.6	68.9, 88.3
		\$15,000-24,999	89	76.1	67.8, 84.3
		\$25,000-49,999	148	80.7	74.7, 86.8
		\$50,000-74,999	57	72.8	61.7, 83.9
		More than \$75,000	82	71.1	61.6, 80.6

†Includes Hispanic and non-Hispanic persons.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

EVER HAD PNEUMONIA VACCINE

Have you ever had a pneumonia shot? This shot is usually given only once or twice in a person's lifetime and is different from the flu shot. It is also called the pneumococcal vaccine.

	WEIGHTED PERCENT		NUMBER IN SAMPLE WHO HAVE NOT BEEN VACCINATED FOR PNEUMONIA	WEIGHTED PERCENT	95% CI
		TOTAL	517	84.5	81.2, 87.7
		GENDER			
		Female	309	83.9	79.9, 87.9
		Male	208	85.1	79.8, 90.3
		AGE			
		18-24	55	85.6	75.9, 95.2
		25-44	246	91.3	87.2, 95.3
		45-64	158	87.6	81.9, 93.3
		65+	57	54.7	43.9, 65.5
		ETHNICITY			
		Hispanic	91	87.8	80.6, 95
		Non-Hispanic	424	83.3	79.7, 86.9
		RACE[†]			
		Black	194	82.5	77.1, 88
		White	285	84.2	79.6, 88.7
		RACE[†]\SEX			
		Black Female	129	80.6	74, 87.1
		Black Male	65	85.4	76, 94.8
		White Female	158	85.2	79.9, 90.5
		White Male	127	83.3	76, 90.5
		HOUSEHOLD TYPE			
		One adult, no children	158	74.3	68.3, 80.4
		One adult, child/ren	50	85.3	76.6, 94.1
		> 1 adult, no children	149	80.3	73.8, 86.8
		> 1 adult, child/ren	160	92.9	88.4, 97.4
		INCOME			
		Less than \$15,000	57	80.6	69.6, 91.6
		\$15,000-24,999	87	78.8	71, 86.6
		\$25,000-49,999	146	82.8	76.3, 89.4
		\$50,000-74,999	71	93.8	89, 98.6
		More than \$75,000	96	89.8	82.8, 96.8
		WEIGHTED FREQUENCY			
YES	15.5				
NO	84.5				
		TOTAL IN SAMPLE	635		

[†]Includes Hispanic and non-Hispanic persons.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

EVER HAD BLOOD STOOL TEST

A blood stool test is a test that may use a special kit at home to determine whether the stool contains blood. Have you ever had this test using a home kit?

For respondents who were 50 years or older.

	WEIGHTED PERCENT		NUMBER IN SAMPLE WHO HAVE NEVER DONE HOME BLOOD STOOL MONITORING	WEIGHTED PERCENT	95% CI
		TOTAL	163	64.4	57.4, 71.5
		GENDER			
		Female	89	74.5	64.9, 84.2
		Male	74	56.3	46.8, 65.8
		ETHNICITY			
		Hispanic	16	91.1	77.7, 100
		Non-Hispanic	145	60.5	53.1, 67.9
		RACE†			
YES	35.6	Black	111	53.5	42.8, 64.1
NO	64.4	White	99	77.4	69.9, 85
		RACE†\SEX			
		Black Female	37	48.4	34.7, 62.1
		Black Male	25	61.6	45.1, 78
		White Female	51	68.6	57.4, 79.7
		White Male	48	85.9	76.8, 95
		HOUSEHOLD TYPE			
		One adult, no children	75	65.4	56.4, 74.4
		One adult, child/ren	9	89	68.6, 100
		> 1 adult, no children	61	64.9	54.4, 75.4
		> 1 adult, child/ren	18	59.4	39.1, 79.8
		INCOME			
		Less than \$15,000	25	75.4	58.9, 92
		\$15,000-24,999	33	61.7	47.1, 76.2
		\$25,000-49,999	38	56.5	42.3, 70.8
		\$50,000-74,999	20	72.1	51.9, 92.2
		More than \$75,000	24	57.3	38.6, 75.9
		WEIGHTED FREQUENCY			
YES	185,659				
NO	336,452				
TOTAL IN SAMPLE	254				

†Includes Hispanic and non-Hispanic persons.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

EVER HAD SIGMOIDOSCOPY OR COLONOSCOPY

Sigmoidoscopy and colonoscopy are exams in which a tube is inserted in the rectum to view the bowel for signs of cancer or other health problems. Have you ever had either of these exams?

For respondents who were 50 years or older.

	WEIGHTED PERCENT	NUMBER IN SAMPLE WHO HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY	WEIGHTED PERCENT	95% CI	
		TOTAL	131	52.9	45.4, 60.4
		GENDER			
		Female	75	51.1	41.6, 60.7
		Male	56	55.1	43.1, 67.1
		ETHNICITY			
		Hispanic	13	59.3	27.4, 91.3
		Non-Hispanic	116	51.8	44.3, 59.3
		RACE[†]			
		Black	52	46.9	36.3, 57.6
		White	74	57.2	46.2, 68.3
		RACE[†]\SEX			
		Black Female	30	44.4	30.7, 58.1
		Black Male	22	50.9	34.2, 67.7
		White Female	43	59	46.8, 71.3
		White Male	31	55.5	37.7, 73.4
		HOUSEHOLD TYPE			
		One adult, no children	55	46.1	36.6, 55.7
		One adult, child/ren	*	*	*
		> 1 adult, no children	52	57.8	47, 68.6
		> 1 adult, child/ren	19	50.4	29.1, 71.7
		INCOME			
		Less than \$15,000	19	43.3	21.4, 65.3
		\$15,000-24,999	31	57.8	42.8, 72.7
		\$25,000-49,999	31	50	35.8, 64
		\$50,000-74,999	14	58.3	36.4, 80.2
		More than \$75,000	21	57.2	38.8, 75.6
		WEIGHTED FREQUENCY			
YES	47.1				
NO	52.9				
YES	248,008				
NO	278,870				
TOTAL IN SAMPLE	255				

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

EVER HAD PSA TEST

A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to check men for prostate cancer. Have you ever had a PSA test?

For male respondents who were 40 years or older.

	WEIGHTED PERCENT		NUMBER IN SAMPLE WHO HAVE NEVER HAD A PSA TEST	WEIGHTED PERCENT	95% CI
YES	53.6	TOTAL	65	46.4	36.3, 56.4
NO	46.4	ETHNICITY			
		Hispanic	10	54.8	26.3, 83.2
		Non-Hispanic	54	43.7	33.7, 53.8
		RACE [†]			
		Black	19	33.1	18.8, 47.4
		White	40	52.2	38.1, 66.4
		HOUSEHOLD TYPE			
		One adult, no children	23	47	32.6, 61.3
		One adult, child/ren	*	*	*
		> 1 adult, no children	21	41.2	26.7, 55.7
		> 1 adult, child/ren	18	51.1	30.7, 71.6
		INCOME			
		Less than \$15,000	6	39.5	3, 76
		\$15,000-24,999	11	39	17.8, 60.2
		\$25,000-49,999	21	53	36.2, 69.8
		\$50,000-74,999	*	*	*
		More than \$75,000	14	53.2	32.2, 74.2
TOTAL IN SAMPLE	147				

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

EVER HAD DIGITAL RECTAL EXAM

A digital rectal exam is an exam in which a doctor, nurse or other health professional places a gloved finger into the rectum to feel the size, shape, and hardness of the prostate gland. Have you ever had a digital rectal exam?

For male respondents who were 40 years or older.

	NUMBER IN SAMPLE WHO HAVE NEVER HAD A DIGITAL RECTAL EXAM	WEIGHTED PERCENT	95% CI
TOTAL	47	34.7	25.2, 44.3
ETHNICITY			
Hispanic	7	38.4	11.9, 64.8
Non-Hispanic	40	33.8	24, 43.7
RACE†			
Black	17	32	17.1, 46.8
White	27	36.3	23.3, 49.3
HOUSEHOLD TYPE			
One adult, no children	16	33	19.2, 46.7
One adult, child/ren	*	*	*
> 1 adult, no children	14	27.1	14.1, 40.2
> 1 adult, child/ren	15	44.3	24.5, 64.1
INCOME			
Less than \$15,000	*	*	*
\$15,000-24,999	10	39.2	17.5, 61
\$25,000-49,999	13	28.7	13.1, 44.4
\$50,000-74,999	*	*	*
More than \$75,000	8	36.8	15.3, 58.3

WEIGHTED PERCENT

YES	65.3
NO	34.7

WEIGHTED FREQUENCY

YES	263,530
NO	140,338
TOTAL IN SAMPLE	149

†Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

EVER HAD MAMMOGRAM

A mammogram is an x-ray of each breast to look for breast cancer. Have you ever had a mammogram?

For female respondents who were 40 and older.

	WEIGHTED PERCENT		NUMBER IN SAMPLE WHO HAVE EVER HAD A MAMMOGRAM	WEIGHTED PERCENT	95% CI
YES	91.1	TOTAL	201	91.1	86.9, 95.3
NO	8.9	ETHNICITY			
		Hispanic	18	88.8	73.9, 100
		Non-Hispanic	183	91.4	87.2, 95.7
		RACE [†]			
		Black	93	92.6	86.9, 98.3
		White	106	89	82.6, 95.4
		HOUSEHOLD TYPE			
		One adult, no children	89	95.7	91.9, 99.5
		One adult, child/ren	17	93.2	80.2, 100
		> 1 adult, no children	57	93.1	86.8, 99.4
		> 1 adult, child/ren	38	84.7	74.4, 95
		INCOME			
		Less than \$15,000	32	92.7	81.6, 100
		\$15,000-24,999	43	97.4	93.5, 100
		\$25,000-49,999	48	85.1	75.2, 95.1
		\$50,000-74,999	24	91.6	78.9, 100
		More than \$75,000	29	93.3	84.2, 100
TOTAL IN SAMPLE	221				

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

EVER HAD CLINICAL BREAST EXAM

A clinical breast exam is when a doctor, nurse, or other health professional feels the breasts for lumps. Have you ever had a clinical breast exam?

For female respondents.

	WEIGHTED PERCENT		NUMBER IN SAMPLE WHO HAVE EVER HAD A CLINICAL BREAST EXAM	WEIGHTED PERCENT	95% CI
		TOTAL	360	84.3	79.6, 89
		AGE			
		18-24	29	65.3	47.7, 82.9
		25-44	164	86.2	79.8, 92.7
		45-64	104	92.6	86.9, 98.4
		65+	62	87.2	78.3, 96.2
		ETHNICITY			
		Hispanic	48	76.8	64.3, 89.2
		Non-Hispanic	311	86.3	81.4, 91.3
		RACE†			
		Black	150	84.3	77.3, 91.3
		White	193	88.2	82.4, 94.1
		HOUSEHOLD TYPE			
		One adult, no children	124	89.2	84, 94.5
		One adult, child/ren	44	82.2	71.5, 92.9
		> 1 adult, no children	95	87.9	80.4, 95.5
		> 1 adult, child/ren	97	79.7	70.6, 88.7
		INCOME			
		Less than \$15,000	44	72.6	56.7, 88.5
		\$15,000-24,999	69	79.2	68.7, 89.7
		\$25,000-49,999	106	90.7	84.6, 96.7
		\$50,000-74,999	47	85.5	71,100
		More than \$75,000	56	98.4	95.3,100
		TOTAL IN SAMPLE	413		

†Includes Hispanic and non-Hispanic persons.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

EVER HAD PAP TEST

A Pap test is a test for cancer of the cervix. Have you ever had a Pap test?

For female respondents.

		NUMBER IN SAMPLE WHO HAVE EVER HAD A PAP TEST	WEIGHTED PERCENT	95% CI
	TOTAL	389	92.8	89.3, 96.4
	AGE			
	18-24	35	76.5	60.2, 92.8
	25-44	182	97.6	94.6, 100
	45-64	106	95.7	92.1, 99.4
	65+	65	92.6	85.9, 99.3
	ETHNICITY			
	Hispanic	61	97.2	93.2, 100
	Non-Hispanic	327	91.6	87.3, 95.9
	RACE[†]			
	Black	167	93.9	88.5, 99.3
	White	202	95.5	92.7, 98.3
	HOUSEHOLD TYPE			
	One adult, no children	129	93.1	88.8, 97.4
	One adult, child/ren	53	100	100, --
	> 1 adult, no children	99	92.9	86.8, 99
	> 1 adult, child/ren	108	91.2	84.4, 98.1
	INCOME			
	Less than \$15,000	51	85.7	71, 100
	\$15,000-24,999	81	95.7	90.9, 100
	\$25,000-49,999	112	95.3	90.7, 99.9
	\$50,000-74,999	49	91.2	78.3, 100
	More than \$75,000	55	93.3	83.3, 100
	WEIGHTED PERCENT			
YES	92.8			
NO	7.2			
	WEIGHTED FREQUENCY			
YES	847,541			
NO	65,532			
TOTAL IN SAMPLE	413			

[†]Includes Hispanic and non-Hispanic persons.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

HAD A HYSTERECTOMY

*Have you had a hysterectomy?
A hysterectomy is an operation
to remove the uterus (womb).*

For female respondents.

		NUMBER IN SAMPLE WHO HAVE HAD A HYSTERECTOMY	WEIGHTED PERCENT	95% CI
	TOTAL	66	13.5	9.7, 17.3
	AGE			
	18-24	*	*	*
	25-44	*	*	*
YES	45-64	28	23.3	14.4, 32.2
NO	65+	31	44.3	30, 58.6
	ETHNICITY			
	Hispanic	*	*	*
	Non-Hispanic	63	16.3	11.7, 20.8
	RACE[†]			
YES	Black	38	19.9	13, 26.7
NO	White	28	9.1	5.3, 13
	HOUSEHOLD TYPE			
	One adult, no children	38	27	19.3, 34.8
	One adult, child/ren	8	15	5.2, 24.8
	> 1 adult, no children	13	13.7	6, 21.3
	> 1 adult, child/ren	7	6.8	1.4, 12.3
	INCOME			
	Less than \$15,000	17	22.7	11.6, 33.8
	\$15,000-24,999	20	15.3	7.9, 22.6
	\$25,000-49,999	12	11.3	3.7, 18.9
	\$50,000-74,999	*	*	*
	More than \$75,000	*	*	*
	WEIGHTED PERCENT			
YES	13.5			
NO	86.5			
	WEIGHTED FREQUENCY			
YES	120,718			
NO	773,104			
TOTAL IN SAMPLE	406			

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

EVER DIAGNOSED WITH DIABETES

Have you ever been told by a doctor that you have diabetes? (For female respondents who answered "Yes," was this only when you were pregnant?)

	WEIGHTED PERCENT	WEIGHTED FREQUENCY	NUMBER IN SAMPLE WHO HAVE EVER HAD NON-GESTATIONAL DIABETES	WEIGHTED PERCENT	95% CI
TOTAL			47	7	4.4, 9.5
GENDER					
Female			32	7.9	4.8, 11
Male			15	6	1.9, 10.1
AGE					
18-24			*	*	*
25-44			*	*	*
45-64			28	17.4	9.4, 25.4
65+			15	15.2	6.8, 23.6
ETHNICITY					
Hispanic			*	*	*
Non-Hispanic			42	6.8	4.5, 9
RACE[†]					
Black			31	9.3	5.7, 13
White			14	5.3	1.4, 9.2
RACE[†]\SEX					
Black Female			24	12.1	6.8, 17.3
Black Male			7	5.4	1.1, 9.8
White Female			8	4.9	0.8, 9
White Male			6	5.6	0, 12
HOUSEHOLD TYPE					
One adult, no children			19	8.4	4.6, 12.1
One adult, child/ren			*	*	*
> 1 adult, no children			14	7.5	3.3, 11.7
> 1 adult, child/ren			10	5.9	1.2, 10.7
INCOME					
Less than \$15,000			14	17.2	4.6, 29.7
\$15,000-24,999			11	9.4	3.1, 15.6
\$25,000-49,999			12	5.9	2.2, 9.5
\$50,000-74,999			*	*	*
More than \$75,000			*	*	*

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

CURRENTLY HAVE ASTHMA

A calculated variable. "Asthma" is defined as respondents who have ever been diagnosed with asthma AND still have asthma. "No asthma" is defined as respondents who have never been diagnosed with asthma OR had previously been diagnosed with asthma but no longer have asthma.

	NUMBER IN SAMPLE WHO CURRENTLY HAVE ASTHMA	WEIGHTED PERCENT	95% CI
TOTAL	54	9.1	6.2, 12
GENDER			
Female	37	9.6	5.8, 13.4
Male	17	8.6	4.2, 13.1
AGE			
18-24	9	16.1	5, 27.2
25-44	22	8.9	4.7, 13.1
45-64	17	7.4	3.4, 11.4
65+	6	4.2	0.6, 7.8
ETHNICITY			
Hispanic	*	*	*
Non-Hispanic	51	11.5	7.8, 15.1
RACE†			
Black	31	14.9	9, 20.8
White	22	5.4	2.7, 8.2
RACE†\SEX			
Black Female	21	14	7, 21.1
Black Male	10	16.2	6, 26.3
White Female	15	5.3	2.5, 8.1
White Male	7	5.6	1, 10.1
HOUSEHOLD TYPE			
One adult, no children	17	7.1	3.7, 10.5
One adult, child/ren	6	10.3	2.4, 18.2
> 1 adult, no children	16	7.2	3.5, 11
> 1 adult, child/ren	15	11.6	5.5, 17.7
INCOME			
Less than \$15,000	14	20.9	8.3, 33.5
\$15,000-24,999	6	4.8	0.5, 9.2
\$25,000-49,999	14	5.6	2.3, 9
\$50,000-74,999	*	*	*
More than \$75,000	7	6.9	1.5, 12.3

†Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

FETAL TRANSMISSION OF HIV

A pregnant woman with HIV can get treatment to help reduce the chances that she will pass the virus on to her baby. Please tell me whether you think this is true or false, or if you don't know.

For respondents less than 65 years old.

	WEIGHTED PERCENT	NUMBER IN SAMPLE UNAWARE OF PRENATAL HIV TREATMENT OPTIONS	WEIGHTED PERCENT	95% CI
TOTAL		81	21.2	16.1, 26.3
GENDER				
Female		37	15	8.8, 21.3
Male		44	27.6	19.6, 35.6
AGE				
18-24		12	26	10.8, 41.2
25-44		39	17.3	11.4, 23.1
45-64		29	25.7	16.3, 35.2
ETHNICITY				
Hispanic		21	30.6	17.7, 43.5
Non-Hispanic		59	17.8	12.8, 22.7
RACE†				
Black		30	22.9	15.2, 30.5
White		42	17.3	10.5, 24.1
RACE†\SEX				
Black Female		16	12.5	5.6, 19.3
Black Male		14	23.5	10.9, 36
White Female		17	17	5.8, 28.2
White Male		25	28.2	17.5, 38.8
MARITAL STATUS				
Divorced/separated		*	*	*
Married		36	25	16.9, 33.1
Never married		33	21.8	12.8, 30.7
Unmarried couple		*	*	*
Widowed		*	*	*
INCOME				
Less than \$15,000		9	19.4	6.4, 32.4
\$15,000-24,999		13	17.5	6.5, 28.6
\$25,000-49,999		24	21.9	11.8, 31.9
\$50,000-74,999		10	24.3	9.8, 38.8
More than \$75,000		13	18.2	8.8, 27.7

†Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

HIV TREATMENT

There are medical treatments available that are intended to help a person who is infected with HIV to live longer. Please tell me whether you think this is true or false, or if you don't know.

For respondents less than 65 years old.

	WEIGHTED PERCENT
TRUE	97
FALSE	3
	WEIGHTED FREQUENCY
TRUE	1,405,481
FALSE	43,186
TOTAL IN SAMPLE	529

	NUMBER IN SAMPLE AWARE OF HIV TREATMENT OPTIONS	WEIGHTED PERCENT	95% CI
TOTAL	513	97	95.2, 98.8
GENDER			
Female	307	96.4	94.3, 98.5
Male	206	97.6	94.7, 100
AGE			
18-24	65	99.3	98, 100
25-44	277	96	93, 99
45-64	170	97.6	95.1, 100
ETHNICITY			
Hispanic	90	95.6	90.4, 100
Non-Hispanic	422	97.5	96.1, 99
RACE[†]			
Black	182	95.3	91.4, 99.3
White	294	98.2	96.7, 99.6
RACE[†]\SEX			
Black Female	127	96.4	93.4, 99.5
Black Male	55	93.8	85.5, 100
White Female	159	96.7	93.7, 99.6
White Male	135	99.4	98.3, 100
MARITAL STATUS			
Divorced/separated	72	92.8	81.4, 100
Married	189	97.2	95, 99.3
Never married	206	98.7	97.4, 100
Unmarried couple	28	96.3	89.3, 100
Widowed	16	86.6	68.9, 100
INCOME			
Less than \$15,000	49	89.8	79.1, 100
\$15,000-24,999	79	97.4	93.6, 100
\$25,000-49,999	159	97.9	95.8, 100
\$50,000-74,999	73	98.7	96, 100
More than \$75,000	106	99.1	97.4, 100

[†]Includes Hispanic and non-Hispanic persons.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

EVER TESTED FOR HIV

Have you ever been tested for HIV (include saliva tests)? Do not count tests you may have had as part of a blood donation.

For respondents less than 65 years old.

	WEIGHTED PERCENT		NUMBER IN SAMPLE WHO HAVE NEVER BEEN TESTED FOR HIV (OTHER THAN A BLOOD DONATION)	WEIGHTED PERCENT	95% CI
		TOTAL	241	43.7	38.5, 48.9
		GENDER			
		Female	145	42.4	35.9, 49
		Male	96	44.9	36.8, 52.9
		AGE			
YES	56.3	18-24	38	55.5	41.6, 69.4
NO	43.7	25-44	92	27.5	21.4, 33.6
		45-64	111	66.4	58.4, 74.5
		ETHNICITY			
		Hispanic	51	50.8	39.1, 62.5
		Non-Hispanic	190	40.8	35.3, 46.3
		RACE[†]			
		Black	75	35.6	27.6, 43.7
		White	142	46.6	39.4, 53.8
		RACE[†]\SEX			
		Black Female	54	36.7	27.1, 46.3
		Black Male	21	34.2	20.3, 48
		White Female	78	44.6	34.9, 54.4
		White Male	64	48.2	37.9, 58.4
		MARITAL STATUS			
		Divorced/separated	25	32	18.4, 45.6
		Married	103	49.5	41.3, 57.8
		Never married	92	43	34.4, 51.6
		Unmarried couple	6	17.1	3.8, 30.4
		Widowed	13	61.1	38.2, 83.9
		INCOME			
		Less than \$15,000	29	52.4	36.7, 68.1
		\$15,000-24,999	45	50.1	37.8, 62.3
		\$25,000-49,999	63	38.6	29.2, 47.9
		\$50,000-74,999	34	46.1	32.3, 59.9
		More than \$75,000	44	37.7	27.2, 48.2

[†]Includes Hispanic and non-Hispanic persons.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

REASON FOR HIV TEST

I am going to read you a list of reasons why some people have been tested for HIV. Not including blood donations, which of these would you say was the MAIN reason for your last HIV test: it was required, someone suggested you should be tested, you thought you may have gotten HIV through sex or drug use, you just wanted to find out whether you had HIV, you were worried that you could give HIV to someone, you were pregnant (if female), it was done as part of a routine medical check-up, or you were tested for some other reason?

For respondents less than 65 years old who had an HIV test.

	WEIGHTED PERCENT
REQUIRED	14
SOMEONE SUGGESTED/ WANTED TO FIND OUT	32.6
THOUGHT GOTTEN HIV/WORRIED GIVING HIV SOMEONE	3.6
PREGNANT	7.9
ROUTINE CHECK-UP	40
SOME OTHER REASON	2
	WEIGHTED FREQUENCY
REQUIRED	116,526
SOMEONE SUGGESTED/ WANTED TO FIND OUT	272,305
THOUGHT GOTTEN HIV/WORRIED GIVING HIV SOMEONE	30,071
PREGNANT	65,845
ROUTINE CHECK-UP	333,593
SOME OTHER REASON	16,602
TOTAL IN SAMPLE	300

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

LOCATION OF HIV TEST

Where did you have your last HIV tests - at a private doctor or HMO, at a counseling and testing site, at a hospital, at a clinic, in a jail or prison, in a drug treatment facility, at home or somewhere else?

For respondents less than 65 years old who have had an HIV test.

	WEIGHTED PERCENT
PRIVATE DOCTOR OR HMO	40.6
COUNSELING AND TESTING SITE	3
HOSPITAL	19.1
CLINIC	27.5
JAIL OR PRISON	*
HOME	2.2
SOMEWHERE ELSE	4.9
	WEIGHTED FREQUENCY
PRIVATE DOCTOR OR HMO	343,761
COUNSELING AND TESTING SITE	25,023
HOSPITAL	161,886
CLINIC	232,455
JAIL OR PRISON	*
HOME	18,594
SOMEWHERE ELSE	41,122
 TOTAL IN SAMPLE	 305

*Percent and 95% CI suppressed because count is 5 or less.

What type of clinic did you go to for your last HIV test?

For respondents less than 65 years old who have had an HIV test at a clinic.

	WEIGHTED PERCENT
FAMILY PLANNING	21.9
STD	8.9
PUBLIC HEALTH	38.4
COMMUNITY HEALTH	11.7
HOSPITAL	14.9
OTHER	*
	WEIGHTED FREQUENCY
FAMILY PLANNING	48,054
STD	19,645
PUBLIC HEALTH	84,420
COMMUNITY HEALTH	25,682
HOSPITAL	32,635
OTHER	*
 TOTAL IN SAMPLE	 66

*Percent and 95% CI suppressed because count is 5 or less.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

RISK OF AIDS

*I'm going to read you a list.
When I'm done, please tell me
if any of the situations apply to
you. You don't need to tell me
which one.*

- *You have used intravenous drugs in the past year.*
- *You have been treated for a sexually transmitted or venereal disease in the past year.*
- *You have given or received money or drugs in exchange for sex in the past year.*
- *You had anal sex without a condom in the past year.*

*Do any of these situations
apply to you?*

*For respondents less than 65 years
old.*

	WEIGHTED PERCENT
YES	7.5
NO	92.5
	WEIGHTED FREQUENCY
YES	113,769
NO	1,394,211
TOTAL IN SAMPLE	548

	NUMBER IN SAMPLE AT HIGHER RISK FOR AIDS	WEIGHTED PERCENT	95% CI
TOTAL	34	7.5	4.2, 10.8
GENDER			
Female	14	6.5	1.4, 11.6
Male	20	8.6	4.3, 12.9
AGE			
18-24	11	21.7	7.9, 35.6
25-44	14	4.1	1.7, 6.5
45-64	9	4.6	1.2, 8
ETHNICITY			
Hispanic	9	10.3	1.5, 19.2
Non-Hispanic	25	6.5	3.5, 9.4
RACE†			
Black	12	7.2	2.6, 11.8
White	20	8.3	3, 13.5
RACE†\SEX			
Black Female	*	*	*
Black Male	8	9.6	2.6, 16.6
White Female	10	8.9	0, 18.1
White Male	10	7.7	1.8, 13.7
MARITAL STATUS			
Divorced/separated	*	*	*
Married	11	4.9	1.4, 8.4
Never married	19	13.2	5.7, 20.8
Unmarried couple	*	*	*
Widowed	*	*	*
INCOME			
Less than \$15,000	*	*	*
\$15,000-24,999	7	7.5	1.1, 14
\$25,000-49,999	11	8.6	1.6, 15.6
\$50,000-74,999	*	*	*
More than \$75,000	*	*	*

†Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

TALKED ABOUT CONDOMS PREVENTING STDS

The next question is about sexually transmitted diseases other than HIV, such as syphilis, gonorrhea, chlamydia, or genital herpes. In the past 12 months has a doctor, nurse or other health professional talked to you about preventing sexually transmitted diseases through condom use?

For respondents less than 65 years old.

		NUMBER IN SAMPLE WHO TALKED TO HEALTH CARE PROVIDER ABOUT PREVENTING STDS THROUGH CONDOM USE			
	WEIGHTED PERCENT		WEIGHTED PERCENT	95% CI	
		TOTAL	117	24.1	19.3, 28.9
		GENDER			
		Female	76	27.3	20.7, 33.9
		Male	41	20.9	14.2, 27.7
		AGE			
		18-24	30	45.5	31.4, 59.7
		25-44	76	25.4	19.1, 31.6
		45-64	11	7.1	2.3, 11.9
		ETHNICITY			
		Hispanic	33	27.5	17.1, 37.9
		Non-Hispanic	84	22.7	17.5, 28
		RACE [†]			
		Black	53	32	23.6, 40.5
		White	57	19.6	13.7, 25.6
		RACE [†] \SEX			
		Black Female	38	32.7	22.6, 42.7
		Black Male	15	31.2	16.8, 45.6
		White Female	36	27.2	17.1, 37.2
		White Male	21	13.5	7.3, 19.8
		MARITAL STATUS			
		Divorced/separated	11	12.7	4.4, 21
		Married	22	12.9	6.8, 19
		Never married	66	36.4	27.6, 45.3
		Unmarried couple	17	59.6	39.7, 79.5
		Widowed	*	*	*
		INCOME			
		Less than \$15,000	24	42.5	26.9, 58.1
		\$15,000-24,999	24	25.2	14.9, 35.4
		\$25,000-49,999	35	26.8	17.1, 36.5
		\$50,000-74,999	10	15.4	4.8, 26
		More than \$75,000	15	14.8	6.8, 22.9

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

FREQUENCY OF ALCOHOL CONSUMPTION

A drink of alcohol is 1 can or bottle of beer, 1 glass of wine, 1 can or bottle of wine cooler, 1 cocktail, or 1 shot of liquor. During the past 30 days, how many days per week or per month did you have at least one drink of any alcoholic beverage?

	WEIGHTED PERCENT		NUMBER IN SAMPLE WHO DRANK WEEKLY DURING PAST 30 DAYS	WEIGHTED PERCENT	95% CI
NONE	41.6	TOTAL	253	37.2	32.6, 41.8
1-3 DAYS/MONTH	21.2	GENDER			
1-7 DAYS/WEEK	37.2	Female	129	28.6	23.1, 34.1
		Male	124	46.3	38.9, 53.6
		AGE			
		18-24	29	41.5	27.2, 55.8
		25-44	137	42.2	35.4, 49.1
		45-64	64	35.3	26.7, 43.9
		65+	23	17.2	9.8, 24.7
		ETHNICITY			
		Hispanic	33	33.1	21.8, 44.3
		Non-Hispanic	220	38.7	33.8, 43.5
		RACE [†]			
		Black	60	25.9	19.1, 32.8
		White	174	45	38.5, 51.4
		RACE [†] \SEX			
		Black Female	39	21.6	14.2, 29.1
		Black Male	21	31.9	19.5, 44.3
		White Female	82	36.4	27.8, 45
		White Male	92	52.5	42.9, 62.1
		HOUSEHOLD TYPE			
		One adult, no children	98	42.7	35.9, 49.5
		One adult, child/ren	17	29.4	17.2, 41.5
		> 1 adult, no children	77	38.9	30.9, 46.9
		> 1 adult, child/ren	61	34.1	26, 42.3
		INCOME			
		Less than \$15,000	13	18	7.1, 28.9
		\$15,000-24,999	33	26.1	16.9, 35.4
		\$25,000-49,999	85	41.5	32.7, 50.3
		\$50,000-74,999	36	41.4	28.1, 54.6
		More than \$75,000	61	53.7	43.2, 64.2
		TOTAL IN SAMPLE	677		

[†]Includes Hispanic and non-Hispanic persons.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

AVERAGE NUMBER OF DRINKS PER DAY

On the days when you drank, about how many drinks did you drink on the average?

For respondents who drank alcohol in the past 30 days.

	WEIGHTED PERCENT		NUMBER IN SAMPLE WHO AVERAGE 3 OR MORE DRINKS ON DAYS WHEN CONSUMING ALCOHOL	WEIGHTED PERCENT	95% CI
		TOTAL	136	39.3	32.9, 45.7
		GENDER			
		Female	62	31.3	23.1, 39.5
		Male	74	46.1	36.6, 55.5
		AGE			
1-2 DRINKS PER DAY	60.7	18-24	29	66.1	49.7, 82.6
3 OR MORE DRINKS PER DAY	39.3	25-44	81	39.6	31.1, 48.2
		45-64	23	28	16.3, 39.7
		65+	*	*	*
		ETHNICITY			
1-2 DRINKS PER DAY	607,307	Hispanic	29	53.4	36.9, 70
3 OR MORE DRINKS PER DAY	393,333	Non-Hispanic	107	34.8	28.5, 41.1
		RACE[†]			
TOTAL IN SAMPLE	397	Black	38	35.2	24.3, 46.1
		White	86	40.8	32.6, 49
		RACE[†]\SEX			
		Black Female	19	20.4	11, 29.7
		Black Male	19	51.8	32.9, 70.8
		White Female	34	32.8	20.8, 44.9
		White Male	52	46.8	35.5, 58.1
		HOUSEHOLD TYPE			
		One adult, no children	43	34.1	25.5, 42.6
		One adult, child/ren	16	42.4	26.4, 58.4
		> 1 adult, no children	36	40	28.8, 51.2
		> 1 adult, child/ren	41	40.7	29.1, 52.3
		INCOME			
		Less than \$15,000	15	41.7	19.5, 63.9
		\$15,000-24,999	24	38.8	24.7, 52.9
		\$25,000-49,999	44	44.6	32.7, 56.6
		\$50,000-74,999	15	29.4	13.3, 45.6
		More than \$75,000	24	29.5	18.2, 40.8

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

FREQUENCY OF DRINKING 5 OR MORE DRINKS

Considering all types of alcoholic beverages, how many times during the past 30 days did you have 5 or more drinks on an occasion?

For respondents who drank alcohol in the past 30 days.

			NUMBER IN SAMPLE WHO BINGE DRANK AT LEAST 3 TIMES DURING PAST MONTH	WEIGHTED PERCENT	95% CI
		TOTAL	63	18	12.8, 23.3
		GENDER			
		Female	22	11.9	4.6, 19.1
		Male	41	23	15.5, 30.6
		AGE			
		18-24	14	31.7	14.1, 49.3
		25-44	39	20	12.8, 27.2
		45-64	9	8.4	2.5, 14.4
		65+	*	*	*
		ETHNICITY			
		Hispanic	10	20.5	5.6, 35.4
		Non-Hispanic	53	17.3	12.3, 22.2
		RACE [†]			
		Black	14	13.6	6.1, 21.1
		White	46	22.1	14.5, 29.7
		RACE [†] \SEX			
		Black Female	6	8.6	1.4, 15.8
		Black Male	8	19	5.5, 32.5
		White Female	15	15.1	3.1, 27.1
		White Male	31	27.2	17.1, 37.2
		HOUSEHOLD TYPE			
		One adult, no children	27	22.3	14.7, 29.9
		One adult, child/ren	7	20.4	6.5, 34.3
		> 1 adult, no children	15	20.4	9.6, 31.2
		> 1 adult, child/ren	14	13.3	6.1, 20.4
		INCOME			
		Less than \$15,000	*	*	*
		\$15,000-24,999	13	20.8	9.6, 31.9
		\$25,000-49,999	22	24.8	13.3, 36.3
		\$50,000-74,999	*	*	*
		More than \$75,000	11	11.9	4.2, 19.6

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

CHRONIC DRINKING RISK

A calculated variable. At risk is defined as respondents who reported that they have had on average two or more drinks per day or 60 or more drinks a month in the past month (based on the total number of drinks per month).

	WEIGHTED PERCENT		NUMBER IN SAMPLE WHO ARE AT RISK FROM CHRONIC DRINKING	WEIGHTED PERCENT	95% CI
		TOTAL	28	4.5	2.5, 6.6
		GENDER			
		Female	6	1.1	0.1, 2.1
		Male	22	8.2	4.1, 12.2
		AGE			
		18-24	*	*	*
		25-44	15	4.8	1.5, 8.1
		45-64	9	5.1	1.4, 8.8
		65+	*	*	*
AT RISK	4.5	ETHNICITY			
NOT AT RISK	95.5	Hispanic	*	*	*
		Non-Hispanic	26	4.7	2.7, 6.8
		RACE[†]			
		Black	6	3.1	0.5, 5.6
		White	21	5.3	2.8, 7.8
		RACE[†]\SEX			
		Black Female	*	*	*
		Black Male	*	*	*
		White Female	*	*	*
		White Male	16	8.3	3.9, 12.6
		HOUSEHOLD TYPE			
		One adult, no children	10	4.7	1.7, 7.6
		One adult, child/ren	*	*	*
		> 1 adult, no children	6	2.9	0.4, 5.4
		> 1 adult, child/ren	11	6.3	1.9, 10.6
		INCOME			
		Less than \$15,000	*	*	*
		\$15,000-24,999	*	*	*
		\$25,000-49,999	8	6.1	1, 11.1
		\$50,000-74,999	*	*	*
		More than \$75,000	8	6.4	1.9, 10.8
		WEIGHTED FREQUENCY			
AT RISK	79,022				
NOT AT RISK	1,667,396				
TOTAL IN SAMPLE	674				

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

BINGE DRINKING RISK

A calculated variable. At risk is defined as respondents who reported that they have had alcoholic beverages in the past month and have had five or more alcoholic drinks on one or more occasions in the past month.

	WEIGHTED PERCENT	NUMBER IN SAMPLE WHO ARE AT RISK FROM BINGE DRINKING	WEIGHTED PERCENT	95% CI
TOTAL		127	20.4	16.4, 24.4
GENDER				
Female		55	13.4	8.9, 17.9
Male		72	27.8	21.1, 34.4
AGE				
18-24		24	35	20.9, 49.1
25-44		80	25.2	19.2, 31.1
45-64		21	12	5.9, 18.1
65+		*	*	*
ETHNICITY				
Hispanic		22	24.9	14, 35.9
Non-Hispanic		105	18.9	15, 22.8
RACE[†]				
Black		25	11.8	6.7, 16.9
White		93	27.9	21.6, 34.1
RACE[†]\SEX				
Black Female		13	7.2	3.1, 11.4
Black Male		12	18.3	7.8, 28.7
White Female		38	19.7	11.5, 28
White Male		55	35.1	25.9, 44.4
HOUSEHOLD TYPE				
One adult, no children		50	23.7	17.7, 29.7
One adult, child/ren		11	20.2	9.1, 31.2
> 1 adult, no children		38	24	16.1, 31.8
> 1 adult, child/ren		28	15.6	9.5, 21.7
INCOME				
Less than \$15,000		10	13.6	4.5, 22.6
\$15,000-24,999		19	16.1	8.3, 23.9
\$25,000-49,999		41	21.3	13.7, 29
\$50,000-74,999		12	12.9	4.2, 21.6
More than \$75,000		29	27.5	17.7, 37.4

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

DRINKING AND DRIVING RISK

A calculated variable. At risk is defined as respondents who drove at least once in the past 30 days when they perhaps had too much to drink. Not at risk is defined as respondents who did not drive when they perhaps had too much to drink in the past 30 days.

	WEIGHTED PERCENT	NUMBER IN SAMPLE WHO DID NOT DRINK AND DRIVE IN PAST 30 DAYS	WEIGHTED PERCENT	95% CI	
AT RISK	2.1	TOTAL	661	97.9	96.7, 99.1
NOT AT RISK	97.9	GENDER			
		Female	402	98.5	97.1, 99.9
		Male	259	97.2	95.3, 99.2
		AGE			
		18-24	69	99.6	98.7, 100
		25-44	291	97.2	95.1, 99.3
		45-64	187	97.8	95.3, 100
		65+	113	98.7	96, 100
		ETHNICITY			
		Hispanic	106	98.4	96.1, 100
		Non-Hispanic	553	97.7	96.3, 99.1
		RACE [†]			
		Black	252	98	95.9, 100
		White	365	97.5	95.8, 99.2
		RACE [†] \SEX			
		Black Female	171	98.4	95.8, 100
		Black Male	81	97.6	94, 100
		White Female	208	98.7	97.3, 100
		White Male	157	96.5	93.6, 99.4
		HOUSEHOLD TYPE			
		One adult, no children	228	97.3	95.1, 99.6
		One adult, child/ren	60	96.4	91, 100
		> 1 adult, no children	192	97.9	95.8, 99.9
		> 1 adult, child/ren	181	98.4	96.4, 100
		INCOME			
		Less than \$15,000	77	99.5	98.4, 100
		\$15,000-24,999	120	97.7	94.9, 100
		\$25,000-49,999	193	96.2	93, 99.5
		\$50,000-74,999	81	98.1	95.5, 100
		More than \$75,000	112	98.3	96.2, 100

[†]Includes Hispanic and non-Hispanic persons.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

EVER SMOKED

Have you smoked at least 100 cigarettes in your entire life? (5 packs = 100 cigarettes)

			NUMBER IN SAMPLE WHO EVER SMOKED	WEIGHTED PERCENT	95% CI
		TOTAL	320	45	40.4, 49.7
		GENDER			
	WEIGHTED PERCENT	Female	176	40.7	34.9, 46.6
		Male	144	49.6	42.2, 56.9
YES	45	AGE			
NO	55	18-24	29	45.8	31.7, 59.8
		25-44	119	38.2	31.5, 44.9
	WEIGHTED FREQUENCY	45-64	106	53.3	44.4, 62.3
YES	799,827	65+	65	52.6	41.7, 63.5
NO	976,661	ETHNICITY			
		Hispanic	40	39.3	28, 50.7
		Non-Hispanic	278	46.9	42, 51.8
		RACE[†]			
		Black	114	42.7	35.4, 50
		White	186	48.3	41.8, 54.7
		RACE[†]\SEX			
		Black Female	70	38.8	30.3, 47.4
		Black Male	44	48.2	35.5, 61
		White Female	98	45.9	37.2, 54.6
		White Male	88	50.4	40.9, 59.9
		HOUSEHOLD TYPE			
		One adult, no children	123	51.4	44.5, 58.2
		One adult, child/ren	26	38.9	26.3, 51.5
		> 1 adult, no children	94	48.5	40.5, 56.5
		> 1 adult, child/ren	77	39.7	31.4, 47.9
		INCOME			
		Less than \$15,000	43	51.2	36.7, 65.7
		\$15,000-24,999	67	52.4	42.1, 62.7
		\$25,000-49,999	95	44.5	35.8, 53.3
		\$50,000-74,999	31	31.6	19.9, 43.3
		More than \$75,000	47	39.6	29.5, 49.7

[†]Includes Hispanic and non-Hispanic persons.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

SMOKING FREQUENCY

Do you now smoke cigarettes every day, some days, or not at all?

For respondents who have smoked 100 cigarettes in their entire life.

	WEIGHTED PERCENT		NUMBER OF EVER SMOKERS WHO STILL SMOKE	WEIGHTED PERCENT	95% CI
		TOTAL	162	61.1	54.8, 67.4
		GENDER			
		Female	80	53.3	44.1, 62.6
		Male	82	67.8	59.3, 76.4
		AGE			
EVERY DAY	37	18-24	24	92.3	84.7, 99.9
SOME DAYS	24.1	25-44	75	71.8	63.1, 80.4
NOT AT ALL	38.9	45-64	47	46.1	34.9, 57.4
		65+	15	25.9	13, 38.7
		ETHNICITY			
		Hispanic	23	74.3	60.3, 88.2
		Non-Hispanic	138	57.3	50.6, 64
		RACE†			
		Black	61	62	52, 72
		White	88	58.3	49.5, 67.1
		RACE†\SEX			
		Black Female	38	61.4	48.6, 74.3
		Black Male	23	62.6	46.9, 78.3
		White Female	37	46.7	32.7, 60.6
		White Male	51	67.6	56.4, 78.9
		HOUSEHOLD TYPE			
		One adult, no children	48	41.9	32.6, 51.2
		One adult, child/ren	17	68.6	49.8, 87.3
		> 1 adult, no children	46	56.9	45.6, 68.3
		> 1 adult, child/ren	51	76.1	66.7, 85.5
		INCOME			
		Less than \$15,000	29	77.4	64.8, 89.9
		\$15,000-24,999	34	57.8	43.8, 71.7
		\$25,000-49,999	47	63	51.6, 74.4
		\$50,000-74,999	16	52.9	31.6, 74.2
		More than \$75,000	16	42.3	26.1, 58.4

†Includes Hispanic and non-Hispanic persons.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

SMOKING STATUS

A calculated variable.

“Current smoker” is defined as a respondent who reported smoking 100 cigarettes in a lifetime and now smokes everyday or some days.

“Former smoker” is defined as a respondent who reported smoking 100 cigarettes in a lifetime but currently does not smoke. “Non-smoker” is defined as a respondent who reported never having smoked 100 cigarettes in a lifetime.

		NUMBER IN SAMPLE WHO ARE CURRENT SMOKERS	WEIGHTED PERCENT	95% CI	
		TOTAL	162	27.5	23, 31.9
		GENDER			
		Female	80	21.7	16.3, 27.1
		Male	82	33.6	26.5, 40.7
		AGE			
		18-24	24	42.2	28.1, 56.4
		25-44	75	27.4	21, 33.9
		45-64	47	24.6	17.2, 32
		65+	15	13.5	6.2, 20.9
		ETHNICITY			
		Hispanic	23	29.2	17.9, 40.5
		Non-Hispanic	138	26.9	22.3, 31.4
		RACE[†]			
		Black	61	26.4	19.7, 33.1
		White	88	28.1	21.8, 34.5
		RACE[†]\SEX			
		Black Female	38	23.8	16, 31.5
		Black Male	23	30.2	18.3, 42.1
		White Female	37	21.4	12.8, 30
		White Male	51	34.1	24.8, 43.3
		HOUSEHOLD TYPE			
		One adult, no children	48	21.4	15.8, 27.1
		One adult, child/ren	17	26.7	15.2, 38.2
		> 1 adult, no children	46	27.6	19.9, 35.4
		> 1 adult, child/ren	51	30.2	22.3, 38.1
		INCOME			
		Less than \$15,000	29	39.6	25.7, 53.5
		\$15,000-24,999	34	30.3	20.3, 40.3
		\$25,000-49,999	47	28.1	19.6, 36.5
		\$50,000-74,999	16	16.7	7.3, 26.1
		More than \$75,000	16	16.7	8.6, 24.8

[†]Includes Hispanic and non-Hispanic persons.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

QUIT SMOKING

During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit smoking?

For respondents who smoke cigarettes everyday or some days.

	WEIGHTED PERCENT	NUMBER OF SMOKERS WHO HAVEN'T TRIED TO QUIT IN PAST YEAR	WEIGHTED PERCENT	95% CI	
		TOTAL	52	36.4	26.5, 46.3
		GENDER			
		Female	27	39.3	23.8, 54.7
		Male	25	34.5	21.7, 47.3
		AGE			
		18-24	11	58.4	35.7, 81.1
YES	63.6	25-44	20	27.1	15, 39.2
NO	36.4	45-64	17	35.3	18.9, 51.8
		65+	*	*	*
		ETHNICITY			
		Hispanic	7	43.2	18.3, 68.2
YES	310,326	Non-Hispanic	44	33.7	24, 43.3
NO	177,738	RACE[†]			
		Black	19	35.7	20.7, 50.6
		White	30	40.7	26.3, 55.2
		RACE[†]\SEX			
		Black Female	12	36.8	17.4, 56.2
		Black Male	7	34.4	11.3, 57.5
		White Female	13	41.7	15.8, 67.5
		White Male	17	40.2	23, 57.5
		HOUSEHOLD TYPE			
		One adult, no children	15	33.7	19.3, 48.2
		One adult, child/ren	*	*	*
		> 1 adult, no children	14	38.2	20.1, 56.2
		> 1 adult, child/ren	19	37.8	22.1, 53.5
		INCOME			
		Less than \$15,000	9	31.1	10.7, 51.5
		\$15,000-24,999	8	29	8.8, 49.3
		\$25,000-49,999	14	34.2	15, 53.4
		\$50,000-74,999	6	33.1	6.6, 59.6
		More than \$75,000	8	48.4	21.4, 75.4
TOTAL IN SAMPLE	162				

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

BODY MASS INDEX (BMI)

A calculated variable based on the following questions: About how much do you weigh without shoes? About how tall are you without shoes? Then categorized according the following guidelines:

Underweight < 18.5
 Normal weight 18.5-24.9
 Overweight 25-29.9
 Obese 30-39.9
 Morbidly Obese 40+

(Example: A 5 foot tall person weighing 200 pounds has a BMI of 39.1 and is considered obese.)

	WEIGHTED PERCENT
UNDERWEIGHT	6
NORMAL WEIGHT	36.3
OVERWEIGHT	34.2
OBESE/ MORBIDLY OBESE	23.5

	WEIGHTED FREQUENCY
UNDERWEIGHT	106,610
NORMAL WEIGHT	645,787
OVERWEIGHT	609,490
OBESE/ MORBIDLY OBESE	419,324
TOTAL IN SAMPLE	683

	NUMBER IN SAMPLE WHO ARE OBESE/ MORBIDLY OBESE	WEIGHTED PERCENT	95% CI
TOTAL	164	23.5	19.5, 27.5
GENDER			
Female	111	26.3	21.1, 31.5
Male	53	20.6	14.6, 26.7
AGE			
18-24	11	14.7	4.8, 24.6
25-44	66	22.4	16.7, 28.1
45-64	61	33.9	25.1, 42.6
65+	25	18.8	10.6, 27
ETHNICITY			
Hispanic	28	24.5	14.8, 34.1
Non-Hispanic	135	23.2	19, 27.4
RACE[†]			
Black	85	28.6	22.1, 35.1
White	71	20.6	15.1, 26.1
RACE[†]\SEX			
Black Female	66	34.5	26, 43
Black Male	19	20.2	10.8, 29.6
White Female	41	20.8	13.9, 27.7
White Male	30	20.4	12.1, 28.7
HOUSEHOLD TYPE			
One adult, no children	54	21.3	15.9, 26.6
One adult, child/ren	26	42.6	29.8, 55.5
> 1 adult, no children	42	21.4	15, 27.8
> 1 adult, child/ren	42	24.2	16.7, 31.6
INCOME			
Less than \$15,000	28	32	17.9, 46
\$15,000-24,999	40	33.2	23.1, 43.3
\$25,000-49,999	53	24	16.9, 31.1
\$50,000-74,999	13	14.5	6.3, 22.6
More than \$75,000	14	15	7.3, 22.7

[†]Includes Hispanic and non-Hispanic persons.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

FIREARMS IN HOME

Are any firearms kept in or around your home? Please include weapons such as pistols, shotguns, and rifles; but not BB guns, starter pistols, or guns that cannot fire. Include those firearms kept in a garage, outdoor storage area or motor vehicle.

	WEIGHTED PERCENT		NUMBER IN SAMPLE WHO KEPT FIREARMS IN/AROUND THEIR HOME	WEIGHTED PERCENT	95% CI
		TOTAL	55	9	6.2, 11.7
		GENDER			
		Female	20	4.6	2.4, 6.9
		Male	35	13.4	8.5, 18.4
		AGE			
		18-24	*	*	*
		25-44	24	10.8	6, 15.6
		45-64	15	8.1	3.6, 12.5
		65+	11	8.9	3.1, 14.8
		ETHNICITY			
		Hispanic	*	*	*
		Non-Hispanic	50	9.9	6.8, 13
		RACE[†]			
		Black	26	11.9	6.6, 17.1
		White	25	6.6	3.7, 9.4
		RACE[†]\SEX			
		Black Female	13	7.1	2.8, 11.4
		Black Male	13	18.4	7.8, 29
		White Female	6	2.6	0.4, 4.9
		White Male	19	10	5.1, 14.9
		HOUSEHOLD TYPE			
		One adult, no children	15	7.1	3.4, 10.7
		One adult, child/ren	*	*	*
		> 1 adult, no children	23	12.2	7, 17.3
		> 1 adult, child/ren	12	7.1	2.6, 11.6
		INCOME			
		Less than \$15,000	*	*	*
		\$15,000-24,999	7	6.6	0.8, 12.4
		\$25,000-49,999	15	7.7	3.3, 12
		\$50,000-74,999	9	13.6	3.7, 23.5
		More than \$75,000	15	13	6, 20

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

FIREARMS LOADED AND UNLOCKED

Are any of these firearms now loaded?

For respondents who keep firearms in or around their home.

	WEIGHTED PERCENT
YES	22.1
NO	77.9
	WEIGHTED FREQUENCY
YES	31,437
NO	110,890
TOTAL IN SAMPLE	53

Are any of these loaded firearms also unlocked? By unlocked, we mean you do not need a key or combination to get the gun or to fire it. We don't count a safety as a lock.

For respondents who keep loaded firearms in or around their home.

	WEIGHTED PERCENT
YES	82.8
NO	17.2
	WEIGHTED FREQUENCY
YES	76,516
NO	15,935
TOTAL IN SAMPLE	14

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

SUNBURN

Have you had a sunburn within the past 12 months? Including anytime that even a small part of your skin was red for more than 12 hours.

	WEIGHTED PERCENT		NUMBER IN SAMPLE WHO HAD A SUNBURN IN PAST 12 MONTHS	WEIGHTED PERCENT	95% CI
		TOTAL	154	19.8	16.3, 23.3
		GENDER			
		Female	85	19.7	14.8, 24.7
		Male	69	19.9	14.8, 24.9
		AGE			
YES	19.8	18-24	19	21.3	9.5, 33.2
NO	80.2	25-44	94	25.9	20.4, 31.4
		45-64	36	15.5	10, 21
		65+	*	*	*
		ETHNICITY			
YES	351,887	Hispanic	20	16	7.5, 24.6
NO	1,425,136	Non-Hispanic	134	21.1	17.4, 24.9
		RACE[†]			
		Black	16	4.9	2.2, 7.5
		White	131	33.5	27.5, 39.5
		RACE[†]\SEX			
		Black Female	11	5.6	2, 9.2
		Black Male	*	*	*
		White Female	69	34.1	25.5, 42.7
		White Male	62	33	24.6, 41.4
		HOUSEHOLD TYPE			
		One adult, no children	59	26.4	20.3, 32.5
		One adult, child/ren	7	11.9	
		> 1 adult, no children	54	23.9	17, 30.8
		> 1 adult, child/ren	34	14	9, 19
		INCOME			
		Less than \$15,000	9	11	3.2, 18.8
		\$15,000-24,999	19	12.6	6.6, 18.7
		\$25,000-49,999	46	21	13.5, 28.4
		\$50,000-74,999	22	26.2	15, 37.4
		More than \$75,000	47	37.1	27.3, 46.8

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

FREQUENCY OF SUNBURNS

Including times when even a small part of your skin was red for more than 12 hours, how many sunburns have you had within the past 12 months?

For respondents who had a sunburn in the past 12 months.

	WEIGHTED PERCENT	NUMBER OF SUNBURN VICTIMS WITH 2 OR MORE EPISODES IN PAST 12 MONTHS	WEIGHTED PERCENT	95% CI
TOTAL		108	65.9	55.6, 76.2
GENDER				
Female		55	55.4	40.6, 70.2
Male		53	77.2	65.2, 89.2
AGE				
18-24		11	42.7	13.2, 72.2
25-44		68	69.5	58.5, 80.5
45-64		27	82.5	69.8, 95.3
65+		*	*	*
ETHNICITY				
Hispanic		11	44.8	15.7, 73.8
Non-Hispanic		97	71.1	62.2, 80
RACE[†]				
Black		8	51	22.8, 79.2
White		98	70.2	58.7, 81.7
RACE[†]\SEX				
Black Female		6	51.7	18.3, 85.2
Black Male		*	*	*
White Female		48	60	42.1, 77.9
White Male		50	79.6	67.2, 92
HOUSEHOLD TYPE				
One adult, no children		42	72	59.9, 84.1
One adult, child/ren		6	83.4	54.1, 100
> 1 adult, no children		40	69.5	51.1, 87.9
> 1 adult, child/ren		20	53.2	34.2, 72.2
INCOME				
Less than \$15,000		*	*	*
\$15,000-24,999		13	65.3	39.7, 91
\$25,000-49,999		31	59.2	37.7, 80.7
\$50,000-74,999		15	59.9	34.6, 85.3
More than \$75,000		38	81.8	69.7, 93.9

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

POOR INDOOR AIR QUALITY

Things like dust, mold, smoke and chemicals inside the home or office can cause poor indoor air quality. In the past 12 months have you had an illness or symptom that you think was caused by something in the air inside a home, office or other building? Include an illness or symptom within the past 12 months that was caused by something in the air you encountered over 12 months ago.

	WEIGHTED PERCENT	NUMBER IN SAMPLE WHO HAD AN INDOOR AIR QUALITY-RELATED ILLNESS/SYMPTOM	WEIGHTED PERCENT	95% CI	
		TOTAL	166	23.8	19.8, 27.9
		GENDER			
		Female	110	27.3	21.7, 32.9
		Male	56	20.2	14.6, 25.8
		AGE			
		18-24	23	31.9	18.1, 45.6
		25-44	74	23.2	17.6, 28.9
		45-64	57	27.2	19.8, 34.6
		65+	11	9	3.4, 14.6
		ETHNICITY			
		Hispanic	23	16.5	8, 25
		Non-Hispanic	142	26.3	21.9, 30.8
		RACE[†]			
		Black	67	26.9	20.2, 33.6
		White	85	21.4	16.1, 26.7
		RACE[†]\SEX			
		Black Female	50	29.4	21.1, 37.6
		Black Male	17	23.4	12.2, 34.6
		White Female	51	23.6	15.4, 31.7
		White Male	34	19.5	12.7, 26.4
		HOUSEHOLD TYPE			
		One adult, no children	54	22.3	16.7, 27.9
		One adult, child/ren	15	25.5	14.1, 36.9
		> 1 adult, no children	53	25.2	18.1, 32.3
		> 1 adult, child/ren	44	23.1	16.1, 30.1
		INCOME			
		Less than \$15,000	23	28.7	16, 41.3
		\$15,000-24,999	26	15.4	9.2, 21.6
		\$25,000-49,999	51	24.1	16.5, 31.6
		\$50,000-74,999	21	27.3	14.7, 39.8
		More than \$75,000	29	29.2	19.1, 39.2
		TOTAL IN SAMPLE			
			680		
YES	23.8				
NO	76.2				
		WEIGHTED FREQUENCY			
YES	422,538				
NO	1,349,461				

[†]Includes Hispanic and non-Hispanic persons.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.

OUTDOOR AIR POLLUTION

Things like smog, automobile exhaust and chemicals can cause outdoor air pollution. In the past 12 months have you had an illness or symptom that you think was caused by pollution in the air outdoors? Include an illness or symptom within the past 12 months that was caused by something in the air you encountered over 12 months ago. Do not include natural agents like pollen or dust in outdoor air.

	WEIGHTED PERCENT	NUMBER IN SAMPLE WHO HAD AN OUTDOOR AIR QUALITY-RELATED ILLNESS/SYMP TOM	WEIGHTED PERCENT	95% CI	
		TOTAL	103	15.3	11.8, 18.9
		GENDER			
		Female	65	16.9	11.9, 22
		Male	38	13.7	8.9, 18.5
		AGE			
		18-24	13	21.2	8, 34.4
		25-44	51	17.6	12.4, 22.8
		45-64	29	11.3	6.7, 15.9
		65+	10	7.6	2.5, 12.7
		ETHNICITY			
		Hispanic	7	7.2	0, 14.5
		Non-Hispanic	95	18.1	14.1, 22.1
		RACE[†]			
		Black	42	17.6	11.7, 23.4
		White	56	15	10, 19.9
		RACE[†]\SEX			
		Black Female	27	16.3	9.4, 23.3
		Black Male	15	19.3	9.2, 29.4
		White Female	34	17.6	9.5, 25.7
		White Male	22	12.7	6.8, 18.6
		HOUSEHOLD TYPE			
		One adult, no children	35	15.4	10.4, 20.3
		One adult, child/ren	11	19	8.6, 29.4
		> 1 adult, no children	34	18.4	11.5, 25.3
		> 1 adult, child/ren	23	12	6.7, 17.3
		INCOME			
		Less than \$15,000	16	18	7.4, 28.5
		\$15,000-24,999	13	11.5	4.4, 18.6
		\$25,000-49,999	34	17.8	10.4, 25.2
		\$50,000-74,999	9	11.2	2.4, 20
		More than \$75,000	19	17.2	9.4, 24.9
		TOTAL IN SAMPLE			
YES	15.3				
NO	84.7				
	WEIGHTED FREQUENCY				
YES	268,671				
NO	1,482,460				

[†]Includes Hispanic and non-Hispanic persons.

Note: If a skip pattern is not mentioned following a question, it was asked of all participants.