2800-3000 E. 106th Street, Chicago, IL

June 14, 2022 6:00 – 8:00 PM

Agenda

- I. Welcome and Introduction
- II. DPD Context / Site Details
- III. Developer (Transport Properties) Presentation
- IV. Task Force Only Discussion
- V. Adjourn

DPD Context

New Planned Developments / Amendments

REQUIREMENTS

(Municipal Code of Chicago, Title 17 Section 8-0509-A & B)

All new development within one hundred (100) feet of Chicago waterways be processed as Planned Developments.

Applies to the following waterways: Chicago River Main Branch and North Branch Canal, Chicago River South Branch and South Fork of the South Branch, North Shore Channel, Chicago Sanitary and Ship Canal, Calumet River and Lake Calumet, Little Calumet River, Grand Calumet River, Wolf Lake, Des Plaines River


Calumet Design Guidelines

Applicability (Municipal Code of Chicago, Title 17 Section 11-0401 B & C)

Applicable to all new construction of any building or vehicular use area on sites larger than 4 acres and all new planned developments within the Lake Calumet Landscape Area defined in the Calumet Design Guidelines (Adopted by CPC on March 11, 2004).

Planned Development Review Process





Regulation Context

Adopted by CPC in 2004


Reflects the Calumet Open Space Reserve Plan (2005) and Calumet Land Use Plan (2002)


More recent planning activities not reflected (IIPD, USACE, DPD work).

Next steps: What else should we be thinking about?

Calumet Design Guidelines

February 2004





CITY OF CHICAGO RICHARD M. DALEY, MAYOR


DEPARTMENT OF PLANNING AND DEVELOPMENT ALICIA MAZUR BERG, COMMISSIONER

Calumet Design Guidelines

All new planned developments within geography must comply with Calumet Design Guidelines (2004)

Key differences:

- Focus on the entire landscape wetlands, not just the edges.
- Prioritizes habitat and stormwater
- More Barge Activity Deeper river
- Dredged for sea-faring vessels.



Design Objectives


Provide guidelines for lake and river shorelines as well as, parking areas, stormwater BMPs and other landscaping and stormwater management components

Design Standards


River Dependent: Priority given to loading and unloading operations with direct waterway access


River Non-Dependent: Property is developed adjacent to water bodies, but the use does not require waterway access

River Dependent



River Non-dependent





Site Details





Developer Presentation

Former Wisconsin Steel Site

2800-3000 E. 106th Street, Chicago, IL

Historical Uses

Past Uses

- This portion of the Calumet River has been used for industrial purposes since the 1870's
- By 1901, this specific property was developed. A canal transected it and several rail spurs entered it, suggesting it was developed as an intermodal facility (barge to rail)
- By 1938, the canal was filled, and the site was occupied by Wisconsin Steel and utilized for bulk storage purposes of raw materials related to the steel industry (i.e. coal, coke, mulch, limestone, raw steel/iron ingots, flue dust, and slag)

Recent Uses


- George J. Beemsterboer, ("GJB") Inc. acquired the property from Wisconsin Steel in 1982. GJB used the site for the bulk storage of raw materials related to the steel industry and for the bulk storage of similar and other various materials that were stored in aboveground piles and then shipped to/from the site via trucks and barges.
- The materials reportedly stored on site mainly included coal, coke, mulch, limestone, raw steel/iron ingots, flue dust, and slag.
- More recently, it has been vacant land with the exception of the western portion of the site that until recently was utilized by National Pipeline for material staging purposes (i.e. steel and PVC pipes, elbows and fittings)
- Currently the site's only activity is the storage of barges on the perimeter on a temporary basis


Planned Development


- Current Ownership desires to invest over \$11MM in new improvements to the site, including up to \$1MM to remove and properly dispose of any remaining environmentally impacted soils
- Generally, the site will be improved to be a high quality truck and trailer storage facility
- This plan is consistent with current zoning (Planned Manufacturing District 6 (Lake Calumet)) and with the historical uses of the site since the late 1800's as industrial
- Ownership also desires to maintain and protect the intermodal capability of the site by improving the perimeter sea wall and barge docking facilities on site

Environmental Background

- Environmental site investigations have been investigated by multiple parties since 2014
- In March 2019, approximately 90,000 tons of flue dust was removed from the site as required in a Consent Order between the State of Illinois and Beemsterboer dated September 4, 2019
- In 2020, the site was re-graded to level former bermed areas, and all remaining above ground fuel storage tanks were removed in accordance with IEPA guidelines
- Ownership is pursuing a voluntary final clean up of the site with IEPA approval.
 This final clean up plan involves removing impacted soils from four separate areas of the property, backfilling with clean fill, and providing a protective cap in the form of an asphalt parking lot and surrounding bio-retention areas.
- The improved site will greatly benefit the surrounding area and Calumet River ecosystem from a drainage standpoint.








AGO, ILLINOIS CHIC/ CONCEPT

LEC.CHIL01



00 01 02 04 06 10 15 21 27 13 27 12 14 17 14 13 14 17 22 28 31 28 22 18 15 14 15 18 23 28 31 28 22 18 15 15 15 18 12 28 31 28 22 18 15 16 12 08 05 03 01 00 00 b.1 02 04 06 08 1.0 1.4 1.8 2.1 22 22 1.9 1.7 1.6 1.6 1.6 1.7 1.9 20 2.1 20 1.8 1.7 1.6 1.6 1.6 1.8 1.9 20 20 1.8 1.6 1.5 1.5 1.6 1.8 1.9 20 20 1.7 1.4 1.2 1.0 0.7 0.5 0.3 0.1 0.0 0.0 0.0 RIVE Lightworks 00 to 0.0 to 0.1 to 0.1 to 0.2 ZONE: PMD 6 5.0 to 50 to 50 to 51 to 50 to 00 01 01 02 02 03 03 04 04 04 04 05 06 07 09 11 13 16 20 24 25 25 22 19 17 16 17 18 21 24 25 24 21 18 17 16 16 18 20 24 24 21 18 17 16 16 18 20 24 25 25 20 17 16 16 18 20 24 25 20 17 16 16 18 20 24 25 20 17 16 16 18 20 24 24 21 18 17 16 16 18 20 24 25 26 27 27 29 30 26 21 17 16 16 18 20 24 25 20 17 16 16 18 20 24 24 21 18 17 16 16 18 20 24 25 26 27 29 20 25 20 17 16 16 18 20 24 25 20 17 16 16 18 20 24 25 20 17 16 16 18 20 24 25 26 27 27 29 30 26 21 17 16 16 18 20 24 25 20 17 16 16 18 20 24 25 20 17 16 16 18 20 24 25 26 27 29 20 25 20 17 16 16 18 20 24 25 26 27 29 20 25 20 17 16 16 18 20 24 25 26 27 29 20 25 20 17 16 16 18 20 24 25 26 27 27 29 30 26 21 17 16 16 18 20 24 25 26 27 27 29 30 26 21 17 16 16 18 20 24 25 26 27 29 20 25 20 17 16 16 18 20 24 25 26 27 29 20 25 20 17 16 16 18 20 24 25 26 27 29 20 25 20 17 16 16 18 20 24 25 26 27 29 20 25 20 17 16 16 18 20 24 25 26 27 29 20 25 20 17 16 16 18 20 24 25 26 27 29 20 25 20 17 16 16 18 20 24 25 26 27 29 20 25 20 17 16 16 18 20 24 25 26 27 29 20 25 20 17 16 16 18 20 24 25 26 27 29 20 25 20 17 16 16 18 20 24 25 26 27 27 29 20 25 20 17 16 16 18 20 24 25 26 27 29 20 25 20 17 16 16 18 20 24 25 26 27 29 20 25 20 17 16 16 18 20 24 25 26 27 29 20 25 20 17 16 16 18 20 24 25 26 27 29 20 25 20 17 16 16 18 20 24 25 26 27 29 20 25 20 17 16 16 18 20 24 25 26 27 29 20 25 20 17 16 16 18 20 24 25 26 27 29 20 25 20 17 16 16 18 20 24 25 26 27 29 20 25 20 17 16 16 18 20 24 25 26 27 29 20 25 20 17 16 16 18 20 24 25 26 27 20 25 20 27 20 25 20 25 20 27 20 25 20 27 20 25 20 25 20 27 20 25 20 25 20 27 20 25 20 25 20 27 20 25 20 25 20 27 20 25 20 25 20 27 20 25 20 25 20 27 20 25 20 25 20 27 20 25 20 25 20 27 20 25 20 25 20 27 20 25 20 25 20 27 20 25 20 25 20 27 20 25 20 25 20 27 20 25 20 2 1. The calculated results of this lighting simulation represent a prediction of system performance and are not guaranteed All Values ECF-L-96L-1_2A-NW-G2-4-HIS 2. Actual measured results may vary from the anticipated performance and are subject to means and conditions which are beyond the control of DB Lighting Consultation. 3. Illumination values shown (in foot-candles) are horizontal at grade level based or 4. Calculation points are on an 15' x 15' spacing 5. Per fixture isolines shown represent 0.25 fc and is for reference only ZONE: PMD 6 **ZONE: PD 1155**

> 24" x 36" Page 1 of 1


cag


106th


2022-

Revisions

Scale: 1 inch= 80 Ft.









2800 E. 106TH ST. CITY OF CHICAGO, ILLINOIS

OVERALL RIVER CROSS SECTION **TP 106TH DEVELOPMENT**





MGR.: KJC

ASSOC.: MDE


MDE


06-08-22

E: 1"=10'

SHEET

3 of 4
LEC.CHIL02





CONStruction Managers • Environmental Scientists • Landscape Architects • Planners

2800 E. 106TH ST. CITY OF CHICAGO, ILLINOIS
OVERALL RIVER CROSS SECTION PLAN

J. MGR.: KJC

J. ASSOC.: MDE

WN BY: MDE

E: 06-08-22

LE: 1"=10'

SHEET

4 OF 4

LEC.CHII 02