

DEPARTMENT OF FLEET AND FACILITY MANAGEMENT

CITY OF CHICAGO

FORM NO. 2FM.RADIUM.PRIVATE.06 (CARNOTITE Private Property)

Notice is hereby given that environmental contamination associated with the Former Carnotite Reduction Company site may be present within or near the location for which you have requested a permit. Proper safeguards must be employed when performing work at this site in order to avoid potential threats to human health and safety and the environment. The Illinois Emergency Management Agency (IEMA) is the lead regulatory agency for contamination associated with the Carnotite site.

A file containing detailed information regarding the environmental contamination which may be present in the vicinity of the proposed work location is available for review at the City of Chicago Department of Fleet and Facility Management (2FM) at 30 N. LaSalle St., 3rd Floor, Chicago, Illinois 60602 during normal business hours (8:30AM - 4:30PM, Monday through Friday). Contact (312) 744-7204 for an appointment. If the proposed work at the site involves excavation, exposure of soil, or soil disturbance, this file must be reviewed and the remainder of this form completed before the permit can be issued. Please note that for some locations, additional health and safety procedures may be required by law.

Please complete the following:

I have reviewed and understand the documents maintained by 2FM regarding potential environmental contamination at the site. Further, I will ensure that all work at the site, and any monitoring required, including but not limited to radiation monitoring, will be performed in a manner that is protective of human health and the environment and in compliance with all applicable local, state, and federal laws, rules, and regulations, especially those pertaining to worker safety and waste management. I will ensure that the results of any radiation monitoring and/or surveying conducted shall be provided to 2FM for forwarding to IEMA and to the United States Environmental Protection Agency (via fax to 312.692.2469 or 312.692.2466) within two (2) weeks of their completion. If surface gamma scans exceeding two times the background count rate are detected, I will immediately contact the IEMA at 217-782-7860 and request connection to Kelly Grahn or Kelly Horn in the Environmental Management Section. I will also immediately notify the United States Environmental Protection Agency at (312) 353-2318 and request connection to Verneta Simon or Dan Haag.

Applicant Name (print) ______ Signature _____

Site Address and Work Location (Describe exact site location and attach map):

Description of Work			
(Attach additional details	as necessary)		
Company Name, Address,	Phone No.		
General / Prime Contracto (Include subcontractor inf			
Safety Officer / Phone No			
Check if City Department	Work 🗆 Department Name		
Permit No.:			
Today's Date	Expected Start Date	2FM Approval / Date	
business hours (8:30 AM -	4:30 PM, Monday through Friday).	N. LaSalle St., Suite 300, Chicago, Illinois 60602 during n	ormal
For 2FM Use Only		Revised August 10), 2016