#### CITY OF CHICAGO DEPARTMENT OF PROCUREMENT SERVICES ROOM 403, CITY HALL, 121 N. LASALLE STREET

INCP	Form	Rev	
------	------	-----	--

### JUSTIFICATION FOR NON-COMPETITIVE PROCUREMENT

For contract(s) in this request, answer applicable questions in each enterparation of Non-Competitive Procurement Form on the reverse s			
Request that negotiations be conducted only with Safe Boats Inter-	rnational for the	product and/or coming a	1 11
			escribed herein.
Delegate Agency (Check one). If Delegate Agency, this r	, copy attached) or _x	Term Agreen	ment or
(4)			
(Program Name) (Attach	List) Pre-Assigned Specification Pre-Assigned Contract No.	No	
CALDITURE	and a some act into		
COMPLETE THIS SECTION IF AMENDMENT O	R MODIFICATION TO CON	TDACT	
Describe in detail the change in terms of dollars, time period, scope the change. Indicate both the original and the adjusted contract amo	of services, etc., its relationship to the	Original contract and the	
the change. Indicate both the original and the adjusted contract amos supporting documents. Request approval for a contract amendment	ount and/or expiration date with this cha or modification to the following:	inge, as applicable. Attach	copy of all
Contract #; Specification #	6		
Specification #	<ul> <li>Company or Agency Name</li> </ul>	:	
Modification #:	Carrier	iption:	
	(Attach List, if multiple)		
f.t. t. Amintonham to	(*)		
Criginator Name 312-742-3205 Telephone			
	Signature	Department	Date
ndicate SEE ATTACHED in each box below if additional space need	1 (	P	Date
his request is for the 1rd in a series of males	accorde arthurth craft 12	arine & Helicopter U presently in production	Init. The firs
his request is for the 3rd in a series of malana	ssels for the Chicago Police Ma 005. A second similar craft is part of the Chicago	arine & Helicopter U presently in production	Init. The firs
This request is for the 3rd in a series of replacement versions. The content of the series of replacement versions at the content of the cont	7/16/09	arine & Helicopter Upresently in production	Init. The firs
This request is for the 3rd in a series of replacement versions. SAFE boat (Defender Class) was received in Dec. of 20 estimated delivery date of July 2008.  CESTIMATED COST	accorde arthurth craft 12	arine & Helicopter Upresently in production	Init. The firs
This request is for the 3rd in a series of replacement versions. SAFE boat (Defender Class) was received in Dec. of 20 estimated delivery date of July 2008.  CESTIMATED COST	7/16/09	arine & Helicopter Upresently in production	Jnit. The firs on with an
PROCUREMENT HISTORY This request is for the 3rd in a series of replacement versions to the 3rd in a series of replacement versions.  SAFE boat (Defender Class) was received in Dec. of 2rd in a series of replacement versions.  Settimated delivery date of July 2008.  SETIMATED COST Please see attached.	7/16/09	presently in production	Init. The firs
This request is for the 3rd in a series of replacement versions. SAFE boat (Defender Class) was received in Dec. of 20 estimated delivery date of July 2008.  CESTIMATED COST	one 7/16/04	presently in production	Init. The firs
This request is for the 3rd in a series of replacement verbAFE boat (Defender Class) was received in Dec. of 20 estimated delivery date of July 2008.  C ESTIMATED COST Please see attached.	7/16/09	presently in production	Init. The firs
This request is for the 3rd in a series of replacement versions. AFE boat (Defender Class) was received in Dec. of 20 stimated delivery date of July 2008.  ESTIMATED COST	The Dy	presently in production	Init. The firs
This request is for the 3rd in a series of replacement verbAFE boat (Defender Class) was received in Dec. of 20 stimated delivery date of July 2008.  ESTIMATED COST Please see attached.	one 7/16/04	presently in production	Jnit. The firs
This request is for the 3rd in a series of replacement ver AFE boat (Defender Class) was received in Dec. of 20 stimated delivery date of July 2008.  ESTIMATED COST lease see attached.	The Dy	presently in production	Init. The firs
AFE boat (Defender Class) was received in Dec. of 20 Stimated delivery date of July 2008.  ESTIMATED COST lease see attached.  EXCLUSIVE OR UNIQUE CARABILITY	7 Neldy	presently in production	on with an
This request is for the 3rd in a series of replacement verificate boat (Defender Class) was received in Dec. of 20 stimated delivery date of July 2008.  CESTIMATED COST clease see attached.  DESCHEDULE REQUIREMENTS  EXCLUSIVE OR UNIQUE CAPABILITY the objective of this boat is to provide a series.	7 Neldy	presently in production	on with an
his request is for the 3rd in a series of replacement ver.  AFE boat (Defender Class) was received in Dec. of 20 stimated delivery date of July 2008.  ESTIMATED COST lease see attached.  SCHEDULE REQUIREMENTS  EXCLUSIVE OR UNIQUE CAPABILITY he objective of this boat is to provide continuing search is significant.	ch and rescue abilities as well a	s conducting homel	and security
This request is for the 3rd in a series of replacement ver. AFE boat (Defender Class) was received in Dec. of 20 stimated delivery date of July 2008.  ESTIMATED COST clease see attached.  SCHEDULE REQUIREMENTS  EXCLUSIVE OR UNIQUE CAPABILITY he objective of this boat is to provide continuing search issions in the toughest of sea and weather conditions. SCG and the USMC to build similar procedure.	ch and rescue abilities as well a SAFE boats presently holds p	s conducting homels	and security
This request is for the 3rd in a series of replacement ver. AFE boat (Defender Class) was received in Dec. of 20 stimated delivery date of July 2008.  ESTIMATED COST release see attached.  SCHEDULE REQUIREMENTS  EXCLUSIVE OR UNIQUE CAPABILITY he objective of this boat is to provide continuing search issions in the toughest of sea and weather conditions. SCG and the USMC to build similar vessels. Their decorder (9) U.S. Patents. The properties covered in the decorder of the properties of the properties of the latest and the decorder (9) U.S. Patents. The properties of the latest and the decorder (9) U.S. Patents. The properties of the latest and the latest an	ch and rescue abilities as well a SAFE boats presently holds p sign features are unique and a	s conducting homels broduction contracts re exclusively patent	and security with the
his request is for the 3rd in a series of replacement ver. AFE boat (Defender Class) was received in Dec. of 20 stimated delivery date of July 2008.  ESTIMATED COST clease see attached.  SCHEDULE REQUIREMENTS  EXCLUSIVE OR UNIQUE CAPABILITY he objective of this boat is to provide continuing search issions in the toughest of sea and weather conditions. SCG and the USMC to build similar vessels. Their depotential of the properties covered include the patation system. Should the build search at the properties covered include the patation system. Should the build search at the properties covered include the patation system. Should the build search at the properties covered include the patation system.	ch and rescue abilities as well a SAFE boats presently holds p sign features are unique and at the full buoyancy flotation coll	s conducting homels production contracts re exclusively patent ar and independent	and security with the protected scaled bull
AFE boat (Defender Class) was received in Dec. of 26 Stimated delivery date of July 2008.  ESTIMATED COST Clease see attached.  EXCLUSIVE OR UNIQUE CAPABILITY he objective of this boat is to provide continuing search issions in the toughest of sea and weather conditions. SCG and the USMC to build similar vessels. Their departation system. Should the hull be compromised this dditionally this collar system is retail to approach the USMC to build similar vessels.	ch and rescue abilities as well a SAFE boats presently holds p sign features are unique and at the full buoyancy flotation coll vessel would remain afloat, en	s conducting homels reduction contracts re exclusively patent ar and independent issuring the safety of a	and security with the protected sealed hull
his request is for the 3rd in a series of replacement ver. AFE boat (Defender Class) was received in Dec. of 20 stimated delivery date of July 2008.  ESTIMATED COST lease see attached.  SCHEDULE REQUIREMENTS  EXCLUSIVE OR UNIQUE CAPABILITY he objective of this boat is to provide continuing search issions in the toughest of sea and weather conditions. SCG and the USMC to build similar vessels. Their department of the composition of the state of the search of th	ch and rescue abilities as well a SAFE boats presently holds p sign features are unique and at the full buoyancy flotation coll vessel would remain afloat, entic resistance for small arms fir	es conducting homels broduction contracts are exclusively patent ar and independent issuring the safety of de including stopping	and security with the protected sealed hull our officers.
his request is for the 3rd in a series of replacement ver AFE boat (Defender Class) was received in Dec. of 20 stimated delivery date of July 2008.  ESTIMATED COST lease see attached.  SCHEDULE REQUIREMENTS  EXCLUSIVE OR UNIQUE CAPABILITY he objective of this boat is to provide continuing search issions in the toughest of sea and weather conditions. SCG and the USMC to build similar procedure.	ch and rescue abilities as well a SAFE boats presently holds p sign features are unique and at the full buoyancy flotation coll vessel would remain afloat, entic resistance for small arms fir	es conducting homels broduction contracts are exclusively patent ar and independent issuring the safety of de including stopping	and security with the protected sealed hull our officers.

single makers, i. vessel with a low power system m the City.	mproves the safety to operators and	d crew. Lastly, the	re with a thickness of lft at dimension of platforms or the uniformity of ease unique features coupled with ouveillance and night vision systems and provide the best level	working with a stricting the
OTHER  APPROVED BY	<i>7</i> :			
	DEPARTMENT HEAD OR DESIGNEE	DATE	BOARD CHAIRPERSON	DATE

# NON-COMPETITIVE PROCUREMENT REVIEW BOARD DEPARTMENT OF PROCUREMENT SERVICES 30 N. LaSalle - 9th Floor - Room 9C

Tuesday, June 3, 2008

**BOARD MEMBERS PRESENT:** 

Harvey Desler, DPS-Aviation Jason DeHaan, BIS Brent Walters, DPS Brad Perri, Law

DEPARTMENT REPRESENTATIVES: Christopher Kennedy, CPD Molly Longanecker, CPD Rosalind Stevens, OBM Katherine Whisler, Law David Bowman, DOA Bill Palivos, DOA

Reviewed by Commissioner

+Reviewed by Chairman

 $^{\circ}$ 



Richard M. Daley

Mayor

#### Department of Police • City of Chicago 3510 S. Michigan Avenue • Chicago, Illinois 60653

Jody P. Weis Superintendent of Police

TO:

Brent Walters

June 6, 2008

Deputy Procurement Officer

City of Chicago Department of Procurement Services

FROM:

Molly Longanecker

Supervisor of Contracts Chicago Police Department

SUBJECT:

Expanded Sole-Source Justification - 45 Ft. Safe Boat(s)

The following basic synoptic is forwarded to expand on the exclusive patent information and verbal discussion with members of the City of Chicago Sole Source Board.

The need to purchase a modified "Archangel" 45 Ft. safe boat is grounded in the desire to provide the highest level of safety to Chicago Police Marine Officers while in the performance of their duties. Currently, much of the "fleet" of the Chicago Police Marine Unit is reaching its point of operational and economic obsolescence. Two Vessels, 31ft safe boats have been purchased at present. The desire is to maintain continuity in the boats used in daily duties. By doing so there is less risk of confusion of operating systems or performance under adverse conditions. The additional benefit and savings is incurred by not needing to train officers amongst a diversity of platforms as well as by limiting tooling and training costs for City mechanics in servicing the vessels.

As described in other reports and conversations, several of the features that set SafeBoats apart from others are: Hull safety design and performance design. Specifically, the patent held and relevant design for the full vessel collar flotation system coupled with the sealed and chambered hull makes for a level of redundant safety that no other builder presently offers. In essence, either system could fully fail, yet the vessel would be safe to return the crew to harbor. The collar system also offers a significant level of inherent ballistic protection-this too a feature unparalleled without adding of armoring. The (patented) performance fin system allows the vessel to perform with a significant level of stability and quick turn ratio that others can not provide when further added to the 3-4% slip ratio (other vessels fall in the 10-13% hull slip ratio). Slip ration refers to the amount of "effort" need for the vessel to move through the water, come onto plane etc.

These points coupled with a doubled hull (which will now allow continued homeland security patrols through 20ftx20ftx1ft thick slabs of ice), jet propulsion, a lowerable divers stern transom, visual surveillance systems, a self righting feature and operability in a 15ft surf state makes this a vessel apparently unchallenged for safety of divers and crew.



SAFE Boats International, LLC. 8800 Barney White Rd. Port Orchard, WA 98367 360-674-7161 360-674-7149 fax www.safeboats.com

February 15, 2008

To Whom It May Concern:

SAFE Boats International is the exclusive patent holder of U.S. Patents 5,282,436, 5,647,297, 5,870,965, 6,810,827, 5,870,965, 5,647,297, 5,282,436, 7,070,730 and 7,201,865 all of which pertain to foam stabilized watercraft. No other manufacturer can legally produce a foam stabilized watercraft with the same properties as a SAFE Boat. Those properties include:

- Mechanical and chemical attachment systems;
- Full buoyancy flotation collars which enable the boat to remain afloat with no additional flotation in the event of a catastrophic hull breach;
- Collar size and dimensions provide the ultimate in stabilization and displacement when the watercraft executes a tight turn or when it is loaded heavy.
- SAFE Boats also provides a full sided hull, unlike many other manufacturers.

SAFE Boats are not available for purchase through any dealer network and/or distributor. The boats can only be purchased factory direct through our facility at:

 SAFE Boats International 8800 Barney White Road Port Orchard, WA. 98367

Please contact me if you need any additional information on our products or have any questions regarding the patents.

Sincerely, SAFE Boats International

Mark Talbert General Manager

SoleSourceLetter

			-													-										The second secon								Quote Expiration :	Coole Length (days):	Quote Date :	Propared By :	Email:	Phone :	City, ST Zip:	Address:	Point of Contact :	Agency/Party:
CATE boats exclusive 10 stringer system with angled transverse framing on 12-inch centers.	webed marine grade \$/15" - 5086 bottom plate with 5/16" keel dout er on forefoot.	SUCHEMBER OF THE PROPERTY OF T	Lill Charifford	notides standard dentification collected and the standard dentification collec	Anti-fouling paint on side plates behind collars	Standard colors include international organic may dark him him him to the standard colors include international organic may dark him him him to the standard colors include international organic may dark him	marinized polyurethane membrane with extreme rin-ston reinforcement.	NV-s toam ligation collect for added stability and safety.	COUBT SYSTEM	Designed for low maintenance and operation cost	cure operation, tree or rathes, local vibrations, and radiated noise.	٧,	Sare and controllable to maximum achievable speed under all normal load conditions	Compilance with 2004 emission standards.	Range: operationally loaded at 30 kts at least 250 nautical miles.	Idle speed: <4 kts.	Cruising speed fully loaded 25-30 kts.	Top speed under normal operating conditions: 35-38 Ms	Performance	Max weight capacity: 4.320 lbs.	Clearance with arrienna's and mast lowered: (3 10" 16"4" with more raised	Draft approximately 13 : 36 inches dependent upon had fon seen and a mest	Dry weight: approximately 23.500 lbs	Max HP, 1600	Person capacity 24	Back deck work area: < 125 square feet	Ream 12.4"	Standard Features	45' Archangel SAFE Boat Sheer Deck	Product (management change in terms of the control	,一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个	・ プログラン・ アイ・アイ・アイ・アイ・アイ・アイ・アイ・アイ・アイ・アイ・アイ・アイ・アイ・ア	のでは、「から、これでは、これでは、「ないでは、「ないでは、「ないでは、「ないでは、「ないでは、「ないでは、「ないでき」」というできます。 しょう かいかい かいかい かいかい かいかい かいかい かいかい かいかい かい	6/17/2008	90	3/19/2/108	Bill Henne - 360,813,0175 - william & salehpark com	Christopher kennedy a chicanondre or	312.742.3005 / 312.742.3007 /lav)	Chicago France Anges	3510 South Michigan Amount	Lighthant Chick Cannada.	Chicago Police Department
!								-	-	-	-	-	! !	<u> </u>	1.					! !	:   		 		-			Pa			E DE				1			ļ i			ŀ		
naCapted.			loof dad	included	Included	wichaea		noli ded	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	;	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Chadal	\$729,290,38			Enforcement/	Single Unit Law		<del></del>								-	





the shock miligating seats.  1 the shock miligating seats.  1 cover rev crotection.  1 pod.  2 pod.  2 pod.  2 pod.  2 pod.  3 separate systems one (1) for house in pod.  2 pod.  3 pod.  4 p	Opposition .	
and coordal with infernal lock.  and coordal with infernal lock.  In controls, and interfaces.  Belectronic gear shift with over rev protection.  In controls, and interfaces.  Belectronic gear shift with over rev protection.  In pass shielded from aluminum it oughout with the use of TEE-GEL.  In pass shielded from aluminum it oughout with the use of TEE-GEL.  In passin, onesole and handhoods.  In passin, onesole and purchase.  In passin, o	indude	Non-percentage (included facility Car
and control memal lock.  The grade uphoistery on the shock mitigating seats.  Locations, and interfaces.  Sectionic gear shiff with over reverotection.  Thomas shielded from attentions to the control gear shiff with over reverotection.  Thomas shielded from attention to the control gear shiff with over reverotection.  Thomas shielded from attention to the control gear shiff with over reverotection.  The control gear shiff with over reverotection.  The control gear shiff with over reverotection.  The control gear shiff with over reverotection for a local of three (3) batteries.  The control gear shiff with over reverotection for a local of three (3) batteries.  The control gear shiff with over reverotection for the control gear shiff with process of the control gear of the control gear shiff with process of the control gear shiff gear to control gear shiff gear gear gear gear gear gear gear gear	include	Furing FM-3000 VHF
and control memal lock.  and control with find real lock.  and control with find real lock.  blobes.  In controls, and interfaces, sector on the shock mitigaling seals.  In controls, and interfaces, sector of the control of the con	Include	Furuno LH-3000 loud haiter with speakers fore and att and horn
and coorderit with internal lock.  Maria conderit with internal lock.  Mobiles.  Incomitods, and interfaces, incoming seats.  Incomitods, and interfaces, incoming seats, incoming seats, incoming seats shift with over rev crotection.  Incoming sear shift with over rev crotection.  Incoming search in dedicated from atuminum it oughout with the use of TEF-GEL.  In the shift of these (3) betteries, collated with selector switches, or controls, water cooled and plumbed to main fuel tank.  Ge-amp organity for starting system maintenance in maintenance in main 50 foot portable cable incides an attain attains to selection breakers including shielded in main parallel with the maintenance in maint	Include	· 000-041-405 Front-mount flush mounting kit (GF37)
and coording with internal lock, ward coording with preading seals.  In grade uphoisiery on the shock mitigating seals.  In controls, and interfaces, incoming an interface of the present of the process	10000	37 to radar)
ward coorded with internal lock.  ward coorded with internal lock.  biblioses.  Incontrols, and internal lock.  Incontrols, and interfaces.  Incontrols, and inte		
ne grade uphoisiery on the shock mitigating seats.  In controls, and interfaces, sectrolicity, on the shock mitigating seats.  In controls, and interfaces, sectrolicity dear shift with over reviorotection.  In fing antennalightradar pod.  In fing antennalightradar pod.  In fing antennalightradar pod.  In particular secured in dedicater dispresistant tray. Three (3) separate systems one (1) for house for a total of three (3) batteries, volated with selector switches.  In control panels.  In the control panels is the particular politic panels treated in the control panels in the panels of the panels	include	
or membersal lock.  Pagical cuphoistery on the shock mitigating seats.  In controls, and Interfaces.  Incorticols, material modelicated differences.  Incorticols, modelicated differences.  Incorticols, material modelicated differences.  Incorticols, material modelicated differences.  Incorticols, material modelicated differences.  Incorticols, material differences.  Incorticols, ma		Furuno DFF1 Network Sounder,
re grede upholstery on the shock mitigating seets.  In controls, and internal lock  in grede upholstery on the shock mitigating seets.  Incorrols, and interfaces.  Incorrols geer shift with over review contection.  In operation of the defication of contection.  In operation of the defication of control presistant tray. Three (3) separate systems one (1) for house of control panets.  In operation space of the defication of control panets.  In operation of the defication of control panets.  In operation of the defication of the defication of the lank.  In operation of the defication of the defication of the lank.  In operation of the defication of the defication of the lank.  In operation of the defication of the defication of the lank.  In operation of the defication of the defication of the lank.  In operation of the defication of the defication of the lank.  In operation of the defication of the defication of the lank.  In operation of the defication of the defication of the lank.  In operation of the defication of the defication of the lank.  In operation of the defication of the defication of the lank.  In operation of the defication of the defication of the lank.  In operation of the defication of the defication of the lank.  In operation of the defication of the defication of the lank.  In operation of the lank of the lank.  In operation of		mounting brackets and hardware, operators manual.
ward corbord with internal lock ward corbord with internal lock ine grade uphoistery on the shock mitigating seats.  1, controls, and Interfaces.  1, controls, water cooled and plumb of the main tipe! tank.  1, controls, water cooled and plumb of the main tipe! tank.  1, controls, water cooled and plumb of the main tipe! tank.  1, controls, water cooled and plumb of the main tipe! tank.  1, controls, water cooled and plumb of the main tipe! tank.  1, controls, water cooled and plumb of the main tipe! tank.  1, controls, water cooled and plumb of the main tipe! tank.  1, controls, water cooled and plumb of the plumb of the main tipe!  1, controls, water cooled and plumb of the p		GP37 DGPS/WAAS navigator with 4" Silver-Brite LCD W/ cover, DG' S/WAAS antenna w/ 10 motor cobb.
ward codycil with internal lock.  In grade uphoistery on the shock mitigating seats.  In controls, and Interfaces.  In controls and handhods.  In the lens's shelded from aluminum it roughout with the use of TEF-GEL.  In the lens's shelded from aluminum it roughout with the use of TEF-GEL.  In control panets.  In control panets.  In controls, water cooled and plumbed to main fuel tank.  GS-amp repactly for starting sys on maintenance.  In controls, water cooled and plumbed to main fuel tank.  GS-amp repactly for starting sys on maintenance.  In controls, water cooled and plumbed to main fuel tank.  GS-amp repactly for starting sys on maintenance.  In controls, water cooled and plumbed to main fuel tank.  GS-amp repactly for starting sys on maintenance.  In controls material and there is solating transformer.  In system.  In particle.  In particle.  In the control of the panet with the rest including transformer.  In the control of the panet with the rest including transformer.  In the particle of the panet with the panet and the rest of the province of the panet and panet	include include	power cable, operators manual, ARP11 PCB is Installed in radar disn'ay.
out with internal lock ward corbord with internal lock ing grade uphoistery on the shock mitigating seats.  Describitions, and Interfaces, sectionic gear shift with over revirotection.  Thought the shock mitigating seats shift with over revirotection.  Thought the section of the shock of the resistant tray. Three (3) separate systems are stated from aluminum it outphout with the use of TEF-GEL.  The state of three (3) batteries. "rolated with selector switches.  The control panels.  The control panels.  The control panels with thermal mining system maintenance.  The system of the section of the selector switches.  The system of the section of the selector switches.  The control panels with thermal mining system maintenance.  The system of the section of the selector switches.  The system of the section of the selector switches.  The patible of the section of the section of the selector switches.  The patible of the section of the selector switches.  The patible of the section of the section of the selector switches.  The patible of the section of the section of the selector of the section of the sec	dollour.	AHP 17PG integrated heading sensor/ARPA kit with PG5000 sensor w/ mounting hardware, 000,125,277 heading make its makes
and control internal lock.  The grade uphoistery on the shock mitigating seats.  In controls, and interfaces.  In controls of three (3) betterfaces.  In control panels.  In control panel	in Chicken	Chip.
Avaid control with internal lock.  In glade upholstery on the shock mitigating seats.  In controls, and interfaces.  In controls, and interfaces.  Incontrols, and interfaces.  In controls, and interfaces.  In control particles and handholds.  In control particles and plumithad to main fuel tank.  In controls, water cooled and plumithad to main fuel tank.  In controls, water cooled and plumithad to main fuel tank.  In controls, water panel with thermal morphelic over/short surge profection breakers including shielded  In mith 50-foot portable cable incl. this isolating transformer.  In collicity is metter by wer cable, mounting bracket and hardware.  Incollicity is metter by wer cable, mounting bracket and hardware.  Incollicity is metter by wer cable, mounting bracket and hardware.  Incollicity is metter by wer cable, mounting bracket and hardware.  Incollicity is metter by wer cable, mounting bracket and hardware.  Incollicity is metter by wer cable, mounting bracket and hardware.  Incollicity is metter by wer cable, mounting bracket and hardware.  Incollicity is metter by wer cable, mounting bracket and hardware.  Incollicity is metter by were cable, mounting bracket and hardware.	Include	Infrared remote control constant in the control contro
Avaid control with internal lock.  The grade uphosistery on the shock mitigating seats.  This is,  In controls, and interfaces.  In this particular prod.  In this particular prod.  In this particular prod.  In this particular prod in dedicated disputation with selector switches.  In controls, waite coded and plumbed to main fuel tank.  In controls, waite coded and plumbed to main fuel tank.  In controls, waite coded and plumbed to main fuel tank.  In controls, waite coded and plumbed to main fuel tank.  In controls, waite coded and plumbed to main fuel tank.  In controls, waite coded and plumbed to main fuel tank.  In controls, waite coded and plumbed to main fuel tank.  In controls, waite coded and plumbed to main fuel tank.  In controls, waite coded and plumbed to main fuel tank.  In particular particular particular particular production breakers including shielded for the particular	include	Furuno DRSAA Ultra Hoh Deanition (Hunny Harty Care) and the care, Housing or acket and naroware.
Agaid control internal lock.  In grade upholistery on the shock mitigating seats.  In controls, and Interfaces.  Sinchronic gear shift with over review protection.  In the shock mitigating seats.  In the shock and handholds.  In the shift with over review protection.  In the shift s		Furuno Navnet 30 MF012 12.1° color ICD display 5-meter news rathle mounts in the state of the st
out with internal lock.  Ward cordet with Internal lock.  In grade uphoistery on the shock mitigating seats.  In controls, and Interfaces.  Ill-controls, and Interfaces.  Ill-controls, and Interfaces.  Incontrols, and Interfaces.  Incontrols and Interfaces.  In the shock mitigating seats.  In control part of the shock mitigating seats.  In the shedded from atuminum it coughout with the use of TEF-GEL.  In system.  In the shedded from atuminum it coughout with selector switches.  In control parties.  In control parties.  In controls, water cooled and plumb-3d to main fuel tank.  In controls, water cooled and plumb-3d to main fuel tank.  In controls, water cooled and plumb-3d to main fuel tank.  In the shear panel with thermal immentic over/short surge protection breakers including shielded  In with 50-foot portable cable incl. 4-ss isolating transformer.  In system.  In the system.	include	Navigation Package (Furuno) 'price includes installation.
out with internal lock.  Mard corded; with Internal lock.  Ine grade uphoistery on the shock mitigating seats.  Ibbies.  Incontrols, and Interfaces.  Incontrols, and Interfaces.  Incontrols, and Interfaces.  Incontrols, and Interfaces.  Interest shielded from atuminum it oughout with the use of TEF-GEL.  In 18th, console and handholds.  In 18th control panets.  In 18th profise secured in dedicater of the resistant fray. Three (3) separate systems one (1) for house of a total of three (3) batteries.  In 18th sold of three (3) batteries.  In 18th sold panets.  In 28th secured in dedicater of the resistant fray. Three (3) separate systems one (1) for house of a total of three (3) batteries.  In 18th sold of three (3) batteries.  In 28th secured in the secured in maintenance.  In 28th secured in the secured in maintenance.  In 28th secured in the secured in maintenance.  In 28th secured in the sec	pepulani	HC searchlight ARC # 1930.
ward cockpit with Internal lock.  Ine grade upholstery on the shock mitigating seats.  In controls, and interfaces.  In controls, and interfaces.  Incontrols, and interfaces.  Incontrols and handholds.  In the grade and handholds.  In the grade pholstery on the shock mitigating seats.  In the grade pholstery on the shock mitigating seats.  In the grade upholstery on the shock mitigating seats.  In the grade upholstery on the shock mitigating seats.  In the grade upholstery on the shock mitigating seats and interpretable and interpretable and interpretable and plumbed to main fuel trank.  In the grade upholstery on the shock mitigating transformer.  In the grade upholstery on the shock mitigating transformer.  In the grade upholstery on the shock mitigating transformer.  In the grade upholstery on the shock mitigating transformer.  In the grade upholstery on the shock mitigating transformer.  In the grade upholstery on the shock mitigating transformer.  In the grade upholstery on the shock mitigating transformer.  In the grade upholstery on the shock mitigating transformer.  In the grade upholstery on the shock mitigating transformer.  In the grade upholstery on the shock mitigating transformer.  In the grade upholstery on the shock mitigating transformer.  In the grade upholstery on the shock mitigating transformer.  In the grade upholstery on the shock mitigating transformer.  In the grade upholstery on the shock mitigating transformer.  In the grade upholstery on the shock mitigating transformer.  In the grade upholstery on the shock mitigating transformer.	include	All components NMEA standard compatible
Agrid cockpit with Internal lock.  Ine grade upholistery on the shock mitigating seats.  In bises.  In controls, and interfaces.  In state, consistent with over review protection.  In the state of the state of the state of the state of the use of TEF-GEL.  In the state of three (3) batteries. Collated with selector switches.  In controls, water cooled and plumbod to main fuel tank.  Os-amp capacity for starting system maintenance.  In on breaker panel with thermal imegnetic over/short surge protection breakers including shielded for with 50-fool portable cable incl. Tes isolating transformer.  In with 50-fool portable cable incl. Tes isolating transformer.  In the starting system.  In the starting system is starting systems on the starting system in the starting system.  In the starting system is starting systems on the starting starting system in the starting system in the starting system.  In the system is stored to the starting system in the starting system in the stored starting system in the system.  In the system is stored and plumbod in the system in the stored starting system in the system		with integration system.
Naid cockpit with internal lock.  Naid cockpit with internal lock.  In grade upholistery on the shock mitigating seets.  In biblies.  In controls, and interfaces.  In controls, and interfaces.  In controls, and interfaces.  In controls, and interfaces.  In the securation over review protection.  In the securation of the cooked and handholds.  In control panels.  In control panels.  In control panels.  In control panel with thermal monantic over/short surge protection breakers including shielded from with 50-fool portable cable includes is colating transformer.  In with 50-fool portable cable includes is colating transformer.  In with 50-fool portable cable includes is colating transformer.  In system.		Eith intornia audituilisainet)
er tight access hatch to loward cocket with internal lock.  I seating for lour, with makine grade uphoistery on the shock mitigating seats.  I seating for lour, with makine grade uphoistery on the shock mitigating seats.  I slowage areas including outbies.  I ports to all instrumentation, controls, and interfaces.  I mounted controls for ZF electronic gear shift with over rev protection.  I reinforced swing down rooftop antennallight/trader pod.  I reinforced swing antennal rooftop antennal rooftop antennal rooftop antennal rooftop and starboard C-9 control panets.  I reinforced swing antennal rooftop	include:	Electronics (supplied and inetalled)
re right access habit to forward cocket with internal lock r seating for lour, with marine grade uphoistery on the shock mitigating seats.  ports to all instrumentation, controls, and interfaces, stowage areas including pubbles.  ports to all instrumentation, controls, and interfaces, e mounted controls for ZF electronic gear shift with over rev protection.  grade carpet and insulation.  reinforced swing down rooftop antenna/light/tradar poxt.  If the entire carpet and insulation in first stating down rooftop antenna/light/tradar poxt.  If the carpet and insulation in first stating down rooftop antenna/light/tradar poxt.  If the carpet and insulation in destination of the stating down rooftop antenna/light/tradar poxt.  If the reinforced swing down rooftop antenna/light/tradar poxt.  If the reinforce	Include	Built in engine room fire suppression system.
re right access habit to forward cocket with internal lock. I seating for locus, with marine grade upholstery on the shock mitigating seats. I scaling for locus, with marine grade upholstery on the shock mitigating seats. I ports to all instrumentation, controls, and interfaces. I ports to all instrumentation, controls, and interfaces. I promoted controls for ZF electronic gear shiff with over reviprocition. I reinforced swing down rooftop antennalight/trader pod. I re extinguishers. I reinforced swing down rooftop antennalight/trader pod. I re extinguishers. I reinforced swing down rooftop antennalight/trader pod. I re extinguishers. I reinforced swing down rooftop antennalight/trader pod. I re extinguishers. I reinforced swing down rooftop antennalight/trader pod. I re extinguishers. I reinforced swing down rooftop antennalight/trader pod. I recommended to desh, console and handholds. I reflected swing down rooftop antennalight/trader pod. I reflected swing for a total of three (3) betterates. I reflected swing for a total of three (3) betterates. I reflected swing for a total of three (3) betterates. I reflected swing for a total of three (3) betterates. I reflected swing for a total of three (3) betterates. I reflected swing for a total of three (3) betterates. I reflected swing for a total of three (3) betterates. I reflected swing for a total of three (3) betterates. I reflected swing for a total of three (3) betterates. I reflected swing for a total of three (3) betterates. I reflected swing for a total of three (3) betterates. I reflected swing for a total of thre	Include	Two (2) 120-volt AC 15-amp marine GFI duplex outlets.
re right access higher look with internal lock. I seating for lour, with matine grade upholstery on the shock mitigating seats. I seating for lour, with matine grade upholstery on the shock mitigating seats. I solving a grade upholstery on the shock mitigating seats. I ports to all instrumentation, controls, and interfaces. I ports to all instrumentation, controls, and interfaces. I ports or all sequences or control panets. I ports or all sequences or control panets. I can consign material on dash, console and handholds. I can consign material on dash, console and handholds. I can consign material or dash, console and pluminum it oughout with the use of TEF-GEL. I representations with digital controls panets. I control panets are local of three (3) batteries, control panets. I control controls water panet with selector switches. I controls with minimum 105-amp capacity for starting system maintenance. I control controls with minimum 105-amp capacity for starting system maintenance. I control controls with business or control panets with thermal magnetic over/short surge protection breakers including shielded in a line personal controls with themsel magnetic over/short surge protection breakers including shielded including shielded in a line personal controls with themsel magnetic over/short surge protection breakers including shielded in		Shore power via 120-voll AC system with 50-foot portable cable inc. This isolating transformer
re tight access hatch to forward code, it with internal lock.  r seating for four, with marine grade upholstery on the shock mitigating seats.  stowage areas including cubbies.  ports to all instrumentation, controls, and interfaces.  e mounted controls for ZF electronic gear shift with over rev crotection.  grade carpet and insulation.  grade carpet and insulation.  grade carpet and insulation.  reinforced swing down rooftop antennallight/trader pod.  If re extinguishers.  ventilation fans, 12-volt.  Tred non-slip material on desh, console and handholds.  per fasteners, starnless fasteners shielded from aluminum throughout with the use of TEF-GEL.  CC and 120-volt AC electrical system.  staboorbed glass math (AGM) batheries secured in dedicated drip-resistant tray. Three (3) separate systems, one (1) for house (1) per engine for starting for a total of three (3) batteries.  cate tond and starboard C-9 control panels.  dent port and starboard C-9 control panels.  dent port and starboard C-9 control panels.  dent port and starboard C-9 control panels.  find generator with digital conflots, water cooled and plumbod to maintenance.  In a control cable.  In a control cable.  In a control cable.  In a control cable and with thermal maintenance.  In a control cable and with thermal maintenance.  In a control cable and with thermal maintenance.	in the second	Section of the process of the proces
re right access shack to forward cookpit with internal lock. r seating for four, with marine grade upholstery on the shock mitigating seats.  ports to all instrumentation, controls, and interfaces.  ports to all instrumentation, controls, water now free protection.  It is extinguishers.  It is recommended to desh, console and handholds.  Protections man (AGM) between selected from aluminum it oughout with the use of TEF-GEL.  It is also or the certifical system.  It is also or the certifical system one (1) for house or the certifical systems of the certifical systems one (1) for house or the certifical systems or the certi	Included	commercial distribution breaker panel with thermal magnetic over/short surne protection breaker
re tight access hatch to forward cockpit with internal lock. resating for lour, with marine grade upholstery on the shock mitigating seats.  slowage areas including cubbies.  ports to all instrumentation, controls, and interfaces. e mounted controls for ZF electronic gear shift with over reviprotection.  grade carpet and insufation.  reinforced swing down rooftop antennallight/tradar pod.  It is extinguishers.  It is extinguishers.  It is reinforced swing down rooftop antennallight/tradar pod.  It is reinforced swing antennallig	Included	Service trops on all equipment cable.
re tight access hatch to forward cookpit with internal lock. It seating for four, with marine grade upholstery on the shock mitigating seats.  It seating for four, with marine grade upholstery on the shock mitigating seats.  It seating for four, with marine grade upholstery on the shock mitigating seats.  It seating for four, with marine grade upholstery on the shock mitigating seats.  It seating for four, with marine grade upholstery on the shock mitigating seats.  It seating for four, with marine grade upholstery on the shock mitigating seats.  It seating for four, with marine grade upholstery on the shock mitigating seats.  It seating for four, with marine grade upholstery on the shock mitigating seats.  It ports to all instrumentation, control gear shift with over rev protection.  It grade cappet and insulation.  It grade cappet and insulation.  It provides a control grade upholstery on the shock mitigating seats.  It provides a control panetal on deally and plumbase of TEF-GEL.  In provide control starboard C-9 control panetals.  In provide accessory plugs.  In provide cappetator with digital controls, water pooled and plumbase to main fuel tank.  In provide cappetator with digital controls, water pooled and plumbase to main fuel tank.	Included	wo (2) are matter minimum 105-amp capacity for starting sys on maintenance.
reflight access hatch to forward cockpit with internal lock. resting for four, with marine grade upholstery on the shock miligating seats. stowage areas including cubbies.  Ports to all instrumentation, controls, and interfaces. e mounted controls for ZF electronic gear shift with over reviprotection. grade carpet and insulation.  reinforced swing down rooffop antennallight/radar pod. 3) fire extinguishers.  ventilation fans, 12-volt.  Ized non-slip material on dash, console and handholds.  our fasteners; stainless fasteners shielded from aluminum it oughout with the use of TEF-GEL.  Card 120-volt AC electrical system.  stabsorbed glass mait (AGM) batteries secured in dedicater drip-resistant tray. Three (3) separate systems, one (1) for house dent port and starboard C-9 control panets.  In deat port accessory plugs.	Included	4-kw manine generator with digital controls, water cooled and plumbed to main fuel tank
re right access hatch to forward cockpit with internal lock. resetting for four, with marine grade upholstery on the shock mitigating seats.  stowage areas including cubbies.  ports to all instrumentation, controls, and interfaces, e-mounted controls for ZF electronic gear shift with over revicrotection.  grade carpet and insulation.  In the possible carpet and insulation at the carpet and handholds.  In the possible carpet and insulation at the carpet and insulation with selector switches.  In the possible carpet and insulation at the carpet and insulation at the carpet and insulation.  In the possible carpet and insulation at the carpet and insulation at the carpet and insulation.  In the possible carpet and insulation at the carpet and insulation at the carpet and insulation.  In the possible carpet and insulation at the shock of possible carpet and insulation.  In the possible carpet and insulation at the shock of possible carpet and insulation.  In the possible carpet and insulation at the shock of possible carpet and insulation.  In the possible carpet and insulation at the shock of possible carpet and insulation.  In the possible carpet and insulation at the shock of possible carpet and insulation.  In the possible carpet and insulation at the shock of possible carpet and insulation.  In the possible carpet and insulation at the shock of possible carpet and insulation.  In the possible	Includ	ALLIM CONTRACTOR STORY PROGRAMMENT
er fight access hatch to forward cockpit with internal lock.  regating for four, with marine grade uphoistery on the shock mitigating seats.  stowage areas including cubbies.  ports to all instrumentation, controls, and interfaces.  e mounted controls for ZF electronic gear shift with over reviorated controls for ZF electronic gear shift with over reviorated controls for ZF electronic gear shift with over reviorated controls for ZF electronic gear shift with over reviorated controls for ZF electronic gear shift with over reviorated controls for ZF electronic gear shift with over reviorated controls for ZF electronic gear shift with over reviorated controls for ZF electronic gear shift with over reviorated controls for ZF electronic gear shift with over reviorated controls for ZF electronic gear shift with over reviorated controls for ZF electronic gear shift with over reviorated controls for ZF electronic gear shift with over reviorated controls for ZF electronic gear shift with over reviorated controls for ZF electronic gear shift with over reviorated controls for ZF electronic gear shift with over reviorated controls for ZF electronic gear shift with over reviorated controls gears shift with over reviorated controls gears.  In the controls for ZF electronic gear shift with over reviorated controls gears shift with over reviorated controls gears.  In the controls for ZF electronic gear shift with over reviorated controls gears.  In the controls for ZF electronic gear shift with over reviorated gears.  In the case of the controls gear shift with over revioration.  It is controlled gears and insurant gears and insurant gears gears.  It is controlled gears and insurant gears gears gears gears gears gears.  It is controlled gears g		C-9 comrol panels.
er fight access hatch to forward cockpit with internal lock.  refight access hatch to forward cockpit with internal lock.  resetting for four, with marine grade uphoistery on the shock mitigating seats.  stowage areas including cubbies.  ports to all instrumentation, controls, and interfaces.  e mounted controls for ZF electronic gear shift with over rev protection.  grade carpet and insulation.  reinforced swing down rooftop antenna/light/tradar pod.  3) fire extinguishers.  ventilation fans, 12-volt.  Ized non-slip material on dash, console and handholds.  rer fasteners, stainless fasteners shielded from aluminum throughout with the use of TEF-GEL.  Card 120-volt AC electrical system.  Card 120-volt AC electrical system.  In the consoled glass math (AGM) batteries secured in dedicater drip-resistant tray. Three (3) separate systems, one (1) for house.	Included	Independent not and trabbacit to a total of miree (3) batteries, "colated with selector switches.
er fight access hatch to forward cockpit with internal lock.  resetting for four, with marine grade uphoistery on the shock mitigating seats.  stowage areas including cubbies.  ports to all instrumentation, controls, and interfaces.  e mounted controls for ZF electronic gear shift with over revicrotection.  grade carpet and insulation.  reinforced swing down rooftop antennalight/radar pod.  3) fire extinguishers.  ventilation fans, 12-volt.  ized non-slip material on dash, console and handholds.  ber fasteners; stainless fasteners shielded from aluminum throughout with the use of TEF-GEL.  control 120-volt AC electrical system.	7515	Ballenes; absorbed glass matt (AGM) batteries secured in dedicated drip-resistant tray. Three (3) separate systems one (1) for house
er fight access hatch to forward cockpit with internal lock.  regating for four, with marine grade uphoistery on the shock mitigating seats.  stowage areas including cubbies.  ports to all instrumentation, controls, and interfaces.  e mounted controls for ZF electronic gear shift with over reviorated controls for an insulation.  reinforced swing down rooftop antenna/light/radar pod.  3) fire extinguishers.  ventilation fans, 12-volt.  rerinaterial on dash, console and handholds.  rerilasteners; stainless fasteners shielded from aluminum throughout with the use of TEF-GEL.	1 1 1	12-YOU LV and 120-You AC electrical system.
er fight access hatch to forward cockpit with internal lock.  re tight access hatch to forward cockpit with internal lock.  re seating for four, with marine grade uphoistery on the shock mitigating seats.  stowage areas including cubbies.  ports to all instrumentation, controls, and interfaces.  e mounted controls for ZF electronic gear shift with over revionated controls for ZF electronic gear shift with over revionated controls for ZF electronic gear shift with over revionated controls for ZF electronic gear shift with over revionated controls for ZF electronic gear shift with over revionated controls for ZF electronic gear shift with over revionated controls for ZF electronic gear shift with over revionated controls for ZF electronic gear shift with over revionated controls for ZF electronic gear shift with over revionated controls for ZF electronic gear shift with over revionated controls for ZF electronic gear shift with over revionated controls for ZF electronic gear shift with over revionated controls for ZF electronic gear shift with over revionated controls for ZF electronic gear shift with over revionated controls for ZF electronic gear shift with over revionated controls for ZF electronic gear shift with over revionated controls for ZF electronic gear shift with over revionated controls for ZF electronic gears shift with over revionated controls for ZF electronic gears shift with over revionated controls for ZF electronic gears shift with over revionated controls for ZF electronic gears shift with over revionated controls for ZF electronic gears shift with over revionated controls for ZF electronic gears shift with over revionated controls for ZF electronic gears shift with over revionated controls for ZF electronic gears shift with over revionated controls for ZF electronic gears shift with over revionated controls for ZF electronic gears shift with over revionated controls g	Included	Circuital
	inclu	No cooper fasteners; stainless fasteners shielded from aturninum it roughout with the use of TEF-GFI
shock miligating seats.	T TOO	recognized funt-sip material on dash, console and handholds.
and cockpil with Internal lock.  and cockpil with Internal lock.  grade upholistery on the shock militigating seats.  bies.  controls, and interfaces.  actronic gear shift with over rev protection.  op antenna/light/rader pod.		Dibbotis dans 65 data (CYVIII.
and cockpit with internal lock.  and cockpit with internal lock.  gitade uphoistery on the shock miligating seats.  bies.  controls, and interfaces.  ectronic gear shift with over rev protection.	1	Two (2) vanilation fact to the
or with Internal lock.  g grade upholstery on the shock miligating seats.  bies.  controls, and interfaces.  ectronic gear shift with over rev protection.	inch.	Three (3) fire pylinguishars
and cockpil with Internal took.  g grade upholstery on the shock miligating seats.  bies.  controls, and interfaces.	Inclu	Double reinforced swing down roofton antennalintireder not
Seals.		Marine grade carpet and insulation.
Seats.	Inclu	Console mounted controls for ZF electronic gear shift with over reviprotection
ook.	Included	Access ports to all instrumentation, controls, and interfaces.
ockpit with Internal lock.  de upholstery on the shock miligating seats.	Included	
	Ingl	ide upholstery on the shock
	3	The discussion of the second of the second with internal lock.
		Month of the last



Provided Action of Section (Provided Action (Pr	\$1,420.00	;	
Saw enforcement lings, and anchor), Saw enforcement lings, and anchoror low profile LED walk-way lights, I port and all fiving locality (price with pump and all-bord process).  In port and all fiving locality (price with pump and all-administration).  In port and all fiving locality (price with pump and all-administration).  In port to the equipment and survival plant.  In port to the equipment and survival plant and profite states and profite states.  In part to the equipment and survival plant and profite states are stated to the equipment and survival plant.  In part to the equipment and survival plant in the station of the process of the state states and profite states.  In part to the equipment and survival plant in the station of the states and profite states.  In part to the equipment and survival plant in the station of the states and profite states.  In part to the equipment and survival plant in the station of the states and profite states.  In part to the equipment and survival plant in the station of the states and profite states.  In part to the equipment and survival plant in the station of the states and profite states.  In part to the equipment and survival plant pl	# 100 P		Electrical Contract
a limitary and saterior low profile LED walk-ory lights.  In port and afficing looking from the profile LED walk-ory lights.  In port and afficing looking from the profile LED walk-ory lights.  In port and afficing looking from the profile and affactment washing the profile design of the profile design and affact the profile and affact the profile design and affact the profile and the profile (Archive) and affacts and to accommodate persons in Stokes Lines; "Option A."  In port and affacts guidward goal and affacts and the profile and the profile and affacts and to accommodate persons in Stokes Lines; "Option A."  In port and affacts guidward goal affacts and affacts an		2	-Inboard Profile
a limiter and exterior low profile LED wall-way lights.  Lord and afficing logidalphs.  In contract british (white and rad).  In contract british (white and rad).  In contract british able to accommodate persons in Stokes Lines. "Option A."  In contract british able to accommodate persons in Stokes Lines." "Option A."  In contract british able to accommodate persons in Stokes Lines." "Option A."  In contract british able to accommodate persons in Stokes Lines." "Option A."  In contract british able to accommodate persons in Stokes Lines." "Option A."  In contract british able to accommodate persons in Stokes Lines." "Option A."  In contract british able to accommodate persons in Stokes Lines." "Option A."  In contract british able to accommodate persons in Stokes Lines." "Option A."  In contract british able to accommodate persons in Stokes Lines." "Option A."  In contract british able to accommodate persons in Stokes Lines." "Option A."  In contract british able to accommodate persons in Stokes Lines." "Option A."  In contract british able to accommodate persons in Stokes Lines." "Option A."  In contract british able to accommodate persons in Stokes Lines." "Option A."  In contract british able to accommodate persons in Stokes Lines." "Option A."  In contract british able to accommodate persons in Stokes Lines." "Option A."  In contract british able to accommodate persons and british drives understand the A. In contract british and accommodate persons and point in the A. In contract british and accommodate persons and accommodat	-		- Outboard Profile & General Arrangement
sizu wins (unmit) and archor).  Sizu wins (unmit) and archor) for profile LED walk-day lights.  In informand and shoring long bridge and all abdiment  In port and all horing long-dights.  In port and all horing long-dights and all and all horing long-dights able to accommodate persons in Stokes Lifest. "Ogifion A."  In port and all horing long-dights are seen to accommodate persons in Stokes Lifest. "Ogifion A."  In port and all horing long-dights are seen to accommodate persons in Stokes Lifest. "Ogifion A."  In port and all horing long-dights are seen to accommodate persons in Stokes Lifest. "Ogifion A."  In port and all horing long-dights.  In port all port all horing long-dights.  In port all port all port all port all port all port all provides and all ports.  In port all port all ports.  In port all ports.  In port all ports.  In port all port all ports.  In port all	\$5,788.00	8	L. wings rackage, includes:
a white (uniting and althodo).  Saw enforcement light proposed (ED walkway lights.)  Lon't and aftering floorights.  In intermed and enforcement light provides and red).  In intermed control to propose a theories of the proposed floories and red).  In the and aftering floorights in the proposed floories are provided floories and red).  In the action (and sunwha) geas.  In a distant provided floories and red).  In water light provided and sunwha geas.  In a distant provided floories are provided floories and sunwhall geas.  In a general subtract the action (action floories cabib windows).  In a general subtract floories are provided floories and the provided floories and the provided floories and the provided floories.  In a general subtract floories are provided floories and the provided floories and the provided floories and the provided floories.  In a general subtract floories and the floories floories and the provided floories.  In a general subtract floories and the floories floories and the provided floories.  In a general subtract floories and the floories floories and floories.  In a general subtract floories and a floories and floories and floories and the floories and the floories.  In a general subtract floories and a floories and floories and floories and floories.  In a floories and the floories and floories and floories and floories.  In a floories and the floories and floories and floories and floories and floories.  In a floories and the floories and floories.  In a floories and floori	\$5/6.00	pan	DOWN IN COUNTY OF THE COUNTY O
a limited and elaterior low profile EED walkway lights.  Lort and all hong floodights.  In a limited and all hong floodights.  In a limited control in the profile EED walkway lights.  Lort and all hong floodights.  In a limited profile EED walkway lights.  In a limited profile EED	40,121,10		Reinforced nich knoon on hour state of the last of the
sizu enforcement light.  port and afterior to we profile EED workway lights.  port and afterior to we profile EED workway lights.  port and afterior to consider the control of the contro	43 131	ea	Gun Locks for Remindton Shotrum (1 ea) and AB Big (1 on Science)
and interior and anterior box profile ED walking lights.  In climate and a state of the profile ED walking lights.  Lort and all facing floodilights.  In climate and all facing floodilights.  In climate and all facing floodilights.  In climate or and all facing floodilights.  In climate or and all facing floodilights.  In climate or and all facing floodilights and	\$35,759.00	2	Custom Cushman 3-piece winch dayft package includes mount and installation
and inforcement highs.  In and all haring floodlights.  In ord stands and and all properties and the floodlights.  In ord stands all properties and the floodlights.  In ord stands all properties and the floodlights.  In ord stands by the fl	\$3,722,00	8	rul mansportation trailer with brakes
all well-ordered lights, with and and enchor),  all well-control plants and anchor),  and all tening floodlights,  and all tening fl	\$812.00	4	The sum (or summing) Will, pump and shower for diver decontamination.
is we introduce and alphas.  In port and all haing floodlights.  In port and water jet combols all haing experience of pressure, engine hours, end.  In port and all haing floodlights.  In port and all haing floodlights.  In port and water jet combols all haing experience and hours, of haing subject and haing floodlights.  In port and hains all the description and port flormance data fine has been all port and hain floodlights.  In port all port all floodlights.  In port all port all hain arteriors and floodlights.  In port all port all hain arteriors and floodlights.  In port all port all hain arteriors and floodlights.  In port all port all hain arteriors and floodlights.  In port all port all hain arteriors and floodlights.  In port all port all hain arteriors and floodlights.  In port all port all hain arteriors and floodlights.  In port all port all port all hain arteriors and floodlights.  In port all port all port all port all hain arteriors.  In	\$64.00.00	3 :	Fresh water tank (30 notion
Blaw enforcement lights, in enforcement lights, in port and afterior tow profile LED walkway lights, in enforcement lights, in an elever end afterior flower cabin windows. In color beeck lights being accommodate persons in Stokes Limpt. "Option A." In color beeck lights being accommodate persons in Stokes Limpt. "Option A." In color bedriffs able to accommodate persons in Stokes Limpt. "Option A." In color bedriffs able to accommodate persons in Stokes Limpt. "Option A." In color bedriffs able to accommodate persons in Stokes Limpt. "Option A." In color bedriffs able to accommodate persons in Stokes Limpt. "Option A." In color bedriffs able to accommodate persons in Stokes Limpt. "Option A." In color bedriffs able to accommodate persons in Stokes Limpt. "Option A." In color bedriffs able to accommodate persons in Stokes Limpt. "Option A." In color bedriffs able to accommodate persons in Stokes Limpt. "Option A." In color bedriffs able to accommodate persons in Stokes Limpt. "Option A." In color bedriffs able to accommodate persons in Stokes Limpt. "Option A." In color bedriffs able to accommodate persons in Stokes Limpt. "Option A." In color bedriffs able to accommodate persons in Stokes Limpt. "Option A." In color bedriffs able to accommodate persons in Stokes Limpt. "Option A." In color bedriffs able to accommodate persons in Stokes Limpt. "Option A." In color bedriffs able to accommodate persons in Stokes Limpt. "Option A." In color bedriffs able to accommodate persons and color in the A." In color bedriffs able to accommodate persons and color in the A." In color bedriffs able to accommodate persons and color in the A." In color bedriffs able to accommodate persons and color in the A." In color bedriff able to accommodate persons and color in the A." In color bedriff able to accommodate persons and color in the A." In color be	23 107 75	B :	Chart table and/or workstalling area restinged in middle and the chart table and for workstalling area restinged in middle and the chart table and for workstalling area restinged in middle and table and table and table and table are table and table and table are table and table are table and table are table and table are table are table and table are table and table are table are table and table are tab
is we entrocement lights.  In entrocement lights (white and adtencion long profile LED walkway lights.  In port and afficing floodights.  In a financial or and afficing floodights.  In port and settle floodights.  In port and sett	10 014 CCS	69	Galley in cuddy w/ microwave, compact refrigerator and 100-volt cuttor
illus enforcement lights, in eliment and affection (layer) fights.  I port and affection profile LED walkway fights.  In eliment and affecting floodlights.  In the interior and affecting floodlights.  I port af	\$1,275.0	three	ryulaulically operated, lowering stem recovery platform with fixed in digital controls
Billy enforcement lights,  Incomplete infinition and selection lights,  Incomplete Infinition and selection lights,  Incomplete Infinition and selection lights, which and all along floodlights,  Incomplete Infinition and selection lights, which and selection lights, which and selection beek in the selection beek in the selection lights, which and selection lights, which and selection lights, which and selection lights are selected lights, which and selection lights are selected lights, which adaption plates.  In restrict light port and selection (lashonade lower cealth windows, selection lights) diseast engines.  In restrict light port and selection (lashonade lower cealth windows, selection), and water light port and selection (lashonade lower cealth windows, selection).  In retermission, and water jet confrols at heim station, light port to selection (lashonades), water lepts, selection (lashonades), water lepts, selection light port to selection (lashonades), water lepts, selection light port to selection (lashonades), water lepts, selection light light port light port and selection (lashonades), and water lepts, selection light light port light	\$75,799,0	1	Supply of the Special radios w affernas for install (price is for installation and SS ratchet mounts only
is law enforcement lights.  I law enforcement lights.  I law enforcement lights.  I port and all sicing floodights.  In the inferior and affecting floodights.  In the port and all sicing floodights.  I port and discommodate persons in Stokes's Liner. "Option A".  I responsible to accommodate persons in Stokes's Liner. "Option A".  I responsible to accommodate persons in Stokes's Liner. "Option A".  I responsible to accommodate persons in Stokes's Liner. "Option A".  I responsible to accommodate persons in Stokes's Liner. "Option A".  I responsible to accommodate persons in Stokes's Liner. "Option A".  Includes a first persons and the persons in Stokes's Liner. "Option A".  I responsible to the station (lacthometers persons in Stokes's Liner." Options.  Includes a first persons and the includes a first persons and the first persons and the	***************************************	1	Chechaeth we consume signal zoom and pan-in-
all well common and anchon)  all well controver and alterior lights.  I port and alt anchon gloodlights.  I port and alt anchon gloodlights.  In a controver and alterior low profile LED walkway lights.  I port and alt anchon gloodlights.  In a controver and alterior low profile LED walkway lights.  I port and alterior low profile LED walkway lights.  In the controver and alterior low profile LED walkway lights.  I port and alterior low profile LED walkway lights.  I port and alterior low profile LED walkway lights.  I port and alterior low profile LED walkway lights.  I water light port and shooded lower cabbin windows.  I refer tools, equipment, and survival gear.  I water light port and shooded lower cabbin windows.  I refer transmission, and water jet controls at heim station.  In transmission, and water jet controls at heim station.  In transmission, and water jet controls at heim station.  In transmission, and water jet controls at heim station (laboranelers, water lemperature oil pressure, engine hours, etc)  I transmission, and water jet controls at heim station (laboranelers, water lemperature oil pressure, engine hours, etc)  I transmission, and water jet controls at heim station (laboranelers, water lemperature oil pressure, engine hours, etc)  I transmission, and water jet controls at heim station (laboranelers, water lemperature)  Inch transmission FLOCS (test lube oil change system). "change angine hours, etc)  I transmission FLOCS (test lube oil change system). "change angine hours, etc)  Inch transmission FLOCS (test lube oil change system). "change angine hours, etc)  Inch transmission FLOCS (test lube oil change system). "change angine hours, etc)  Inch transmission FLOCS (test lube oil change system). "change angine hours, etc)  Inch transmission FLOCS (test lube oil change system). "change angine hours, etc)  Inch transmission FLOCS (test lube oil change system). "change angine hours, etc)  Inch transmission FLOCS (test lube oil change system). "change angine hou	4 4 4 4		FUR Voyage thermal impose who still the still
all went common and anchor)  is law enforcement lights.  in inflorior and exterior low profile LED walkway lights.  in port and all haring floodlights.  In port and all haring floodlights.  In head, portable channical type with pump out all achment.  Award light port and standoard lower cabin windows.  In read lights (white and red).  In water light port and standoard lower cabin windows.  In valer light port and standoard lower cabin windows.  In case (\$50-ing & 2200 RPM) diesel engines.  In case (\$50-ing & 2200 RPM) dies	P 46.6 508	B	Additional Optional Equipment
Blaw enforcement lights  in priority and extend tow profile LED walkway lights.  I, port and alf flacing floodights  (port and alf flacing floodights  in the control of the floodights (white and red).  In read, portable chemical type with pump out attachment floodights (white and red).  In read, portable chemical type with pump out attachment floodights (white and red).  In read, portable chemical type with pump out attachment floodights (white and self-topic) and startopard tower cabh windows  In read, portable chemical type with pump out attachment floodights (white and self-topic) and startopard tower cabh windows  In read, portable chemical type with pump out attachment floodights (white and self-topic) and startopard tower cabh windows  In read, portable chemical type with great self-topic floodights (white and self-topic) at the self-topic floodights (white and self-topic) floodights (white and self-topic			Custom three (3) foot hull extension.
Blaw enforcement lights  in interior and exterior low profile LED walkway lights.  I, port and alf flacing floodlights  in deportance and alf flacing floodlights  which and alf flacing floodlights  which and got commodate persons in Stokes Line; "Option A:"  Interior Deck  Interior Deck  Interior and surking load.  Interior Deck  Inte	\$26.230 A	3	Hull Options
Inimity and anchor).  Jarif lacing floodlights.  In all flacing floodlights.  In all flacing floodlights.  In this white and red).  In this white and red).  In this white and red).  In this able chemical type with pump out attachment.  In the able chemical type with pump out attachment.  In the able to accommodate persons in Stoke's Liner. "Option A."  In the pydraulic outpined lower cable windows.  In the pydraulic outpined lower cable with pydraulic outpined lower cable windows.  In the pydraulic outpined lower cable with pydr			Integrated flotation cabin roof with internal structure and foam Includes increased most is
In min and anchor).  In min and anchor).  In dexterior low profile LED walkway lights.  In the station floodlights.  In the station floodlights with pump out attachment.  It shalls to accommodate persons in Stoke's Liner. "Option A"  In the station of survival gear.  It port and statobard lower cablin windows.  In the station of tratic.  In the station floodlights at heim station.  In the station floodlights water temperature oil pressure engine hours, etc)  In adaptor plates.  In the station floodlights water temperature oil pressure engine hours, etc)  In the station floodlights water temperature oil pressure engine hours, etc)  In the station floodlights water temperature oil pressure engine hours, etc)  In the station floodlights water temperature oil pressure engine hours, etc)  In the station floodlights water temperature oil pressure engine hours, etc)  In the station floodlights water temperature oil pressure engine hours, etc)  In the station floodlights water temperature oil pressure engine hours, etc)  In the station floodlights water temperature oil pressure engine hours, etc)  In the station floodlights water temperature oil pressure engine hours, etc)  In the station of	\$32,559,3	92	Self Highling Package
laind anchon).  Is ilights.  It ilights.  It ilights.  It ilights.  It ilights.  It ilights.  In who profile LED walkway lights.  In gloodlights.  In moding floodlights.  In and standards persons in Stake's Line; "Option A"  In and standard persons in Stake's Line; "Option A"  In and standard persons in Stake's Line; "Option A"  In and standard persons in Stake's Line; "Option A"  In and standard persons in Stake's Line; "Option A"  In and standard persons in Stake's Line; "Option A"  In and standard persons in Stake's Line; "Option A"  It stands tandard persons in Stake engines.  It stands tandard persons in Stake's Line; "Option A"  In and water jet controls at helm station.  In and water jet controls at helm stati			Summular DIVE ARMOW DAVIGATION System.
laind enchor).  It lights.  It lights.  It lights.  It lights.  In	Included	1	Hamilton Listin Annous
wentocement lights.  menor and exterior low profile LED walkway lights.  port, and aff facing floodlights.  menor and exterior low profile LED walkway lights.  port, and aff facing floodlights.  menor and exterior low profile LED walkway lights.  port, and aff facing floodlights.  menor and exterior low profile LED walkway lights.  port, and aff facing floodlights.  menor portable chemical type with pump out affactment and survival gear.  and portable chemical type with pump out affactment and survival gear.  and light port and stratboard lower cablin windows.  Trainflydraulle  Skanla D112 (650-hp & 2200 RPM) diesel engines.  I gear transmission 1 to 1 ratio.  I gear transmission 1 to 1 ratio.  I gear transmission and water jet controls at heim station.  and a theim station (tachometers, water temperature oil pressure, engine hours, etc)  In a station (tachometers, water temperature) oil pressure, engine hours, etc)  In an analysis on FLOCS (tast lube oil change system). "charty marked"  In the cludes: 30 mooning lines (4), black fenders OUTFP108 w/ 10 x 3/8" whip (4), telescoping boat hook w/ mounts, bucker than 8 SC chain deck pipe), 24" file into body with discress marker light, portable bidge pump, spare parts/look bag  Thandle, 5/16" Thandle and offset screwdriver, of "nore marine flare signal kit and hand held compressed at horn.			Promition System Parliam Comment and performance data (bell abor, oil included)
we enforcement lights.  mierior and exterior low profile LED walkway lights.  oort, and aft facing floodlights.  head lights (white and red).  we peck  we profit by the end red).  we peck  we profit port and sit facing floodlights.  head lights (white and red).  we peck  mad. portable chemical type with pump out attachment  and portable chemical type with pump out attachment  and portable chemical type with pump out attachment  and berths able to accommodate persons in Stoke's Liter. "Option A"  tools, equipment, and survival gear.  are tight portand starboard lower cablin windows.  Train/hydraulic  Skania DI12 (650-hp @ 2200 RPM) diesel engines.  1 gear transmission 1 to 1 ratio.  It includes: 30' mooring lines (4), black temperature oil pressure, engine hours, etc)  Train-lines (4), black tenders Outrange winder.  It includes: 30' mooring lines (4), black tenders Outrange winder, lot in services of the light portable bidge pump, spare parts/tool bag  Thandle, 5/16' Thandle and offset screwdriver, of " nore marine flare signal kit and hend compressed air horn.  In the profit part of the first poucy with discress marker light, portable bidge pump, spare parts/tool bag  In the profit part is the parts food and the parts food in the parts food in the parts food in the parts food in the parts food bag  Thandle, 5/16' Thandle and offset screwdriver, of " nore marine flare signal kit and hend hend head compressed air horn.		: : :	riel and document mechanical and and
al blue law enforcement lights.  Imable interior and exterior low profile LED walkway lights.  Imable interior and exterior low profile LED walkway lights.  Imable interior and exterior low profile LED walkway lights.  Import port, and all facing floodlights.  Into overhead lights (white and red).  Into overhead lights (white an			the signal kill and hand held com
al blue law enforcement lights.  Imable interior and exterior low profile LED walkway lights.  Imable interior and exterior low profile LED walkway lights.  Imable interior and exterior low profile LED walkway lights.  Into overhead lights (white and red).  Into overhead lights (white and red).  Into overhead lights (white and red).  Into overhead lights (white and service).  Into overhead lights (white and s	moluded	-	including 3/16" T-handle, 5/16" T-handle and offset screwifteer of the common of the parts had beg
al blue law entorcement lights.  mabble interior and exterior low profile LED walkway lights.  mabble interior and exterior low profile LED walkway lights.  proverthead lights (white and red).  ard Below Deck  ard Below Deck  proverthead lights (white and red).  ard Below Deck  losed head, portable chemical type with pump out attachment  losed head, portable chemical type with pump out attachment  losed head, portable to accommodate persons in Stokes Litter. "Option A"  age for tools, equipment, and sundval gear  I down water light port and starboard lower cabin windows.  Belower Train/Pydraulic  I choserd Skania D112 (650-hp @ 2200 RPM) diesel engines.  I aroust Skania D112 (650-hp @ 2200 RPM) diesel engines.  I aroust Skania D112 (650-hp @ 2200 RPM) diesel engines.  I aroust Skania D112 (650-hp @ 2200 RPM) diesel engines.  I aroust Skania D112 (650-hp @ 2200 RPM) diesel engines.  I aroust Skania D112 (650-hp @ 2200 RPM) diesel engines.  I aroust Skania D112 (650-hp @ 2200 RPM) diesel engines.  I aroust Skania D112 (650-hp @ 2200 RPM) diesel engines.  I aroust Skania D112 (650-hp @ 2200 RPM) diesel engines.  I aroust Skania D112 (650-hp @ 2200 RPM) diesel engines.  I aroust Skania D112 (650-hp @ 2200 RPM) diesel engines.  I aroust Skania D112 (650-hp @ 2200 RPM) diesel engines.  I aroust Skania D112 (650-hp @ 2200 RPM) diesel engines.  I aroust Skania D112 (650-hp @ 2200 RPM) diesel engines.  I aroust Skania D112 (650-hp @ 2200 RPM) diesel engines.  I aroust Skania D112 (650-hp @ 2200 RPM) diesel engines.  I aroust Skania D112 (650-hp @ 2200 RPM) diesel engines.  I aroust Skania D112 (650-hp @ 2200 RPM) diesel engines.  I aroust Skania D112 (650-hp @ 2200 RPM) diesel engines.  I aroust Skania D12 (650-hp @ 2200 RPM) diesel engines.  I aroust Skania D12 (650-hp @ 2200 RPM) diesel engines.  I aroust Skania D12 (650-hp @ 2200 RPM) diesel engines.  I aroust Skania D12 (650-hp @ 2200 RPM) diesel engines.  I aroust Skania D12 (650-hp @ 2200 RPM) diesel engines.  I aroust Skania D12 (650-hp @ 2200 RPM) diesel engines			of garvanized chain & SS chain deck pipe). 24" life ring buoy with discress maker than 100 aye eye swiver, 150 anchor line, 1/2" y
al blue law enforcement lights.  Imable interior and exterior low profile LED walkway lights.  Imable interior and exterior low profile LED walkway lights.  Imable interior and exterior low profile LED walkway lights.  Intolored, port, and aff facing floodlights  Intolored head, portable chemical type with pump out atfactment.  Icon portable chemical type with pump out atfactment.  In portable chemical type with atfactment.  In portable chemical type with atfactment.  In portable chemical type with atfactment.  In portable chemical type	i		miliaryard, 500 towline, 10-person liret aid kit, Fortress FX23 anchor kit (/2) 1/2" shankling 1/2" and 1/2" an
al blue law enforcement lights.  Imable interior and exterior low profile LED walkway lights.  Imable interior and exterior low profile LED walkway lights.  Indexed, port and aff facing floodlights.  Indexed port and aff facing floodlights.  Indexed lights (white and red).  Indexed lights (white and red).  Indexed berths able to accommodate persons in Stoke's Liter, "Option A"  Indexed berths able to accommodate persons in Stoke's Liter, "Option A"  Indexed berths able to accommodate persons in Stoke's Liter, "Option A"  Indexed berths able to accommodate persons in Stoke's Liter, "Option A"  Indexed berths able to accommodate persons in Stoke's Liter, "Option A"  Indexed berths able to accommodate persons in Stoke's Liter, "Option A"  Indexed berths able to accommodate persons in Stoke's Liter, "Option A"  Indexed berths able to accommodate persons in Stoke's Liter, "Option A"  Indexed berths able to accommodate persons in Stoke's Liter, "Option A"  Indexed berths able to accommodate persons in Stoke's Liter, "Option A"  Indexed berths able to accommodate persons in Stoke's Liter, "Option A"  Indexed berths able to accommodate persons in Stoke's Liter, "Option A"  Indexed berths able to accommodate persons in Stoke's Liter, "Option A"  Indexed berths able to accommodate persons in Stoke's Liter, "Option A"  Indexed berths able to accommodate persons in Stoke's Liter, "Option A"  Indexed berths able to accommodate persons in Stoke's Liter, "Option A"  Indexed berths able to accommodate persons in Stoke's Liter, "Option A"  Indexed berths able to accommodate persons in Stoke's Liter, "Option A"  Indexed berths able to accommodate persons in Stoke's Liter, "Option A"  Indexed berths able to accommodate persons in Stoke's Liter, "Option A"  Indexed berths able to accommodate persons in Stoke's Liter, "Option A"  Indexed berths able to accommodate persons in Stoke's Liter, "Option A"  Indexed berths able to accommodate persons in Stoke's Liter, "Option A"  Indexed berths able to accommodate persons in Stoke's Liter		+	over Cutter Art, includes: 30' mooring lines (4), black fenders OUTFI) 10' x 3/8' white (4) telescoping book fenders OUTFI) 10' x 3/8' whi
al blue law enforcement lights.  mable interior and exterior low profile LED walkway lights.  mable interior and exterior low profile LED walkway lights.  prover and exterior low profile LED walkway lights.  prover port, and aff facing floodlights.  prover port aff facing floodlights.  prover port aff facing floodlights.  prover thead, portable chemical type with pump out affactment.  prover tools, equipment, and survival gear.  prover trainfrydraulic.  prover trainf	Included		Do JO At Co.
I anchor).  I low profile LED walkway lights.  I lo	Deburni	-	Outili
I anchor).  I flow profile LED walkway lights.  I flowdlights.  and red).  and red).  accommodate persons in Stoke's Lifer. "Option A"  accommodate persons in Stoke's Lifer. "Option A"  stratopard lower cable windows.  stratopard lower cable windows.  stratopard lower cable windows.  I for 1 to 1 ratio.  water jet controls at helm station.  In Mater jet controls at helm station.	Dedition		Engine and transmission El OCS Incollection and Incollectio
I anchor). I down profile LED walkway lights. I floodlights. and red). and red). It call type with pump out attachment. I accommodate persons in Stoke's Lifer. "Option A" and survival gear. Starboard lower cablo windows. Starboard lower cablo windows. I to 1 ratio. I to 1 ratio. I water let controls at helm station.	In shirt in		Dual gauge panels at heim station (rachometers work) successions.
I anchor).  I low profile LED walkway lights.  I low profile LED walkway lights.  I modilights.  and red).  Itel type with pump out affactment.  I accommodate persons in Stoke's Lifer. "Option A"  I and survival gear.  I starboard lower cabin windows.  I starboard lower cabin windows.  I to 1 ratio.  In 1 to 1 ratio.  In 1 to 1 ratio.  In 1 to 1 ratio.	in Minday	-	Dual engine, transmission, and water jet controls at helm station
I anchor).  I flow profile LED walkway lights.  I floodlights.  and red).  and red).  accommodate persons in Stoke's Liter. "Option A"  and survival gear.  starboard lower cabin windows.  I for the starboard lower lower lowers.  I for the starboard lower lower lowers.  I for the starboard lowers.  I for the starboard lower lowers.	included	i	Luai mamiiton 322 water jets
I anchor).  I flow profile LED walkway lights.  I floodlights.  and red).  and red).  accommodate persons in Stoke's Lifer. "Option A"  ard survival gear.  starboard lower cable windows.  I for 2200 RPM) diesel engines.	Included	i	Cost unve mine adaptor plates
Janchor).  I flow profile LED walkway lights.  I floodlights.  and red).  and red).  accommodate persons in Stoke's Lifer, "Option A"  and survival gear.  starboard lower cabln windows.  I for 2200 RPM) diesel engines.	Included	<u> </u>	Dial drive the sufficient of PRIO.
I anchor).  In odilights.  In odilights.  and red).  Iteal type with pump out affactment.  Eccommodate persons in Stoke's Lifer. "Option A"  and survival gear.  Starboard lower cabin windows.			Dial ZEGIS. I noor transmission of the coordinate of the coordinat
I anchor). It is, If its, I floodlights. I floodlights. Indeed its is and red). Indeed its pump out affactment. Indeed its pum	Osomican	:	Dual inboard Skaria D112 (650.h. @ 2200.000.
I anchor). I flow profile LED walkway lights. I floodlights. and red). and red). accommodate persons in Stoke's Liter. "Option A" and survival gear. starboard lower cabin windows.	Individual -		Engine/Power Train/Hydraulic
ement lights.  In and anothor).  In ming and anothor).  In ming and anothor).  In exterior low profile LED walkway lights.  In dexterior low profile LED walkway lights.  In facility floodlights.  Its (white and red).  Its (white and red).  Its chemical type with pump out attachment  Is able to accommodate persons in Stoke's Liner. "Option A"  In profile LED walkway lights.  In the chemical type with pump out attachment  Is able to accommodate persons in Stoke's Liner. "Option A"  In profile LED walkway lights.  In the chemical type with pump out attachment  In the chemical type with the	hahidad	- (	Dog down water tight port and startboard lower cabin windows
ement lights.  ement	Included		Storage for tools, equipment, and survival gear.
nning and anchor). sement lights. d exterior low profile (ED walkway lights. aft facing floodlights. its (white and red). its (white and red). its chemical type with pump out attachment.	Included		(a) It was a being able to accommodate persons in Stoke's Liner. "Onthin A."
nning and anchor). sement lights. d exterior low profile (ED walkway lights. aff facing floodlights. its (white and red).	!		Two Cost in each, portable chemical type with pump out attachment.
nning and anchor). sement lights. d exterior low profile (ED walkway lights. aff facing floodlights. its (white and red).	Included		UNITAGE DECK
e LED walkway lights.	Included		Forward Billian Table
LED walkway lights.	included		Interior machined interior in contributions in the contribution of
	included	1	Startboard and aft facing front the marked rights.
	Contract	: 1	Dimmable interior and extend from north of En wall-
revigation lights (Unning and anchor).	included	!	Dual blue law enforcement lights.
			wasigation lights (running and anchor).



Customer Sign:	Discount available for multiple boat order of three (3) or more ide-tical items on same order.  "Please Sign Below & Attach this quote to your Purchase Order when submitting"	WWW.safeboats.com  DUNS# 01-991-5511  Federal Tax ID & 91-1737896  Resale tax# 601-758-087	SAFE Boats International  8800 Barney White Rd.  Port Orchard, WA 98367 (360) 674-7149 fax	Total Package Including Shipping  Acceptance at Port Orchard, Washington  FOB Port Orchard, Washington	Total Package FOB Port Orchard, Washington. ""NOT INCLUDING SHIPPING""  Shipping - NOT TO EXCEED	Ice Pushing Reinforcement System  We'ded on "second skin" applied to hull and includes necessary structure. THIS SETUP WILL BE RATED FOR SHEETS OF ICE NO LARGER THAN 20" X 20" X 1" AND IDLE AHEAD LIMITED TO 2 KNOTS.	light system around cabin and roc' cuddy (SBI fabricated) ats w/ nylon seatbelts and and quirk release SS hardware. er dive staging areas w/ storage brineath and locker lids to prevent water intrusion
	<del> </del>					ð	

## DPS PROJECT CHECKLIST

For DPS Use Only	-	**********
Date Received.	1.12	
Date Returned		
Date Accepted	· · · · · · · · · · · · · · · · · · ·	
CA/CN's Namo		`',
	3/1	*4

IMPORTANT: PLEASE READ AND FOLLOW THE INSTRUCTIONS FOR COMPLETING THE PROJECT CH

_		PRMATION	:							
Date: REQ I	21MA				C	Contact Pe el: 5-5599	erson: M( 9 Fax:		nail:NA	
PO No	: (if kno	wn): <b>NA</b>			P T	roject Ma el: 742-20	nager:CH 302 Fax:	IHIS KENNED	ityofchica Y nail:NA	igo.org
Modifi Project	cation N Descrip	o.: (if know tion: SAFE	m): <b>NA</b> BOAT O	EMC/CPD 4	<b>P</b> ISFT ARCH	revious F IANGEL	PO No.: (if	known): <b>NA</b>	cityofchic	ago.org
UNDIN	VG:									
Cit		Corpo	rate	☐ Bond			intorneio -	<b>5</b>		
	ate: deral :		Transit	☐ IDOT.	/Highway	L_J =	interprise			Other
LINE	FY	FUND	DEPT	☐ FTA	T		AA	Grant		Other Other
01	006			ORGN	APPR	ACTV	OBJT	PROJECT	RPTG	\$ DOLLAR
<u> </u>	1 006	OM02	057	0582705	0400	220400				1065206
	<del> </del>	<del>                                     </del>	ļ			**************************************				1003200
							i	1		<u> </u>
OPE	STATEM	ENT:		HE APPROVED that may apply			Est TION ARE R	timated Value EQUIRED	\$1,065,20	06.25
COPE: Attach POR MPLETI	STATEM hed is a C TANT: 1 E THE SPE	ENT: Detailed Scotting is a CRITCIFIC SCOPE	ope of Ser TICAL POR E REQUIRE	rvices and/o	r Specifica	tion AL IN ORD THE SUPP	ER FOR DPS	S TO ACCEPT YO		
Attach  Attach  IPOR  MPLETI  followicker de cospection of	STATEM  TANT: 1 E THE SPE  Ing is a genescription ve vendo f any app	ENT: Detailed Scarring is a CRI CIFIC SCOPE Detail descript of all anticers, special licable City	TICAL PORE REQUIRES tion of what ipated ser requirement ordinance	TION OF YOU MENTS AS SE I should be incrvices and p ents or need: e or state/fec	r Specifica R SUBMITTA T FORTH IN Cluded in a S roducts, in- s of the productal regula	tion  AL IN ORD THE SUPPI Cope of Sel cluding: til pject, local	ER FOR DPS LEMENTAL : rvices or Sp me frame :	S TO ACCEPT YO	UR SUBMIT THAT UNIT	TALYOU MUST
Attach  APOR  MPOR  MPLETI  Me followiclear de ospection of	STATEM  TANT: 1 E THE SPE  Ing is a genescription ve vendo f any app	ENT: Detailed Scarring is a CRI CIFIC SCOPE Detail descript of all anticers, special licable City	TICAL PORE REQUIRES tion of what ipated ser requirement ordinance	TION OF YOU MENTS AS SE I should be incrvices and p	r Specifica R SUBMITTA T FORTH IN Cluded in a S roducts, in- s of the productal regula	tion  AL IN ORD THE SUPPI Cope of Sel cluding: til pject, local	ER FOR DPS LEMENTAL : rvices or Sp me frame :	S TO ACCEPT YO CHECKLIST FOR	UR SUBMIT THAT UNIT	TALYOU MUST
Attach  Attach  IPOR  MPLETI  e followiclear de cospection of the	STATEM  hed is a E  TANT: T  E THE SPE  lng is a ger escription ve vendo f any app  F PROCU  Blanket	ENT: Detailed Score THIS IS A CRI COFIC SCOPE THE ACT OF ALL ALL DETAILS A CRI THIS IS	DIPE OF SER TICAL POR E REQUIRE tion of what ipated ser requireme ordinance REQUEST	TION OF YOU MENTS AS SE I should be incrvices and p ents or need: e or state/fec	R SUBMITTA T FORTH IN Cluded in a S roducts, in- s of the productal regula I that apply):  MOD/A  Time Scope	tion  AL IN ORD THE SUPPI Cope of Second Inding: till Diect, local ation or st  MENDME Extension or Limit In	ER FOR DPS LEMENTAL: rvices or Spi me frame i tions, antic atute.	S TO ACCEPT YO CHECKLIST FOR	UR SUBMIN THAT UNIT special q ating user	TALYOU MUST : ualifications of departments,
Attach  APOR  Pompleti  e followiclear do ospecti ation of	STATEM hed is a E TANT: T E THE SPE ling is a ger escription ve vendo f any app F PROCU Blanket Standar Small O	ENT: Detailed Score THIS IS A CRI COFIC SCOPE THE ACTION OF All Antic REMENT F OUEST Agreement d Agreeme rders Requisition	TICAL PORE REQUIRED TO THE REQUIRED TO THE PORT OF T	TION OF YOU MENTS AS SE I should be incrvices and p ents or need: e or state/fec	r Specifica  R SUBMITTA  ET FORTH IN  cluded in a S  roducts, inc  s of the products regula  I that apply):  MOD/A  Time  Vend  Scope	tion  AL. IN ORD THE SUPPI Scope of Security local ation or st  MENDME Extension or Limit In Change (specify)	ER FOR DPS LEMENTAL : rvices or Sp me frame i tions, antic atute. :NT n icrease /Price Incr	S TO ACCEPT YO CHECKLIST FOR ecification: for completion, cipated particip	UR SUBMIT THAT UNIT special q ating user	TALYOU MUST : ualifications of departments,

PU079G\_Pre-Appd\_Req\_DPS\_Scheduled\_Dept\_Burst\_APSRPT.rep Page 1 of 1 Run 05/21/2008 04:31

#### **CITY OF CHICAGO PURCHASE REQUISITION**

Copy (Department)

DELIVER TO:

058- OEC1411

1411 W. MADISON

Chicago, IL 60607

REQUISITION: 38395

PAGE:

DEPARTMENT: 58 - OFFICE OF EMERGENCY COMMUNICA

PREPARER:

Amy R Gudgeon

NEEDED:

APPROVED: 5/20/2008

REQUISITION DESCRIPTION

SAFE BOATS OEMC/CPD 45FT ARCHANGEL SOLE SOURCE

SPECIFICATION NUMBER: 66087


#### COMMODITY INFORMATION

LINE	ITEM											
1	12023521	00						QUA	WTITY	UOM (	INIT COST	TOTAL COST
	BOATS, C	OVER 21 F	FEET - 45	FT. ARCHAN	GEL. 24 I	PERSON	APACITY	MAY 1600 L	1.00	Each #	*#######	1,065,206.25
	SUGGES	TED VEN	DOR:				7.11 7.011 )	REQUEST				
	DIST	BFY	FUND	COST CTR	APPR	ACCNT	ACTV			Amy R Guo		**************************************
	1	006	0M02	0582705	0400			PROJECT	RPT CAT	GENAL	FUTR	Dist. Amt.
				3002.03	04100	220400	0000	00000000	06DP7G	00000	0000	1,065,206.25
										LIN	E TOTAL:	1,065,206,25

REQUISITION TOTAL:

1,065,206.25

### DPS PROJECT CHECKLIST



IMPORTANT: PLEASE READ AND FOLLOW THE INSTRUCTIONS FOR COMPLETING THE PROJECT CHECKLIST AND CONTACT THE APPROPRIATE UNIT MANAGER IF YOU HAVE ANY FURTHER QUESTIONS. ALL INFORMATION SHOULD BE COMPLETED, ATTACH ALL REQUIRED MATERIALS AND SUBMIT FOR HANDLING TO THE DEPARTMENT OF PROCUREMENT SERVICES, ROOM 403, CITY HALL, 121 N. LASALLE STREET, CHICAGO, ILLINOIS 60602.

Date: REQ No	21MAY	395			T: P	ontact Pe el: 5-5599 roject Mai el: 742-23	Fax: nager:CH	NA RIS KE	E-m @ci NNEDY E-m	all:NA tyofchica 'all:NA	
		o.: (if know			Р	revious P	<b>O No.:</b> (if	known)		ityofchica	ago.org
Project I	Descript 	ion: SAFE	BOAT OF	EMC/CPD 4	5FT ARCH	IANGEL					
FUNDIN											
City Sta		☐ Corpor		☐ Bond	(Liahuau	LJ E	nterprise	$\bowtie$	Grant'		Other
	deral :	FHWA		FTA	Highway	☐ F	<b>AA</b>		Grant' Grant'		Other Other
LINE	FY	FUND	DEPT	ORGN	APPR	ACTV	OBJT	PRO	JECT	RPTG	\$ DOLLAR
01	006	0M02	057	0582705	0400	220400		ļ			1065206
<u> </u>	000	ONIOZ	037	0302703	0400	220400		<del></del>			1005200
			<u>.                                    </u>							<b>\$</b> 1,065,2	
OMPLETI The following clear de prospections	E THE SPI ing is a ge escription ive vende	ECIFIC SCOP eneral descrip n of all antions, special	E REQUIRE otion of what cipated se requirem	ements as si at should be in ervices and p	ET FORTH II cluded in a products, i is of the p	N THE SUPP Scope of Se ncluding: t roject, loca	PLEMENTAL Prvices or Sp ime frame ations, anti	CHECKI pecificati for con	LIST FOF ion: npletion	, special	ITTALYOU MUST IT. qualifications of er departments,
TYPE OF	PROC	JREMENT	REQUES	TED (check a	ill that apply	<b>/</b> ):		· <u>J.</u>		···	
Ċ		t Agreemer ard Agreem			☐Tim ☐Ver ☐Sco	AMENDMI e Extension dor Limit I ope Chang er (specify	on Increase e/Price Inc	crease/	Addition	nal Line It	em(s)
FORMS	<b>i</b> :	☑ Requisition	n [	Special App	rovals	☐ Non-Co	ompetitive R	eview Bo	ard (NCF	RB)	
CONTR	ACT TE	RM:	R	equested T	erm (num	ber of mo	nths):				
		ITAL REQ Bid/Submit			Yes [	No Re	equesting	Site Vis	sit?	Yes	□No
	•	ted 03/10/2				-	,			— Page 1 of	

PU079G\_Pre-Appd\_Req\_DPS\_Schedul ed\_Dept\_Burst\_APSRPT.rep Page 1 of 1 Run 05/21/2008 04:31

#### CITY OF CHICAGO PURCHASE REQUISITION

Copy (Department)

DELIVER TO:

REQUISITION: 38395

PAGE: 1

058- OEC1411

DEPARTMENT: 58 - OFFICE OF EMERGENCY COMMUNICA

PREPARER: Amy R Gudgeon

NEEDED:

5/20/2008

APPROVED:

REQUISITION DESCRIPTION

Chicago, IL 60607

SAFE BOATS OEMC/CPD 45FT ARCHANGEL SOLE SOURCE

SPECIFICATION NUMBER: 66087

**COMMODITY INFORMATION** 

LINE ITEM QUANTITY MOU **UNIT COST TOTAL COST** 1202352100 1.00 Each 1,065,206.25 BOATS, OVER 21 FEET - 45 FT. ARCHANGEL, 24 PERSON CAPACITY, MAX 1600 HP, MAX WT CAP 4,320 LBS SUGGESTED VENDOR: REQUESTED BY: Amy R Gudgeon DIST FUND COST CTR APPR ACCNT **ACTV** PROJECT APT CAT GENRL FUTR Dist. Amt. 1 006 0M02 0582705 0400 220400 0000 00000000 06DP7G 00000 00000 1,065,206.25

REQUISITION TOTAL: 1,065,206.25

LINE TOTAL:

1,065,206.25

#### CITY OF CHICAGO DEPARTMENT OF PROCUREMENT SERVICES ROOM 403, CITY HALL, 121 N. LASALLE STREET

INCP For	rm Rev	
----------	--------	--

#### JUSTIFICATION FOR NON-COMPETITIVE PROCUREMENT

COMPLETE THIS SECTION IF NEW CONTRAC	
For contract(s) in this request, answer applicable questions in each of the Apreparation of Non-Competitive Procurement Form on the reverse side.	4 major subject areas below in accordance with the <u>Instructions for</u>
Request that negotiations be conducted only with <u>Safe Boats Internation</u> (Name of Person	nal for the product and/or services described herein.
This is a request for One-Time Contractor Requisition #	n or Firm)
This is a request for (One-Time Contractor Requisition # Delegate Agency (Check one). If Delegate Agency, this request	, copy attached) or X 1 erin Agreement or
Delegate Agency (Check one). It Delegate Agency, this request	t is for "blanket approval" for all contracts within the
(Program Name) (Attach List)	·
(Program Name)	Pre-Assigned Contract No.
COMPLETE THIS SECTION IF AMENDMENT OR M	ODIFICATION TO CONTRACT
the change. Indicate both the original and the adjusted contract amount an supporting documents. Request approval for a contract amendment or mo	vices, etc., its relationship to the original contract and the specific reasons for nd/or expiration date with this change, as applicable. Attach copy of all addition to the following:
Contract #	Orania America Manage
Contract #:	Company or Agency Name:
Specification #	
Modification #:	Contract or Program Description:
	(Attach List, if multiple)
Lt, Christopher Kennedy 312-742-3205	
Originator Name Telephone	Signature Department Date
	Signature Department Date
Indicate SEE ATTACHED in each box below if additional space needed:	
SAFE boat (Defender Class) was received in Dec. of 2005. estimated delivery date of July 2008.	s for the Chicago Police Marine & Helicopter Unit. The first A second similar craft is presently in production with an
X ESTIMATED COST	
Please see attached.	
☐ SCHEDULE REQUIREMENTS	
= PACT LIGHTE ON LINEOUTE CANADALITY	
☐ EXCLUSIVE OR UNIQUE CAPABILITY	
	and rescue abilities as well as conducting homeland security
missions in the toughest of sea and weather conditions. SA	
The residual of Collic mount similar resides. Their design	n features are unique and are exclusively patent protected
	In features are unique and are exclusively patent protected
under (9) U.S. Patents. The properties covered include the	full buoyancy flotation collar and independent sealed hull
under (9) U.S. Patents. The properties covered include the floatation system. Should the hull be compromised this ve	e full buoyancy flotation collar and independent sealed hull seel would remain afloat, ensuring the safety of our officers.
under (9) U.S. Patents. The properties covered include the floatation system. Should the hull be compromised this ve Additionally this collar system is rated to provide ballistic.	e full buoyancy flotation collar and independent sealed hull essel would remain afloat, ensuring the safety of our officers. resistance for small arms fire including stopping a 45 cal.
under (9) U.S. Patents. The properties covered include the floatation system. Should the hull be compromised this ve Additionally this collar system is rated to provide ballistic handgun round at 3 meters. The vessel is rated for a 15ft. si	e full buoyancy flotation collar and independent sealed hull essel would remain afloat, ensuring the safety of our officers. resistance for small arms fire including stopping a 45 cal. urf state and features a self righting cabin feature. The hull
under (9) U.S. Patents. The properties covered include the floatation system. Should the hull be compromised this ve Additionally this collar system is rated to provide ballistic handgun round at 3 meters. The vessel is rated for a 15ft. si	e full buoyancy flotation collar and independent sealed hull essel would remain afloat, ensuring the safety of our officers. resistance for small arms fire including stopping a 45 cal. urf state and features a self righting cabin feature. The hull
under (9) U.S. Patents. The properties covered include the floatation system. Should the hull be compromised this ve Additionally this collar system is rated to provide ballistic.	e full buoyancy flotation collar and independent sealed hull essel would remain afloat, ensuring the safety of our officers. resistance for small arms fire including stopping a 45 cal. urf state and features a self righting cabin feature. The hull

This unique hull system will also be rated to travel to 20ft. This exceeds by far current capabilities. Final single makers, improves the safety to operators and vessel with a lowerable stem, decontamination show power system makes this a vessel which will help to the City.	ly, standardizatio crew. Lastly, the wer for divers, sur	n of platforms or the uniformity of vese unique features coupled with ouveillance and night vision systems a	vorking with a tfitting the and a jet driven
□ OTHER			
ADDROVED DV		· · · · · · · · · · · · · · · · · · ·	
APPROVED BY:	DATE	BOARD CHAIRPERSON	DATE



SAFE Boats International, LLC. 8800 Barney White Rd. Port Orchard, WA 98367 360-674-7161 360-674-7149 fax www.safeboats.com

February 15, 2008

To Whom It May Concern:

SAFE Boats International is the exclusive patent holder of U.S. Patents 5,282,436, 5,647,297, 5,870,965, 6,810,827, 5,870,965, 5,647,297, 5,282,436, 7,070,730 and 7,201,865 all of which pertain to foam stabilized watercraft. No other manufacturer can legally produce a foam stabilized watercraft with the same properties as a SAFE Boat. Those properties include:

- Mechanical and chemical attachment systems;
- Full buoyancy flotation collars which enable the boat to remain afloat with no additional flotation in the event of a catastrophic hull breach;
- Collar size and dimensions provide the ultimate in stabilization and displacement when the watercraft executes a tight turn or when it is loaded heavy.
- SAFE Boats also provides a full sided hull, unlike many other manufacturers.

SAFE Boats are not available for purchase through any dealer network and/or distributor. The boats can only be purchased factory direct through our facility at:

 SAFE Boats International 8800 Barney White Road Port Orchard, WA. 98367

Please contact me if you need any additional information on our products or have any questions regarding the patents.

Sincerely, SAFE Boats International

Mark Talbert General Manager

SoleSourceLetter



SAFE Boats International 8800 Barney White Road Port Orchard, WA 98367 (360) 674.7161 (360) 674.7149 (fax)

www.safeboats.com

Agency/Party:	Chican Police Denatured		
Point of Contact:	Lieutenant Chris Kannady		
Addrese:	3610 South Michigan Avenue		
City, ST Zip :	Chicago, Illinois 60653		
Phone :	312.742.3205 ( 312.742.2207 (fax)		
Emall:	Christopher Kennedv@chicacocolica.org		
Prepared By :	Bill Henne - 360,813,0175 - William @scieboats.com		
Quote Date :	3/19/2008		
Quote Length (days):	06		
Quote Expiration:	6/17/2008		
	(mail: Overscription)	Smus der Errore S Postiverier	1 8
	Product improvement changes in items and features may be made from time to time		
	45' Archangel SAFE Boat Sheer Deck	4700	8700 000 38
	Standard Festures		8000
	Length: 45' 6" LOA	Standard	
	Beam: 13' 4"	Standard	
	Back deck work area: >125 square feet.	Standard	
	Person capacity: 24	Sandard	
	Max HP: 1600	Standard	
	Dry weight: approximately 23,500 lbs.	Crapost C	
	Draft: approximately 13: 36 inches dependent upon load, (on step and at rest)	Standard Charles	
	Clearance with antenna's and mast lowered. 13 10". 16' 4' with mast raisedTrailer style may cause haint to furduate.".	Discount Office of the Party of	
	Max weight capacity: 4.320 lbs.	Standard	
	Performance	Star total	
	Top speed under normal operating conditions: 35-38 kts.	Standard	
	Cruising speed fully kaded 25-30 kts.	Standard	
	Idle speed: <4 kts.	Standard	
	Range: operationally loaded at 30 kts at least 250 nautical miles.	Standard	
	Compliance with 2004 emission standards.	Standard	
	Safe and controllable to maximum achievable speed under all normal load conditions.	Standard	
	Decelerate from 30 kts to dead in the water in less than 13 seconds.	Standard	
	Quiet operation, free of rattles, local vibrations, and radiated noise.	Standard	
	Designed for low maintenance and operation cost.	Standard	
	100% foam flotation collar for added stability and safety.	Included	
	SAFE XDR-1 Extreme Duty Reinforced Collar System. Patented solid polyethylene (closed cell foam) collar encapsulated by a marinized polyurethane membrane with extreme rip-stop reinforcement	Included	
	Standard colors include: International orange gray dark blue, blue, and white, and hank	Post inter	
The state of the s	Anti-fruiting paint on side plates behind realise.	IIIGNOBA	
	van volump pun voi soo prakso boning volum volum van de prakson volum vo	Induded	
	Hull Specifications	Deprinced	
	Wedged marine grade 5/16" - 5086 bottom plate with 5/16" keel doubler on forefoot	a de la constanta	
	SAFE Boats exclusive 10 stringer system with anoled transverse feaming on 12 inch contact	Department	
	COMION INC. TO REMEMBER OF THE PROPERTY OF THE	INCIUGEO	



SAFE Boats International 8800 Barney White Road Port Orchard, WA 98367 (360) 674-7161 (360) 674-7149 (fax)

	Performance shoe in bottom plate.	Included
	Fully welded performance strakes.	Included
	Sacrificial zinc anodes.	Included
	Eght (8) 10-inch cast weld aluminum cleats.	Included
	Forward reits/grab handles on cabin.	Included
	Fabricated aluminum life ring mount with 24-Inch ring.	pepnjoul
	Bow and transom eyes.	Included
	Custom fabricated weld on four-way lifting eyes with SS inserts.	Included
	Integral airtight chambers and welded hull and deck.	pepnbul
	25-degree "deep-v" dead rise hull.	hotuded
	Bottom anti-fouling paint on wetted hull surfaces.	Included
and control and co	Fuel System	
	Calibrated WEMA™ fuel sending unit. Threads out and provides easy tank inspection port.	Included
	300-gallon (US) fuel tank with a formed bottom and no seams including longitudinal and transverse baffles. All material is 1/4" - 5086	Inckeded
	individual.  End book full give doubles alabas as book and the first the first	
	The same last full size doubled plates on tank ends to isolate fank from mounting brackets.	peoripul
	Tuel tark mounting brackets are isolated on rubber mounts from huit structure.	Included
	infoe tuel prokups and returns with 5's shut oit ball valves.	Included
	Independent tuer stipping port.	papripul
	Dual Hacor water separator/filter with priming pump and SS shut off ball valves.	Included
TO THE PERSON NAMED IN COLUMN TO THE	Fuel read out gauge at operator's station and in tank room.	Included
	Water tight hatch accessing fuel tank area.	Included
	Deck Specifications	
Ì	Welded marine grade 3/16" - 5086 deck plating.	Included
	Dual water resistant hatches with SS pneumatic lift assists over engine compartment, removable center rail for engine removal, and	1
		Incinded
	Water tight Inspection hatch aft of engines with ladder to engine/jet space.	Included
	Non-skid decks and gunnels with 3M Safety Walk. All non-skid edges are sealed with 3M edge seal.	fncluded
T T T T T T T T T T T T T T T T T T T	Anchor locker with anchor tie downs and locker drains.	Included
		Included
	All tocker vents are designed to reduce water intrusion.	Included
	Wrap around aff deck rails.	Included
AND AND ADDRESS OF THE PARTY OF	One (1) forward tow post.	Included
	One (1) stem centered tow post.	Included
	Two (2) aft deck, port and starboard side mounting points.	Included
	Self-bailing fore and aff decks.	Included
	Attachment points for a variety of operational rigging.	Included
	Towing line reel with hand controlled tension brake. (300' feet of tow line and reel cover)	Included
	Full hand holds throughout.	Included
	Easy passage around pllothouse to bow with hand/foot holds.	Included
	Pilothouse	
	3/16" - 5052 aluminum with excellent visibility through watertight, opening, marine-grade tinted windows.	pepnjouj
	Overhead spotter windows (tinted).	Included
	Windshield wipers/motors and freshwater wash for front windshield panels (2).	pepnipul
	Dual forced air heat and windshield defroster/defogger system w/ multi speed fan and run-off engine heater core.	Included
	Two (2) water cooled HVAC systems with individual electronic controls and one (1) auxiliary heater. Can be run from either shore	1
	power or generator.	illonnen



SAFE Boats International 8800 Barney White Road Port Orchard, WA 98367 (360) 674-7161 (360) 674-7149 (fax)

Weather tight, rugged, sliding aluminum doors with windows on each starboard and bort side of cabin with internal locks.	abin with internal locks.	pepan
Weather tight, aff facing hinged door with internal lock.		pepn
Weather tight access hatch to forward cockoit with internal lock.	papripul	luded
Theater seating for four, with marine grade upholstery on the shock mitigating seats.	papripul	Inded
Ample stowage areas Including cubbies.	Included	tuded
Access ports to all instrumentation, controls, and interfaces.	Included	fuded
Console mounted controls for ZF electronic gear shift with over rev protection.		
Marine grade carpet and insulation.	Included	Inded
Double reinforced swing down rooftop antenna/light/radar pod.	Pepulani	tuded
Three (3) fire extinguishers.	Included	tuded
Two (2) ventilation fans, 12-volt.	lucinded	hopor
Rubberized non-slip material on dash, console and handholds.	pepripul	luded
No copper fasteners; stainless fasteners shielded from aluminum throughout with the use of TEF-GEI	GEL. Included	papri
12-volt UC and 120-vort AC electrical system.	Included	nded
Batteries; absorbed glass matt (AGM) batteries secured in dedicated drip-resistant tray. Three (3) separate systems; one (1) for house and one (1) per engine for starting for a total of three (3) batteries. Isolated with selector switches.	) separate systems; one (1) for house included	pepni
Independent port and starboard C-9 control panels.	lucluded	Inded
Six (6) 12-volt accessory plugs.	hebuten	pepn
4-kW marine generator with digital controls, water cooled and plumbed to main fuel tank.	pepripul	luded
Two (2) afternators with minimum 105-amp capacity for starting system maintenance.	Included	hopon
Service loops on all equipment cable.	Induded	fuded
Marine grade commercial distribution breaker panel with thermal magnetic over/short surge protection breakers including shielded switch covers	ction breakers including shielded	luded
Shore power via 120-volt AC system with 50-toot portable cable includes isolating transformer.	populari	Inded
Two (2) 120-volt AC 15-amp marine GFI duplex outlets.	pepripul	hided
Built in engline room fire suppression system.	paprijoui	habn
Electronics (supplied and installed)		
Fully integrated navigation system.	papnjoul	luded
All components NMEA standard competible.	paprioui	luded
RC searchlight ARC # 1930.	pejnjal	Inded
Navigation Package (Furuno) *price includes installation.	7.000	i
Furuno NavNet 3D MFD12 12.1" color LCD display, 5-meter power cable, mounting bracket and hardware.	cket and hardware.	luded
Furuno DRS4A Ultra High Definition (UHD <sup>TM</sup> ) digital radar (3.5' open array - 4kW - 48 nm range) and 15-meter antenna	range) and 15-meter antenna	tuded
Infrared remote control operators manual, installation guide. *Customer to provide their own AOR map chip	map chip.	fuded
ARP11/PG integrated heading sensor/ARPA kit with PG5000 sensor w/ mounting hardware, 000-125-237 heading cable (to radar), power cable, operators manual, ARP11 PCB is installed in radar display.	125-237 heading cable (to radar),	papnj
GP37 DGPS/WAAS navigator with 4" Silver-Brite LCD w/ cover, DGPS/WAAS antenna w/ 10-meter cable, 2-meter power/data cable, mounting brackets and hardware, operators manual.	er cable, 2-meter power/data cable, included	loded
Furuno DFF1 Network Sounder.	pepnjoul	Inded
520 - PLD Transducer with smart sensor, 10-meter transducer cable and 7-pin ptug (to RD30).	paprioui	luded
- 000-117-603 6-pin 5-meter NMEA/power cable (GP37 to radar)	Included	Inded
	pepripul	inded
Fuuno LH-3000 loud haller with speakers fore and eft and horn.	papripul	papn
Furuno FM-3000 VHF	pepripul	Inded
Non-encoded radio (includes freight to SBI and installation).	Included	Inded



SAFE Boats International 8809 Barney White Road Port Orchard, WA 96367 (360) 674.7161 (360) 674.7149 (fax)

Navigation lights (running and anchor).		the distriction of
Dual blue law enforcement lights.		Deonoed
Dimmable interior and exterior low profile I FD walkway fights	WALLEST THE PROPERTY OF THE PR	included
Starboard nort and affaction floorights		pepnioul
Marine markhard larks (white and red)		pepnioul
Financia Perior Dark Former Balow Dark		Included
Furlesed hard notable chaminal has suited.		
Turk (2) formed boths at L		Included
		Included
Poor degree instructive and professional general control of the co		ncluded
Funia Wester of the Light and State Cabin Windows.		Included
Lighter Ower I training Mitch Leaves		Annual Property and Annual
Dural modern Stanta DTZ (650-h) @ 2200 RPM) diesel engines.		Included
Unal ZF3U9-1 geal transmission 1 to 1 ratio.		Included
Uudi drive iines with adaptor plates.	The state of the s	hehided
Dual Hamiton 322 water jets.		pelulpul
Dual engine, transmission, and water jet controls at helm station.		populod
Dual gauge peneds at heim station (tachometers, water temperature, oil pressure, engine hours, etc)		in radius
Engine and transmission FLOCS (fast lube oil change system). "Clearly marked"		Partition
Outh		ncinoed
Boat Outfit Kit; includes: 30' moofing lines (4), black fembers OliTEANA w/ 10' v 2/8" which (4), belonging hour best best best best best best best best		711111111111111111111111111111111111111
w lanyard, 300' tow line, 10-00 too lifet and kit. Fortness EX23 anchor let (2) 1/21 should be seen took with mounts, bucket	, Ducker	
6 galvanized chain & SS chain deck pine) 24 file fine hink with difference motion into	9, 1/2, x	Inchided
including 3/16" T-handle, 5/16" T-handle and offset screading my including and offset screading part parts pare parts/doi pag		
Miscellaneous Miscellaneous	DIG.	
Perform sea trial and document mechanical and performance data (five) labor all included		
Propulsion System Options		Incinded
Hamilton Jet blue ARROW navigation system.		
Self Righting Package	өв	\$33,559.37
Integrated flotation claim roof with internal structure and from Invitrides invitraded mask to incompass and design	•	
Hull Options	5	\$26,230.00
Custom three (3) foot hull extension.		
Additional Optional Equipment	88	\$49,235.40
FLIR Voyager thermal imager w/ continuous dental zoom and nan-tit		
Customer to supply 3 Astro Spectra radius w/ artennes for install fragations (1-1-4-1)	63	00.687,€7\$
Hydraulically metadad invasions state and account added to install price is for unstallically metadad invasion state and account added to install price is to unstallically metadad invasions state and account added to install price is to unstallically metadad invasions state.	three	\$1,275.00
(3) AV In Circlet wir microwance common reference and a common and a common common and c	83	\$22,419.00
Chart to the and for an electric contract. Unique and 120-Voit Outlet.	88	\$2,187.00
when the state of	68	\$812.00
result water talin (30 gailen minimum) W/ III), pump and shower for diver decontamination.	88	\$3 722 00
Full fransportation trailer with brakes.	8	\$35 753 00
Custom Cushman 3-piece winch davit package includes mount and installation.	8	¢3 131 10
Gun Locks for Remington Shotgun (1 ea) and AR Rifle (1 ea) SC-1/AR-H (2 total - 1 w/ shotgun inserts)	nair	\$575.00
Reinforced push knees on bow of boat.		900 16
Drawings Package, Includes:	8	00.88/,08
-Outboard Profile & General Arrangement		
	88	\$1,420.00
-Electrica System	93	\$1,420.00



SAFE Boats International 8800 Barney White Road Port Orchard, WA 98367 (360) 574-7161 (360) 574-7149 (fax)

	8	\$1 420 CD
Full material equipment list (ME)		30.00
יימו התפוסים כקומות הם לוחבים.	68	3.400,00
Install Customer provided strobe light system around cabin and roof.	<b>⊕</b> 3	\$1.279.00
Sliding door between cabin and ouddy (SBI fabricated)		\$875.00
Outfit all four shock mitigating seats w/ nyton seatbelts and and cutick release SS handware.	Ę	\$310 GO
Port and starthoard all flexic connective stantish areas w/ characte honoreth and locator lists to assess the characteristic lists to be a second to the characteristic lists and the characteristic list and the characteristic lists are characteristic lists and the characteristi	8	3
sufficert for billy purp storage.		40 710 00
Ice Pushing Reinforcement System		2,1 1,00
Welded on "second skin" applied to hull and includes necessary structure. THIS SETUP WILL BE RATED FOR SHEETS OF ICE NO	CI #53	
LANGER THAN 20' X 20' X 1' AND IDLE AHEAD LIMITED TO 2 KNOTS.		\$43,600.00
Total Package FOB Port Orchard, Washington. ""NOT INCLUDING SHIPPING""	\$1,05	\$1,052,956.25
Shiming - NOT TO EXCEED		
William Will De Exceed	<u>ہ</u>	\$12,250.00
Vessel United Will be Customer Heapons Rully.	The state of the s	
Total Backane Individual Shinning	and a second	
Cora recognition output	\$1,06	\$1,065,206.25
Acceptance at Port Orchard, Washington		
FOB Port Orchard, Washington		
****Delivery 365 days after the receipt of contract or purchase order,****		
SAFE Boats international	The second secon	
8800 Barney White Rd.		
Port Orchard, WA 98367		
(360) 674-7161		
(360) 674-7149 fax		
Www.sefeboats.com		
DUNS# 01-991-5511		
Federal Tax ID # 91-1737896		
Resale tax# 601-759-087		
Discount available for multiple boat order of three (3) or more identical items on same order.		
It Bloom Signs Delan & March Miles and the Control of the Control		
rease sign below & Attach this quote to your Purchase Order when submitting		
Customer Slgn:		
Print Name:		-