

Surveillance Week 5 (January 28, 2024-February 3, 2024)

Chicago Respiratory Virus Weekly Surveillance Report



Brandon Johnson, Mayor

February 9, 2024

Olusimbo Ige, MD, MS, MPH, Commissioner

This report summarizes key respiratory virus surveillance indicators. The indicators are compiled from laboratory-based data as well emergency department visit data. This report is meant to provide more context for the ongoing COVID-19 pandemic, particularly as co-circulation of respiratory viruses increases. More detailed information on influenza and COVID-19 activity can be found on their respective online dashboards. All data are preliminary and may change as additional reports are received.

Weekly Surveillance Key Points

COVID-19:

- Cook County's COVID-19 Hospital Admission Level is low.
- The number of new hospitalizations per 100,000 population for Cook County decreased from 8.2 to 6.2.
- The test positivity for SARS-CoV-2 is 7.3%.


Influenza:

- Influenza activity remains high but is decreasing.
- 4 influenza-associated ICU hospitalizations were reported for the current surveillance week. Since October 1, 2023, 204 influenza-associated ICU hospitalizations have been reported.
- 316 of 5,110 (6.2%) reported specimens tested for influenza were positive. Since October 1, 2023, 6,507 of 99,932 (6.5%) reported specimens tested for influenza were positive.
- The proportion of emergency department visits for influenza-like illness (ILI) is above local thresholds and the proportion of outpatient visits for ILI is below local thresholds.
- Vaccination is the best way to protect against influenza infection and all Chicagoans six months and older are encouraged to get vaccinated. Influenza and COVID-19 vaccines can be given at the same visit if the timing coincides.
- Chicagoans should ask their healthcare provider or pharmacist about vaccine availability. For those
 without a healthcare provider or whose healthcare providers do not have the influenza vaccine, a schedule
 of <u>City of Chicago influenza vaccination clinics</u> is available on the city website and by calling 311.
- The Illinois Department of Public Health has issued <u>Influenza Testing and Reporting Guidance</u> for the 2023-2024 season. Visit the CDPH <u>HAN website</u> for more information on how to report.

Other Respiratory Viruses:

- RSV activity is similar to last week and remains below the peak level in early December:
 - The percent of emergency department visits in children <5 years old due to RSV has decreased from 3.5% to 3.0%.
 - The test positivity for RSV has increased from 3.3% to 3.4%.
 - The number of pediatric admissions due to RSV increased 10.0% from the previous week.
 - The supply of nirsevimab has recently increased. CDC advises healthcare providers to return to recommendations put forward by CDC and the <u>Advisory Committee on Immunization Practices</u> (ACIP) on use of nirsevimab in young children. See the 1/5/24 COCA Now update for full details.
- The test positivity for parainfluenza remains at <1%.
- The test positivity for rhinovirus/enterovirus has increased from 5.0% to 6.7%.
- The test positivity for adenovirus has increased from 2.7% to 2.8%.

Influenza-Associated ICU Hospitalizations - In Illinois, influenza-associated ICU hospitalizations are reportable as soon as possible but within 24 hours. The graph below shows the weekly number of reported ICU hospitalizations for Chicago residents for the current and previous seasons. The table summarizes selected characteristics of reported cases for the current week and cumulative for the current season.




	Week Ending		Since		
	February	3, 2024	October 1	1, 2023	
Group	#	%	#	%	
Citywide	4	100.0	204	100.0	
Age					
0-4	0	0.0	13	6.4	
5-17	0	0.0	13	6.4	
18-24	0	0.0	1	0.5	
25-49	2	50.0	33	16.2	
50-64	1	25.0	65	31.9	
65+	1	25.0	79	38.7	
Gender					
Male	3	75.0	95	46.6	
Female	1	25.0	108	52.9	
Unknown	0	0.0	1	0.5	
Race-Ethnicity					
White Non-Latinx	0	0.0	40	19.6	
Black Non-Latinx	2	50.0	107	52.5	
Latinx	1	25.0	41	20.1	
Asian Non-Latinx	1	25.0	6	2.9	
Other Non-Latinx	0	0.0	4	2.0	
Unknown-Race	Ō	0.0	6	2.9	

Respiratory Virus Laboratory Surveillance - Current Week and Cumulative The table below includes respiratory viral PCR tests performed by several hospital laboratories in Chicago as well as two commercial laboratories serving Chicago facilities. Reporting facilities represent nearly half of all acute care hospitals in the city. Data reported include Chicago and non-Chicago residents.

	Week Ending February 3, 2024		Since October 1, 2023	
Respiratory Pathogen	# Tested	% Positive	# Tested	% Positive
Influenza*	5,110	6.2	99,932	6.5
RSV*	3,125	3.4	63,227	7.5
SARS-CoV-2*	3,703	7.3	70,234	8.9
Parainfluenza	1,678	0.5	31,593	1.7
Rhinovirus/Enterovirus	834	6.7	17,523	13.0
Adenovirus	834	2.8	17,520	4.0
Human Metapneumovirus	841	0.4	19,555	0.5
Seasonal Coronaviruses [†]	1,671	2.6	31,461	1.3


^{*}Represents both dualplex and multiplex PCR data. All other data represents only multiplex panels that include the specified pathogens;† Four seasonal coronavirus strains include 229E, NL63, OC43, and HKU1.

Weekly number and percent of specimens testing positive for influenza by subtype (graph) and the number of positive specimens by subtype for the current week and cumulative for the season (table).




	Week Ending		Since	
	February 3,	2024	October 1, 2023	
Type / Subtype	# Positive	%	# Positive	%
Influenza A	247	78.2	5,957	91.5
(H1N1)pdm09	33	13.4	587	9.9
H3N2	10	4.0	353	5.9
Subtyping not performed	204	82.6	5,017	84.2
Influenza B	69	21.8	550	8.5
Total Positive	316	100.0	6,507	100.0
Total Positive	316	100.0	6,507	100.0


Respiratory Virus Laboratory Surveillance - Seasonal Trends These graphs show seasonal trends of selected respiratory virus testing data presented in the previous table. Typical seasonal periods when activity tends to increase for influenza and RSV are indicated by shaded areas. Elevated test positivity outside of typical seasonal periods suggests atypical activity, and increased clinician awareness and testing may be warranted. Yearly data can also be used to compare the timing and intensity of viral activity, although changes in testing patterns also influence yearly trends, and data should be interpreted in the context of other surveillance indicators.




Emergency Department Illness Surveillance In <u>Illinois</u>, all 185 acute-care hospitals report emergency department visit data in near-real time to the Illinois Department of Public Health (IDPH). By tracking symptoms (or chief complaints) of patients in emergency departments, public health can promptly detect unusual levels of illness to determine whether a response is warranted. A <u>map of influenza-like illness (ILI)</u> <u>activity levels</u> by patient zip code determined by the emergency department chief complaint data can be found on the influenza dashboard.


Percent of emergency department visits attributed to **influenza-like illness (ILI)** for residents of Chicago zip codes based on chief complaint data.







Percent of emergency department visits attributed to **COVID-like illness (CLI)** for residents of Chicago zip codes based on chief complaint data.






Percent of emergency department visits attributed to **respiratory syncytial virus (RSV)** diagnoses for residents of Chicago zip codes based on chief complaint data. Seasonal trends are displayed for children younger than 5 years old who are most impacted by RSV.






Outpatient Visit Illness Surveillance Several outpatient clinics throughout Chicago participate in CDC's Influenza-like Illness Surveillance Network (<u>ILINet</u>) by reporting on a weekly basis the total number of outpatient clinic visits, and of those visits, the number with influenza-like illness (ILI). This graph shows the percent of medically-attended outpatient visits attributed to ILI as reported by ILINet facilities in Chicago by week for the current season and previous four seasons.



Weekly Pediatric Admissions Emergency department visit data includes information on whether the visit resulted in a hospital admission at any time during the course of the clinical encounter. The syndromes or disease associated with the hospitalization are based on chief complaint and discharge diagnosis codes and no not necessarily represent lab-confirmed cases. The chart below represents hospital admissions among children <18 years-old at Chicago hospitals due to acute respiratory illnesses.



National and State Respiratory Virus Surveillance

The Centers for Disease Control and Prevention's FluView report provides national updates and trends related to influenza activity across the United States, and the National Respiratory and Enteric Virus Surveillance System (NREVSS) is a voluntary laboratory-based system that monitors temporal and geographic circulation patterns of several respiratory viruses in the U.S. The Respiratory Syncytial Virus (RSV) Hospitalization Surveillance Network (RSV-NET) is a CDC population-based surveillance system that collects data on severe RSV hospitalizations, including those resulting in ICU admission or death, among children and adults. The Respiratory Virus Hospitalization Surveillance Network (RESP-NET) comprises three platforms that conduct population-based surveillance for laboratory-confirmed hospitalizations associated with COVID-19, Influenza, and Respiratory Syncytial Virus (RSV) among children and adults. CDC is tracking the COVID-19 pandemic in a weekly publication called COVID Data Tracker Weekly Review. The Illinois and Suburban Cook County influenza surveillance reports are also available online. Current and archived issues of the Chicago Influenza and Respiratory Virus Surveillance Report can be found on the CDPH website section Current Flu Situation in Chicago.